

MARRIOTT HOTELS

Marriott Global Design Standard
National Program Guide
May 2023



*American
Standard*

DXXV



INAX

PART OF **LIXIL**



ENERGY CONSERVATION ENERGY CREATION

Mega-solar power plant at the **LIXIL** Chita Plant in Japan

LIXIL is the most **comprehensive global company in the housing and building industry**. We provide **human-centric innovations** that **enhance** people's living space. From **sanitary fixtures** and **fittings** to **a full line-up** of materials for **residential and commercial**. We bring to market **beautiful design, reliable quality, innovation, environmentally-friendly products** with a **responsible approach to business and the planet**.

LIXIL Link to
Good Living

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



SHOWER ONLY (LAYOUT 1)



	SKU No. 33170003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Plus Single Hole Single Handle S-Size Bathroom Faucet Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE AquaGuide adjustable flow control Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant			
   				
	SKU No. 20302003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE 8-Inch Widespread 2-Handle L-Size Bathroom Faucet 1.2 Gpm Collection GROHE PLUS Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE AquaGuide adjustable flow control Operation Manual Number of Handles Two handles Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant			
   				

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



SHOWER ONLY (LAYOUT 1)



 	SKU No.	P-Number	Color/Finish
	0614000.020	DESIGN DRIVEN SPEC	White finish
	List	Net	Quantity
American Standard Studio Undercounter Sink			
Collection		STUDIO	
Basin Type		Lavatory	
Material		Vitreous china	
Color / Finish		White finish	
Mounting		Counter mounted	
ADA		ANSI A117.1 compliant	

SHOWER ONLY (LAYOUT 1)

	SKU No.	P-Number	Color/Finish
	26043001	DESIGN DRIVEN SPEC	StarLight chrome
	List	Net	Quantity
			1
	GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays		
	ASME Compliance	ASME A112.18.1	
	CALGreen Compliance	CALGreen compliant	
	CEC	California Energy Commission (CEC) compliant	
	Cleaning	SpeedClean® anti-lime system	
	Connection	1/2" connection thread	
	CSA Compliance	CSA B125.1	
	EPA Compliance	Energy Policy Act of 1992	
	EPA Watersense	EPA WaterSense®	
	Face Diameter	4" face	
	Color / Finish	StarLight chrome	
	Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter	
	Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet	
	Installation	Installed on shower arm	
	Manufacturer	GROHE	
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure		
Shower Head Type	Residential		
Spray	Multispray		
Spray Pattern	DreamSpray perfect spray pattern		
US Federal	US Federal and State material regulations compliant		



SHOWER ONLY (LAYOUT 1)









	SKU No. 27591001	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays ASME Compliance ASME A112.18.1 Ball Joint Rotational Ball joint 15 degree Connection 1/2" Connection thread CSA Compliance CSA B125.1 EPA Compliance Energy Policy Act of 1992 Color / Finish StarLight chrome Flow Rate 9.5 LPM (2.5 GPM) flow limiter Function Multifunction Installation Installed on shower arm Manufacturer GROHE Minimum Pressure Min. recommended pressure: 15 PSI (1.0 bar) Product Feature SpeedClean anti-lime system. Shower Head Type Residential Spray 4 Sprays: GROHE Rain O ² , Rain, Massage and Jet Spray Pattern DreamSpray perfect spray pattern		
	SKU No. 27414000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome
	List	Net	Quantity 1
	GROHE 5 5/8" Tubular Shower Arm Connection 1/2" Connection thread Color / Finish Starlight chrome Manufacturer GROHE Projection 5-5/8" projection		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



SHOWER ONLY (LAYOUT 1)

 	SKU No. 29331003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Plus Pressure Balance Trim With Cartridge Kit Type Valve trim			
	SKU No. 35110000	P-Number DESIGN DRIVEN SPEC	Color/Finish Alpine white	
	List	Net	Quantity 1	Total
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim			
    	SKU No. 39675000	P-Number DESIGN DRIVEN SPEC	Color/Finish Alpine white	
	List	Net	Quantity 1	Total
	GROHE Essence Two-Piece Elongated Dual Flush Toilet Collection ESSENCE Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water Consumption High Efficiency HET 4.8 LPF (1.28 GPF) Material Vitreous china Color / Finish Alpine white Bowl Shape Elongated bowl			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)



	SKU No. 33170003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Plus Single Hole Single Handle S-Size Bathroom Faucet Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE AquaGuide adjustable flow control Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant		
   			
	SKU No. 20302003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE 8-Inch Widespread 2-Handle L-Size Bathroom Faucet 1.2 Gpm Collection GROHE PLUS Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE AquaGuide adjustable flow control Operation Manual Number of Handles Two handles Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant		
   			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)

 	SKU No.	P-Number	Color/Finish
	0614000.020	DESIGN DRIVEN SPEC	White finish
	List	Net	Quantity
		1	
American Standard Studio Undercounter Sink			
Collection	STUDIO		
Basin Type	Lavatory		
Material	Vitreous china		
Color / Finish	White finish		
Mounting	Counter mounted		
ADA	ANSI A117.1 compliant		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)

	SKU No.	P-Number	Color/Finish
	26043001	DESIGN DRIVEN SPEC	StarLight chrome
	List	Net	Quantity
			1
	GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays		
	ASME Compliance	ASME A112.18.1	
	CALGreen Compliance	CALGreen compliant	
	CEC	California Energy Commission (CEC) compliant	
	Cleaning	SpeedClean® anti-lime system	
	Connection	1/2" connection thread	
	CSA Compliance	CSA B125.1	
	EPA Compliance	Energy Policy Act of 1992	
	EPA Watersense	EPA WaterSense®	
	Face Diameter	4" face	
	Color / Finish	StarLight chrome	
	Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter	
	Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet	
	Installation	Installed on shower arm	
	Manufacturer	GROHE	
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure		
Shower Head Type	Residential		
Spray	Multispray		
Spray Pattern	DreamSpray perfect spray pattern		
US Federal	US Federal and State material regulations compliant		







MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)

	SKU No. 27414000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome
	List	Net	Quantity 1
	GROHE 5 5/8" Tubular Shower Arm Connection 1/2" Connection thread Color / Finish Starlight chrome Manufacturer GROHE Projection 5-5/8" projection		
 	SKU No. 29331003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Plus Pressure Balance Trim With Cartridge Kit Type Valve trim		
	SKU No. 35110000	P-Number DESIGN DRIVEN SPEC	Color/Finish
	List	Net	Quantity 1
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)

	SKU No.	P-Number	Color/Finish
	13274001	DESIGN DRIVEN SPEC	StarLight Chrome
	List	Net	Quantity
			1
	GROHE Tub Spout		
	Collection	CONCETTO	
	Compliances and Certifications	Energy Policy Act of 1992, ASME A112.18.1/CSA B125.1, EPACT92 compliant, ICC/ANSI A117.1 compliant	
	Discharge Type	Flow control	
	Diverter	Non diverter tub spout	
	Color / Finish	StarLight Chrome	
	Manufacturer	GROHE	
	Mounting	Wall-hung	
	Projection	170 mm (6-11/16")	
	Thread	13 mm (1/2") NPT Male Threads	
Thread Size	1/2		
Type	Tub spout		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)






 	SKU No. 29222003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Grohe Plus 3-Way Diverter Trim Compliances and Certifications ASME A112.18.1/CSA B125.1, LOGO CEC Conceal Without concealed body Color / Finish StarLight chrome Handle Metal lever handle Manufacturer GROHE Maximum Diverting Outlets 3 Way Number of Outlets 3 outlets: Shower head/Hand Shower/Tub spout Valve For use with 3-way diverter rough-in valves (29 902) or (29 903)			
	SKU No. 29902000	P-Number DESIGN DRIVEN SPEC	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE 3-Way Diverter Rough-In Valve (Discrete Functions) ADA Compliance ADA compliant: requires less than 5 lbs/22.2 N force to operate handle ASME Compliance ASME A112.18.1 CALGreen Compliance CALGreen compliant Connection Size plasterguard included 1/2" NPT CSA Compliance CSA B125.1 Function 3 discrete functions Inlet 1 inlet Model 29902 Number of Outlets 3 outlets			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)

   	SKU No. 26046002	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE New Tempesta Cosmopolitan 100 Handshower 2 Sprays Flow Rate 1.75 gpm (6.6 l/min) flow limiter Color / Finish StarLight chrome			
	SKU No. 26602000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE Rainshower 24" Shower Slide Bar Adjustable GROHE QuickFix Plus adjustable distance between brackets for easy alignment with existing drilling holes Color / Finish Starlight chrome Height 22 7/16" to 24 13/16" (570 to 630 mm) Manufacturer GROHE Projection 139 mm (5-1/2") projection from wall Shower Holder Swivel hand shower holder, adjustable angle of hand shower Slide Bar Bracket GROHE TileFix adjustable depth on upper and lower brackets to accommodate uneven surfaces Tray GROHE EasyReach tray			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)

	SKU No. 28417000	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Rotaflex Metal Longlife Metal Shower Hose Twistfree 1500 Connection Universal connection G 1/2" x 1/2" Color / Finish StarLight chrome Length 1499 mm (59") long Material Metal Pressure Resistance Pressure resistance: up to 16 bar Tensile Strength Tensile strength 500 N			
	SKU No. 07911000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE 1/2" Inline Vacuum Breaker Application Inline Color / Finish Starlight chrome Fixture Type Vacuum breaker Manufacturer GROHE Size 13 mm (1/2")			
	SKU No. 28672000	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Shower Outlet Elbow, 1/2" Collection RELAXA Connection Type 1/2" NPT Female Threads Color / Finish StarLight chrome Manufacturer GROHE			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)


	SKU No.	P-Number	Color/Finish
	2390.202.020	DESIGN DRIVEN SPEC	White
	List	Net	Quantity
			1
	American Standard Princeton® Recess Bath (Below Floor Installation)		
	Installation	Alcove	
Bath Type	Bathing pool		
Material	Americast® brand engineered material, Acid resistant porcelain finish		
Color / Finish	White		
Installed Size	60 x 30 x 17-1/2" (1524 x 762 x 445 mm)		
Dimensions	1524 x 762 x 356 mm (60" x 30" x 14")		
	SKU No.	P-Number	Color/Finish
	2391.202.020	DESIGN DRIVEN SPEC	White
	List	Net	Quantity
			1
	American Standard Princeton® Recess Bath (Below Floor Installation)		
	Installation	Alcove	
Bath Type	Bathing pool		
Material	Americast® brand engineered material, Acid resistant porcelain finish		
Color / Finish	White		
Installed Size	60 x 30 x 17-1/2" (1524 x 762 x 445 mm)		
Dimensions	1524 x 762 x 356 mm (60" x 30" x 14")		
	SKU No.	P-Number	Color/Finish
	1583.470.002	DESIGN DRIVEN SPEC	Polished chrome
	List	Net	Quantity
			1
	American Standard Universal Bathtub Drain		
	Fixture Type	Bathtub drain	
Color / Finish	Polished chrome		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



TUB/SHOWER (LAYOUT 2)

	SKU No.	P-Number	Color/Finish
	39675000	DESIGN DRIVEN SPEC	Alpine white
	List	Net	Quantity
		1	
	GROHE Essence Two-Piece Elongated Dual Flush Toilet		
	Collection	ESSENCE	
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Color / Finish	Alpine white	
	Bowl Shape	Elongated bowl	



MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)



	SKU No. 33170003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Plus Single Hole Single Handle S-Size Bathroom Faucet Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE AquaGuide adjustable flow control Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant		
   			
	SKU No. 20302003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE 8-Inch Widespread 2-Handle L-Size Bathroom Faucet 1.2 Gpm Collection GROHE PLUS Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE AquaGuide adjustable flow control Operation Manual Number of Handles Two handles Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant		
   			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)

 	SKU No.	P-Number	Color/Finish
	0614000.020	DESIGN DRIVEN SPEC	White finish
	List	Net	Quantity
American Standard Studio Undercounter Sink			
Collection		STUDIO	
Basin Type		Lavatory	
Material		Vitreous china	
Color / Finish		White finish	
Mounting		Counter mounted	
ADA		ANSI A117.1 compliant	

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)

SKU No.	P-Number	Color/Finish	
26043001	DESIGN DRIVEN SPEC	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
CALGreen Compliance	CALGreen compliant		
CEC	California Energy Commission (CEC) compliant		
Cleaning	SpeedClean® anti-lime system		
Connection	1/2" connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
EPA Watersense	EPA WaterSense®		
Face Diameter	4" face		
Color / Finish	StarLight chrome		
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter		
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure		
Shower Head Type	Residential		
Spray	Multispray		
Spray Pattern	DreamSpray perfect spray pattern		
US Federal	US Federal and State material regulations compliant		







MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)


	SKU No. 27414000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome
	List	Net	Quantity 1
	GROHE 5 5/8" Tubular Shower Arm Connection 1/2" Connection thread Color / Finish Starlight chrome Manufacturer GROHE Projection 5-5/8" projection		
 	SKU No. 29331003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Plus Pressure Balance Trim With Cartridge Kit Type Valve trim		
	SKU No. 35110000	P-Number DESIGN DRIVEN SPEC	Color/Finish
	List	Net	Quantity 1
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)






 	SKU No. 29227003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
GROHE Grohe Plus 2-Way Diverter Trim			
Compliances and Certifications		ASME A112.18.1/CSA B125.1, LOGO CEC	
Conceal		Without concealed body	
Color / Finish		StarLight chrome	
Handle		Metal lever handle	
Manufacturer		GROHE	
Maximum Diverting Outlets		2 Way	
Number of Outlets		2 outlets: Shower Head/Hand Shower	
Valve		For use with 2-way diverter rough-in valves (29 900) or (29 901)	
	SKU No. 29900000	P-Number DESIGN DRIVEN SPEC	Color/Finish
	List	Net	Quantity 1
GROHE 2-Way Diverter Rough-In Valve (Discrete Functions)			
ADA Compliance		ADA compliant: requires less than 5 lbs/22.2 N force to operate handle	
ASME Compliance		ASME A112.18.1	
CALGreen Compliance		CALGreen compliant	
Connection Size		plasterguard included 1/2" NPT	
CSA Compliance		CSA B125.1	
Function		2 discrete functions	
Inlet		1 inlet	
Model		29900	
Number of Outlets		2 outlet	

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)

   	SKU No. 26046002	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE New Tempesta Cosmopolitan 100 Handshower 2 Sprays Flow Rate 1.75 gpm (6.6 l/min) flow limiter Color / Finish StarLight chrome			
	SKU No. 95866000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE Volume Control For Shower Heads & Hand Showers ANSI Compliance ICC/ANSI A117.1 Color / Finish Starlight chrome Flow Rate Adjusts from 2.5 GPM to a trickle flow Non-Positive Shutoff Non-Positive shutoff			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)

SKU No.	P-Number	Color/Finish	
26603000	DESIGN DRIVEN SPEC	Starlight chrome	
List	Net	Quantity	Total
		1	
GROHE Rainshower 36" Shower Slide Bar			
Adjustable	GROHE QuickFix Plus adjustable distance between brackets for easy alignment with existing drilling holes		
Color / Finish	Starlight chrome		
Height	34 1/4" to 36-5/8" (870 to 930 mm)		
Manufacturer	GROHE		
Projection	139 mm (5-1/2") projection from wall		
Shower Holder	Swivel hand shower holder, adjustable angle of hand shower		
Slide Bar Bracket	GROHE TileFix adjustable depth on upper and lower brackets to accommodate uneven surfaces		
Tray	GROHE EasyReach tray		





MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)

	SKU No.	P-Number	Color/Finish
	28025000	DESIGN DRIVEN SPEC	Starlight chrome
	List	Net	Quantity
		1	
	GROHE Rotaflex Metal Longlife		
Connection	Universal connection G 1/2" x 1/2" inlets and outlets		
Cover	Removable protection cover with installation information		
Color / Finish	Starlight chrome		
Function	Rotation cone for Twist-free function		
Length	1753 mm (69") long		
Material	Metal		
Pressure Resistance	Pressure resistance: up to 16 bar		
Stops	Silicone strip prevents hand shower from turning while in body spray position		
Tensile Strength	Tensile strength 500 N		
	SKU No.	P-Number	Color/Finish
	07911000	DESIGN DRIVEN SPEC	Starlight chrome
	List	Net	Quantity
		1	
	GROHE 1/2" Inline Vacuum Breaker		
Application	Inline		
Color / Finish	Starlight chrome		
Fixture Type	Vacuum breaker		
Manufacturer	GROHE		
Size	13 mm (1/2")		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA SHOWER ONLY (LAYOUT 3)

	SKU No.	P-Number	Color/Finish
	28672000	DESIGN DRIVEN SPEC	StarLight chrome
	List	Net	Quantity
		1	
	GROHE Shower Outlet Elbow, 1/2"		
	Collection	RELAXA	
	Connection Type	1/2" NPT Female Threads	
	Color / Finish	StarLight chrome	
	Manufacturer	GROHE	
	SKU No.	P-Number	Color/Finish
	39675000	DESIGN DRIVEN SPEC	Alpine white
	List	Net	Quantity
		1	
	GROHE Essence Two-Piece Elongated Dual Flush Toilet		
	Collection	ESSENCE	
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Color / Finish	Alpine white	
	Bowl Shape	Elongated bowl	



MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No.	P-Number	Color/Finish
	33170003	DESIGN DRIVEN SPEC	StarLight chrome
	List	Net	Quantity
   	GROHE Plus Single Hole Single Handle S-Size Bathroom Faucet		
	Flow Rate	4.5 LPM (1.2 GPM) maximum flowrate	
	Faucet Flow Control Operation	GROHE AquaGuide adjustable flow control Manual	
Number of Handles	Single handle		
Faucet Type	Lavatory faucet		
Color / Finish	StarLight chrome		
EPA WaterSense	EPA WaterSense® compliant		
	SKU No.	P-Number	Color/Finish
	20302003	DESIGN DRIVEN SPEC	StarLight chrome
	List	Net	Quantity
   	GROHE 8-Inch Widespread 2-Handle L-Size Bathroom Faucet 1.2 Gpm		
	Collection	GROHE PLUS	
	Flow Rate	4.5 LPM (1.2 GPM) maximum flowrate	
Faucet Flow Control Operation	GROHE AquaGuide adjustable flow control Manual		
Number of Handles	Two handles		
Faucet Type	Lavatory faucet		
Color / Finish	StarLight chrome		
EPA WaterSense	EPA WaterSense® compliant		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 0614000.020	P-Number DESIGN DRIVEN SPEC	Color/Finish White finish	
	List	Net	Quantity 1	Total
	American Standard Studio Undercounter Sink			
	Collection	STUDIO		
	Basin Type	Lavatory		
	Material	Vitreous china		
	Color / Finish	White finish		
	Mounting	Counter mounted		
	ADA	ANSI A117.1 compliant		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

SKU No.	P-Number	Color/Finish	
26043001	DESIGN DRIVEN SPEC	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
CALGreen Compliance	CALGreen compliant		
CEC	California Energy Commission (CEC) compliant		
Cleaning	SpeedClean® anti-lime system		
Connection	1/2" connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
EPA Watersense	EPA WaterSense®		
Face Diameter	4" face		
Color / Finish	StarLight chrome		
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter		
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure		
Shower Head Type	Residential		
Spray	Multispray		
Spray Pattern	DreamSpray perfect spray pattern		
US Federal	US Federal and State material regulations compliant		







MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No. 27414000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome
	List	Net	Quantity 1
	GROHE 5 5/8" Tubular Shower Arm Connection 1/2" Connection thread Color / Finish Starlight chrome Manufacturer GROHE Projection 5-5/8" projection		
 	SKU No. 29331003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Plus Pressure Balance Trim With Cartridge Kit Type Valve trim		
	SKU No. 35110000	P-Number DESIGN DRIVEN SPEC	Color/Finish
	List	Net	Quantity 1
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No.	P-Number	Color/Finish
	13274001	DESIGN DRIVEN SPEC	StarLight Chrome
	List	Net	Quantity
			1
	GROHE Tub Spout		
	Collection	CONCETTO	
	Compliances and Certifications	Energy Policy Act of 1992, ASME A112.18.1/CSA B125.1, EPACK92 compliant, ICC/ANSI A117.1 compliant	
	Discharge Type	Flow control	
	Diverter	Non diverter tub spout	
	Color / Finish	StarLight Chrome	
	Manufacturer	GROHE	
	Mounting	Wall-hung	
	Projection	170 mm (6-11/16")	
	Thread	13 mm (1/2") NPT Male Threads	
Thread Size	1/2		
Type	Tub spout		

ADA TUB/SHOWER COMBO (LAYOUT 4)






 	SKU No. 29222003	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Grohe Plus 3-Way Diverter Trim Compliances and Certifications ASME A112.18.1/CSA B125.1, LOGO CEC Conceal Without concealed body Color / Finish StarLight chrome Handle Metal lever handle Manufacturer GROHE Maximum Diverting Outlets 3 Way Number of Outlets 3 outlets: Shower head/Hand Shower/Tub spout Valve For use with 3-way diverter rough-in valves (29 902) or (29 903)			
	SKU No. 29902000	P-Number DESIGN DRIVEN SPEC	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE 3-Way Diverter Rough-In Valve (Discrete Functions) ADA Compliance ADA compliant: requires less than 5 lbs/22.2 N force to operate handle ASME Compliance ASME A112.18.1 CALGreen Compliance CALGreen compliant Connection Size plasterguard included 1/2" NPT CSA Compliance CSA B125.1 Function 3 discrete functions Inlet 1 inlet Model 29902 Number of Outlets 3 outlets			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

   	SKU No. 26046002	P-Number DESIGN DRIVEN SPEC	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE New Tempesta Cosmopolitan 100 Handshower 2 Sprays Flow Rate 1.75 gpm (6.6 l/min) flow limiter Color / Finish StarLight chrome			
	SKU No. 95866000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE Volume Control For Shower Heads & Hand Showers ANSI Compliance ICC/ANSI A117.1 Color / Finish Starlight chrome Flow Rate Adjusts from 2.5 GPM to a trickle flow Non-Positive Shutoff Non-Positive shutoff			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023





ADA TUB/SHOWER COMBO (LAYOUT 4)

SKU No.	P-Number	Color/Finish	
26603000	DESIGN DRIVEN SPEC	Starlight chrome	
List	Net	Quantity	Total
		1	
GROHE Rainshower 36" Shower Slide Bar			
Adjustable	GROHE QuickFix Plus adjustable distance between brackets for easy alignment with existing drilling holes		
Color / Finish	Starlight chrome		
Height	34 1/4" to 36-5/8" (870 to 930 mm)		
Manufacturer	GROHE		
Projection	139 mm (5-1/2") projection from wall		
Shower Holder	Swivel hand shower holder, adjustable angle of hand shower		
Slide Bar Bracket	GROHE TileFix adjustable depth on upper and lower brackets to accommodate uneven surfaces		
Tray	GROHE EasyReach tray		



ADA TUB/SHOWER COMBO (LAYOUT 4)




	SKU No. 28025000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE Rotaflex Metal Longlife			
	Connection	Universal connection G 1/2" x 1/2" inlets and outlets		
	Cover	Removable protection cover with installation information		
	Color / Finish	Starlight chrome		
	Function	Rotation cone for Twist-free function		
	Length	1753 mm (69") long		
	Material	Metal		
	Pressure Resistance	Pressure resistance: up to 16 bar		
	Stops	Silicone strip prevents hand shower from turning while in body spray position		
	Tensile Strength	Tensile strength 500 N		
	SKU No. 07911000	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE 1/2" Inline Vacuum Breaker			
	Application	Inline		
	Color / Finish	Starlight chrome		
	Fixture Type	Vacuum breaker		
	Manufacturer	GROHE		
	Size	13 mm (1/2")		

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No.	P-Number	Color/Finish
	28672000	DESIGN DRIVEN SPEC	StarLight chrome
	List	Net	Quantity
1			
GROHE Shower Outlet Elbow, 1/2"			
Collection	RELAXA		
Connection Type	1/2" NPT Female Threads		
Color / Finish	StarLight chrome		
Manufacturer	GROHE		
 	SKU No.	P-Number	Color/Finish
	2390.202.020	DESIGN DRIVEN SPEC	White
	List	Net	Quantity
1			
American Standard Princeton® Recess Bath (Below Floor Installation)			
Installation	Alcove		
Bath Type	Bathing pool		
Material	Americast® brand engineered material, Acid resistant porcelain finish		
Color / Finish	White		
Installed Size	60 x 30 x 17-1/2" (1524 x 762 x 445 mm)		
Dimensions	1524 x 762 x 356 mm (60" x 30" x 14")		

ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 2391.202.020	P-Number DESIGN DRIVEN SPEC	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			
	SKU No. 1583.470.002	P-Number DESIGN DRIVEN SPEC	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Universal Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			
    	SKU No. 39675000	P-Number DESIGN DRIVEN SPEC	Color/Finish Alpine white	
	List	Net	Quantity 1	Total
	GROHE Essence Two-Piece Elongated Dual Flush Toilet Collection ESSENCE Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water High Efficiency HET 4.8 LPF (1.28 GPF) Consumption Material Vitreous china Color / Finish Alpine white Bowl Shape Elongated bowl			

MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



KITCHEN/BAR AREA

    	SKU No. 32665003	P-Number DESIGN DRIVEN SPEC	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE Concetto Single-Handle Kitchen Faucet			
	Collection CONCETTO	Flow Rate 6.6 LPM (1.75 GPM) maximum flowrate	Faucet Flow Control Spray outlet	Operation Manual
	Number of Handles Single handle	Faucet Type Sink faucet	Color / Finish Starlight chrome	
 	SKU No. 18SB.6181600S.075	P-Number DESIGN DRIVEN SPEC	Color/Finish Stainless steel	
	List	Net	Quantity 1	Total
	American Standard Portsmouth 18 x 16-Inch Stainless Steel Undermount Single-Bowl ADA Kitchen Sink			
	Compartment Single compartment	Material Stainless steel	Mounting Counter mounted	Counter Installation Undermount
	Sink Type Kitchen sink			

KITCHEN/BAR AREA

	SKU No.	P-Number	Color/Finish
	40535000	DESIGN DRIVEN SPEC	StarLight chrome
	List	Net	Quantity
			1



GROHE Cosmopolitan Soap Dispenser	
Activation	Manual activation
ASME and CSA	ASME A112.18.1/CSA B125.1
Capacity	15 oz (0.45L) bottle capacity
Cartridge	One piece cartridge pump unit
EPA	Energy Policy Act of 1992
Color / Finish	StarLight chrome
Installation	Counter mounted
Material	Brass head and flange
Maximum Mounting Thickness	60 mm (2-3/8")
Projection	76 mm (3")
Refill	Easily refill from the top of the dispenser
Soap Type	For liquid soaps
UPC	cUPC compliant

	SKU No.	P-Number	Color/Finish
	31518000	DESIGN DRIVEN SPEC	StarLight chrome
	List	Net	Quantity
			1



GROHE Concetto Single-Handle Pull Down Dual Spray Bar Faucet	
Collection	CONCETTO
Flow Rate	5.7 LPM (1.5 GPM) maximum flowrate
Faucet Flow Control	Spray outlet
Operation	Manual
Number of Handles	Single handle
Faucet Type	Bar sink faucet
Color / Finish	StarLight chrome
ADA	ANSI A117.1 compliant



MARRIOTT HOTELS

Marriott Global Design Standard
May 2023



KITCHEN/BAR AREA



SKU No.	P-Number	Color/Finish	
18SB.7001600S.075	DESIGN DRIVEN SPEC	Stainless steel	
List	Net	Quantity	Total
		1	
American Standard Portsmouth 16 x 16-Inch Stainless Steel Undermount Round Single-Bowl Kitchen Sink			
Compartment	Single compartment		
Material	Stainless steel		
Mounting	Counter mounted		
Counter Installation	Undermount		
Sink Type	Kitchen sink		

Related Literature



Residential Fixtures and Faucets List Price Guide 2022



2021 LIXIL Builder Advantage Program Brochure




Ultima® Diaphragm Flush Valves Sell Sheet

Find Our Products Here

REVIT, Specs, CAD and BIM Availability

Through our partner ATS, American Standard Brands provides a complete plumbing specification solution for your Revit and 3D projects. With over 8,500 product combinations accessible for immediate download and new files being added daily, ATS is the largest source for Revit plumbing equipment. ATS and American Standard’s combined 3D BIM families can be easily accessed and downloaded at no-cost to the specification design community. For more information, please visit our partner website, www.atsspec.net.



Revit Families Available

Our products are specified in
SpecLink
www.bsdspeclink.com



For American Standard Customer Care

Call 1-800-442-1902 – Monday – Friday, 8:00 am – 7:00 pm EST

Visit www.americanstandard.com

Front Cover: Cadet® Touchless Chair Height Elongated Toilet Less Seat - 215AA709.002