

DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard

National Program Guide

May 2023



*American
Standard*

DXXV

GROHE

INAX

PART OF LIXIL

*American
Standard*

DXXV



INAX

PART OF **LIXIL**



ENERGY CONSERVATION ENERGY CREATION

Mega-solar power plant at the **LIXIL** Chita Plant in Japan

LIXIL is the most **comprehensive global company in the housing and building industry**. We provide **human-centric innovations** that **enhance** people's living space. From **sanitary fixtures and fittings** to **a full line-up** of materials for **residential and commercial**. We bring to market **beautiful design, reliable quality, innovation, environmentally-friendly products** with a **responsible approach to business and the planet**.

LIXIL Link to
Good Living





DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard

May 2023



SHOWER ONLY (STANDARD LAYOUT 1)

 	SKU No.	P-Number	Color/Finish	
	0614000.020	PL-100-SNK-01	White finish	
	List	Net	Quantity	Total
		1		
American Standard Studio Undercounter Sink				
	Collection	STUDIO		
	Basin Type	Lavatory		
	Material	Vitreous china		
	Color / Finish	White finish		
	Mounting	Counter mounted		
	ADA	ANSI A117.1 compliant		
 	SKU No.	P-Number	Color/Finish	
	3427000A	PL-200-SNK-01	StarLight chrome	
	List	Net	Quantity	Total
		1		
GROHE Concetto Single-Handle Bathroom Faucet S-Size				
	Collection	CONCETTO		
	Flow Rate	4.5 LPM (1.2 GPM) maximum flowrate		
	Faucet Flow Control	GROHE EcoJoy Mousseur		
	Operation	Manual		
	Number of Handles	Single handle		
	Faucet Type	Lavatory faucet		
	Color / Finish	StarLight chrome		
	ADA	ANSI A117.1 compliant		
	EPA WaterSense	EPA WaterSense® compliant		



INAX

DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard

May 2023

SHOWER ONLY (STANDARD LAYOUT 1)

 	SKU No. 29423000	P-Number PL-501-SHR-01	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Timeless Pressure Balance Valve Trim With 2-Way Diverter With Cartridge Kit Type Valve trim Color / Finish StarLight chrome ADA ADA compliant			
	SKU No. 35117000	P-Number PL-800_SHR-01	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Grohsafe™ Pressure Balance Rough-In Valve With Integrated Diverter Model Type Pressure Balance valve			
 	SKU No. TU105500.002	P-Number PL-500_SHR-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Studio® S Pressure Balance Bath/Shower Trim With Double Ceramic Pressure Balance Cartridge Kit Type TU105500 Studio S valve ONLY Trim Kit with pressure Balance cartridge metal lever handle. Less valve body Suggested Rough Valve For use with Flash™ rough valve Bodies Color / Finish Polished chrome			

SHOWER ONLY (STANDARD LAYOUT 1)

	SKU No. RU101SS	P-Number PL-500_SHR-01	Color/Finish
	List	Net	Quantity 1
	American Standard Flash™ Rough Valve Bodies Series FLASH™ Model Type Pressure Balance rough valve body only, less trim Compliance and Certifications ASSE 1016, ASME A112.18.1016, CSA B125.16, ASME A112.18.1, CSA B125.1		
	SKU No. 1660771.002	P-Number PL-402_SHR-01	Color/Finish Polished chrome
	List	Net	Quantity 1
	American Standard Spectra Plus 4-Function Hand Shower Function 4-Function (Drench to Sensitive to powerwash® to Massage) Flow rate 1.8 GPM (6.8 LPM)		
	SKU No. 1660774.002	P-Number PL-402_SHR-01	Color/Finish Polished chrome
	List	Net	Quantity 1
	American Standard Spectra Handheld® Slide Bar Kit Function 4-Function hand shower adjusts from Drench to Sensitive to powerwash® to Massage Flow rate 1.8 GPM (6.8 LPM)		

DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard

May 2023

SHOWER ONLY (STANDARD LAYOUT 1)



SKU No.	P-Number	Color/Finish
D2210AA200.415	PL-300_WCL-01	Canvas white
List	Net	Quantity
		1

DXV (Formerly Lyndon®) Two-Piece Right Height® Elongated Dual Flush Toilet

Collection	EQUILITY™
Fixture Type	Toilet
Toilet Type	Tank type
Mounting And Waste	Floor mounted with floor outlet
Toilet Water Consumption	3.8 LPF (1.0 GPF) partial flush and 4.8 LPF (1.28 GPF) full flush
Material	Vitreous china
Antimicrobial	EverClean® antimicrobial surface
Color / Finish	Canvas white
Bowl Shape	Elongated bowl



INAX






DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard
May 2023

TUB/SHOWER COMBO (STANDARD LAYOUT 2)



 	SKU No.	P-Number	Color/Finish	
	0614000.020	PL-100-SNK-01	White finish	
	List	Net	Quantity	Total
American Standard Studio Undercounter Sink				
Collection		STUDIO		
Basin Type		Lavatory		
Material		Vitreous china		
Color / Finish		White finish		
Mounting		Counter mounted		
ADA		ANSI A117.1 compliant		
 	SKU No.	P-Number	Color/Finish	
	3427000A	PL-200-SNK-01	StarLight chrome	
	List	Net	Quantity	Total
GROHE Concetto Single-Handle Bathroom Faucet S-Size				
Collection		CONCETTO		
Flow Rate		4.5 LPM (1.2 GPM) maximum flowrate		
Faucet Flow Control		GROHE EcoJoy Mousseur		
Operation		Manual		
Number of Handles		Single handle		
Faucet Type		Lavatory faucet		
Color / Finish		StarLight chrome		
ADA		ANSI A117.1 compliant		
EPA WaterSense		EPA WaterSense® compliant		

TUB/SHOWER COMBO (STANDARD LAYOUT 2)

   	<p>SKU No. 9038074.002</p>	<p>P-Number PL-400_TUB-01</p>	<p>Color/Finish Polished chrome</p>	
	<p>List</p>	<p>Net</p>	<p>Quantity 1</p>	<p>Total</p>
	<p>American Standard Spectra+™ 4-Function Showerhead</p> <p>Compliances and Certifications ASME A112.18.1, CSA B125.1</p> <p>Color / Finish Polished chrome</p> <p>Flow Control Device Provides consistent flow over a wide pressure range</p> <p>Flow Rate 1.8 GPM (6.8 LPM) showerhead flowrate</p> <p>Function 4-Function (Drench to Sensitive to Jet to Massage)</p> <p>Installation Installed on shower arm</p> <p>Manufacturer American Standard</p> <p>Model Type Showerhead</p> <p>Shower Head Type Residential</p> <p>Spray Allows the user to select the type of spray best suited to their needs</p> <p>EPA WaterSense EPA WaterSense® compliant</p>			
	<p>SKU No. 1660.241.002</p>	<p>P-Number PL-401_TUB-01</p>	<p>Color/Finish Polished chrome</p>	
	<p>List</p>	<p>Net</p>	<p>Quantity 1</p>	<p>Total</p>
	<p>American Standard Modern Shower Arm</p> <p>Connection 13 mm (1/2") NPT Thread</p> <p>Color / Finish Polished chrome</p> <p>Fixture Type SHOWER ARM</p> <p>Manufacturer American Standard</p> <p>Material Brass construction</p> <p>Model Type Modern</p> <p>Size 140 mm (5-1/2")</p>			






TUB/SHOWER COMBO (STANDARD LAYOUT 2)

 	SKU No. 14472000	P-Number PL-502_TUB-01	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essence Pressure Balance Valve Trim With Cartridge Kit Type Valve trim Suggested Rough For use with GrohSafe 3.0 rough-in valves (35 110), (35 111), (35 112), (35 113), (35 114), (35 115), (35 116) Valve			
	SKU No. 35110000	P-Number PL-800_TUB-01	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim			
	SKU No. 13274001	P-Number PL-405_TUB-01	Color/Finish StarLight Chrome	
	List	Net	Quantity 1	Total
	GROHE Tub Spout Collection CONCETTO Compliances and Certifications Energy Policy Act of 1992, ASME A112.18.1/CSA B125.1, EPACT92 compliant, ICC/ANSI A117.1 compliant Discharge Type Flow control Diverter Non diverter tub spout Color / Finish StarLight Chrome Manufacturer GROHE Mounting Wall-hung Projection 170 mm (6-11/16") Thread 13 mm (1/2") NPT Male Threads Thread Size 1/2 Type Tub spout			










TUB/SHOWER COMBO (STANDARD LAYOUT 2)









 	SKU No. 29203001	P-Number PL-501_TUB-01	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essence 3-Way Diverter Trim ADA ADA compliant Compliances and Certifications ASME A112.18.1/CSA B125.1, ICC/ANSI A117.1 Color / Finish StarLight chrome Handle Lever handle Manufacturer GROHE Maximum Diverting Outlets 3 outlets: shower head/hand shower/tub spout Suggested Rough Valve For use with 3-way diverter rough-in valves (29 902) or (29 903) EPA WaterSense EPA WaterSense® compliant			
	SKU No. 29902000	P-Number PL-803_TUB-01	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE 3-Way Diverter Rough-In Valve (Discrete Functions) ADA Compliance ADA compliant: requires less than 5 lbs/22.2 N force to operate handle ASME Compliance ASME A112.18.1 CALGreen Compliance CALGreen compliant Connection Size plasterguard included 1/2" NPT CSA Compliance CSA B125.1 Function 3 discrete functions Inlet 1 inlet Model 29902 Number of Outlets 3 outlets			



TUB/SHOWER COMBO (STANDARD LAYOUT 2)




 	SKU No. 29427000	P-Number PL-501-TUB-01	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Timeless Pressure Balance Valve Trim With 3-Way Diverter With Cartridge Kit Type Valve trim Color / Finish StarLight chrome ADA ADA compliant			
	SKU No. 35117000	P-Number PL-800_TUB-01	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Grohsafe™ Pressure Balance Rough-In Valve With Integrated Diverter Model Type Pressure Balance valve			
   	SKU No. 1660771.002	P-Number PL-402_SHR-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Spectra Plus 4-Function Hand Shower Function 4-Function (Drench to Sensitive to powerwash® to Massage) Color / Finish 1.8 GPM (6.8 LPM)			

TUB/SHOWER COMBO (STANDARD LAYOUT 2)

   	SKU No. 1660774.002	P-Number PL-402_TUB-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Spectra Handheld® Slide Bar Kit Function 4-Function hand shower adjusts from Drench to Sensitive to powerwash® to Massage Color / Finish 1.8 GPM (6.8 LPM)			
 	SKU No. 2390.202.020	P-Number PL-602-L_TUB-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			
 	SKU No. 2391.202.020	P-Number PL-602-R_TUB-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			



TUB/SHOWER COMBO (STANDARD LAYOUT 2)

 	SKU No. 1640.305.002	P-Number PL-901-LI_TUB-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Deep Soak® Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			
	SKU No. 1583.470.002	P-Number PL-901-LI_TUB-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Universal Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			
 	SKU No. D2210AA200.415	P-Number PL-300_WCL-01	Color/Finish Canvas white	
	List	Net	Quantity 1	Total
	DXV (Formerly Lyndon®) Two-Piece Right Height® Elongated Dual Flush Toilet Collection EQUILITY™ Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water Consumption 3.8 LPF (1.0 GPF) partial flush and 4.8 LPF (1.28 GPF) full flush Material Vitreous china Antimicrobial EverClean® antimicrobial surface Color / Finish Canvas white Bowl Shape Elongated bowl			



DELTA HOTELS - GENERATION 2.0






Marriott Global Design Standard

May 2023

ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)





 	SKU No. 0545000.020	P-Number PL-101-SNK-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Edgemere Rectangle Undercounter Bathroom Sink Basin Type Lavatory Material Vitreous china Color / Finish White Mounting Counter mounted			
    	SKU No. 2029700A	P-Number PL-201_SNK-02	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE 8-Inch Widespread 2-Handle M-Size Bathroom Faucet 1.2 Gpm Collection ESSENCE Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE AquaGuide adjustable flow control Operation Manual Number of Handles Two handles Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant			

ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)

   	<p>SKU No. 9038074.002</p> <p>P-Number PL-400_SHR-02</p> <p>Color/Finish Polished chrome</p>								
	<table border="1"> <thead> <tr> <th>List</th> <th>Net</th> <th>Quantity</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>1</td> <td></td> </tr> </tbody> </table>	List	Net	Quantity	Total			1	
	List	Net	Quantity	Total					
		1							
<p>American Standard Spectra+™ 4-Function Showerhead</p> <p>Compliances and Certifications ASME A112.18.1, CSA B125.1</p> <p>Color / Finish Polished chrome</p> <p>Flow Control Device Provides consistent flow over a wide pressure range</p> <p>Flow Rate 1.8 GPM (6.8 LPM) showerhead flowrate</p> <p>Function 4-Function (Drench to Sensitive to Jet to Massage)</p> <p>Installation Installed on shower arm</p> <p>Manufacturer American Standard</p> <p>Model Type Showerhead</p> <p>Shower Head Type Residential</p> <p>Spray Allows the user to select the type of spray best suited to their needs</p> <p>EPA WaterSense EPA WaterSense® compliant</p>									
	<p>SKU No. 1660.241.002</p> <p>P-Number PL-400_SHR-02</p> <p>Color/Finish Polished chrome</p>								
	<table border="1"> <thead> <tr> <th>List</th> <th>Net</th> <th>Quantity</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>1</td> <td></td> </tr> </tbody> </table>	List	Net	Quantity	Total			1	
	List	Net	Quantity	Total					
		1							
<p>American Standard Modern Shower Arm</p> <p>Connection 13 mm (1/2") NPT Thread</p> <p>Color / Finish Polished chrome</p> <p>Fixture Type SHOWER ARM</p> <p>Manufacturer American Standard</p> <p>Material Brass construction</p> <p>Model Type Modern</p> <p>Size 140 mm (5-1/2")</p>									



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)

 	SKU No. 29423000	P-Number PL-501-SHR-02	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Timeless Pressure Balance Valve Trim With 2-Way Diverter With Cartridge Kit Type Valve trim Color / Finish StarLight chrome ADA ADA compliant			
	SKU No. 35117000	P-Number PL-800_SHR-02	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Grohsafe™ Pressure Balance Rough-In Valve With Integrated Diverter Model Type Pressure Balance valve			
 	SKU No. TU105500.002	P-Number PL-500_SHR-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Studio® S Pressure Balance Bath/Shower Trim With Double Ceramic Pressure Balance Cartridge Kit Type TU105500 Studio S valve ONLY Trim Kit with pressure Balance cartridge metal lever handle. Less valve body Suggested Rough Valve For use with Flash™ rough valve Bodies Color / Finish Polished chrome			



DELTA HOTELS - GENERATION 2.0



Marriott Global Design Standard

May 2023

ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)

	SKU No. RU101SS	P-Number PL-500_SHR-02	Color/Finish
	List	Net	Quantity 1
	American Standard Flash™ Rough Valve Bodies Series FLASH™ Model Type Pressure Balance rough valve body only, less trim Compliance and Certifications ASSE 1016, ASME A112.18.1016, CSA B125.16, ASME A112.18.1, CSA B125.1		
    	SKU No. 9038.154.002	P-Number PL-403-SHR-02	Color/Finish Polished chrome
	List	Net	Quantity 1
	American Standard Spectra Plus 4-Function Hand Shower Flow Rate 1.8 GPM (6.8 LPM) maximum flowrate Color / Finish Polished chrome		
	SKU No. 27524000	P-Number PL-804_SHR-02	Color/Finish Starlight chrome
	List	Net	Quantity 1
	GROHE 36" Shower Bar ASME Compliance ASME A112.18.1 CSA Compliance CSA B125.1 EPA Compliance Energy Policy Act of 1992 Color / Finish Starlight chrome Height 914 mm (36") high Holder With wall holders, glide element and swivel holder Manufacturer GROHE		

ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)

	SKU No. 28025000	P-Number PL-404_SHR-02	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE Rotaflex Metal Longlife Connection Universal connection G 1/2" x 1/2" inlets and outlets Cover Removable protection cover with installation information Color / Finish Starlight chrome Function Rotation cone for Twist-free function Length 1753 mm (69") long Material Metal Pressure Resistance Pressure resistance: up to 16 bar Stops Silicone strip prevents hand shower from turning while in body spray position Tensile Strength Tensile strength 500 N			
	SKU No. 07911000	P-Number PL-802_SHR-02	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE 1/2" Inline Vacuum Breaker Application Inline Color / Finish Starlight chrome Fixture Type Vacuum breaker Manufacturer GROHE Size 13 mm (1/2")			

DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard

May 2023

ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)

	SKU No. 28672000	P-Number PL-805_SHR-02	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Shower Outlet Elbow, 1/2" Collection RELAXA Connection Type 1/2" NPT Female Threads Color / Finish StarLight chrome Manufacturer GROHE			
 	SKU No. 95866000	P-Number PL-801_SHR-02	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE Volume Control For Shower Heads & Hand Showers ANSI Compliance ICC/ANSI A117.1 Color / Finish Starlight chrome Flow Rate Adjusts from 2.5 GPM to a trickle flow Non-Positive Shutoff Non-Positive shutoff			
    	SKU No. D2210AA109.415	P-Number PL-301_WCL-02	Color/Finish Canvas white	
	List	Net	Quantity 1	Total
	DXV Two-Piece Right Height® Elongated Single Flush Toilet Collection EQUILITY™ Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water High Efficiency HET 4.8 LPF (1.28 GPF) Consumption Material Vitreous china Antimicrobial EverClean® antimicrobial surface Color / Finish Canvas white Bowl Shape Elongated bowl			

American Standard

DXV

GROHE

INAX

ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)



SKU No.	P-Number	Color/Finish	
D2210AA108.415	PL-301_WCL-02	Canvas white	
List	Net	Quantity	Total
		1	

DXV Two-Piece Right Height® Elongated Single Flush Toilet

Collection	EQUILITY™
Fixture Type	Toilet
Toilet Type	Tank type
Mounting And Waste	Floor mounted with floor outlet
Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)
Material	Vitreous china
Antimicrobial	EverClean® antimicrobial surface
Color / Finish	Canvas white
Bowl Shape	Elongated bowl








DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard
May 2023





ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 0545000.020	P-Number PL-101_SNK-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Edgemere Rectangle Undercounter Bathroom Sink Basin Type Lavatory Material Vitreous china Color / Finish White Mounting Counter mounted			
    	SKU No. 2029700A	P-Number PL-201_SNK-02	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE 8-Inch Widespread 2-Handle M-Size Bathroom Faucet 1.2 Gpm Collection ESSENCE Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE AquaGuide adjustable flow control Operation Manual Number of Handles Two handles Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant			




ADA TUB/SHOWER COMBO (LAYOUT 4)

   	SKU No. 9038074.002	P-Number PL-400_TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Spectra+™ 4-Function Showerhead		Compliances and Certifications ASME A112.18.1, CSA B125.1 Color / Finish Polished chrome Flow Control Device Provides consistent flow over a wide pressure range Flow Rate 1.8 GPM (6.8 LPM) showerhead flowrate Function 4-Function (Drench to Sensitive to Jet to Massage) Installation Installed on shower arm Manufacturer American Standard Model Type Showerhead Shower Head Type Residential Spray Allows the user to select the type of spray best suited to their needs EPA WaterSense EPA WaterSense® compliant	
	SKU No. 1660.241.002	P-Number PL-401_TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Modern Shower Arm		Connection 13 mm (1/2") NPT Thread Color / Finish Polished chrome Fixture Type SHOWER ARM Manufacturer American Standard Material Brass construction Model Type Modern Size 140 mm (5-1/2")	

ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 14472000	P-Number PL-502_TUB-02	Color/Finish StarLight Chrome	
	List	Net	Quantity 1	Total
	GROHE Essence Pressure Balance Valve Trim With Cartridge Kit Type Valve trim Suggested Rough Valve For use with GrohSafe 3.0 rough-in valves (35 110), (35 111), (35 112), (35 113), (35 114), (35 115), (35 116)			
	SKU No. 35110000	P-Number PL-800_TUB-02	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim			
	SKU No. 13274001	P-Number PL-405_TUB-02	Color/Finish StarLight Chrome	
	List	Net	Quantity 1	Total
	GROHE Tub Spout Collection CONCETTO Compliances and Certifications Energy Policy Act of 1992, ASME A112.18.1/CSA B125.1, EPACT92 compliant, ICC/ANSI A117.1 compliant Discharge Type Flow control Diverter Non diverter tub spout Color / Finish StarLight Chrome Manufacturer GROHE Mounting Wall-hung Projection 170 mm (6-11/16") Thread 13 mm (1/2") NPT Male Threads Thread Size 1/2 Type Tub spout			



ADA TUB/SHOWER COMBO (LAYOUT 4)

 	<p>SKU No. 29203001</p> <p>P-Number PL-501_TUB-02</p> <p>Color/Finish StarLight chrome</p>							
	<table border="1"> <thead> <tr> <th>List</th> <th>Net</th> <th>Quantity</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">1</td> <td></td> </tr> </tbody> </table> <p>GROHE Essence 3-Way Diverter Trim</p> <p>ADA ADA compliant</p> <p>Compliances and Certifications ASME A112.18.1/CSA B125.1, ICC/ANSI A117.1</p> <p>Color / Finish StarLight chrome</p> <p>Handle Lever handle</p> <p>Manufacturer GROHE</p> <p>Maximum Diverting Outlets 3 outlets: shower head/hand shower/tub spout</p> <p>Suggested Rough Valve For use with 3-way diverter rough-in valves (29 902) or (29 903)</p> <p>EPA WaterSense EPA WaterSense® compliant</p>	List	Net	Quantity	Total			1
List	Net	Quantity	Total					
		1						
	<p>SKU No. 29902000</p> <p>P-Number PL-803_TUB-02</p> <p>Color/Finish</p>							
	<table border="1"> <thead> <tr> <th>List</th> <th>Net</th> <th>Quantity</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">1</td> <td></td> </tr> </tbody> </table> <p>GROHE 3-Way Diverter Rough-In Valve (Discrete Functions)</p> <p>ADA Compliance ADA compliant: requires less than 5 lbs/22.2 N force to operate handle</p> <p>ASME Compliance ASME A112.18.1</p> <p>CALGreen Compliance CALGreen compliant</p> <p>Connection Size plasterguard included 1/2" NPT</p> <p>CSA Compliance CSA B125.1</p> <p>Function 3 discrete functions</p> <p>Inlet 1 inlet</p> <p>Model 29902</p> <p>Number of Outlets 3 outlets</p>	List	Net	Quantity	Total			1
List	Net	Quantity	Total					
		1						

ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 29427000	P-Number PL-501-TUB-02	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Timeless Pressure Balance Valve Trim With 3-Way Diverter With Cartridge Kit Type Valve trim Color / Finish StarLight chrome ADA ADA compliant			
	SKU No. 35117000	P-Number PL-800-TUB-02	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Grohsafe™ Pressure Balance Rough-In Valve With Integrated Diverter Model Type Pressure Balance valve			
   	SKU No. 9038.154.002	P-Number PL-403-TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Spectra Plus 4-Function Hand Shower Flow Rate 1.8 GPM (6.8 LPM) maximum flowrate Color / Finish Polished chrome			

ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No.	P-Number	Color/Finish
	27524000	PL-804-TUB-02	Starlight chrome
	List	Net	Quantity
		1	
	GROHE 36" Shower Bar		
ASME Compliance	ASME A112.18.1		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
Color / Finish	Starlight chrome		
Height	914 mm (36") high		
Holder	With wall holders, glide element and swivel holder		
Manufacturer	GROHE		
	SKU No.	P-Number	Color/Finish
	28025000	PL-404_TUB-02	Starlight chrome
	List	Net	Quantity
		1	
	GROHE Rotaflex Metal Longlife		
Connection	Universal connection G 1/2" x 1/2" inlets and outlets		
Cover	Removable protection cover with installation information		
Color / Finish	Starlight chrome		
Function	Rotation cone for Twist-free function		
Length	1753 mm (69") long		
Material	Metal		
Pressure Resistance	Pressure resistance: up to 16 bar		
Stops	Silicone strip prevents hand shower from turning while in body spray position		
Tensile Strength	Tensile strength 500 N		




DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard

May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No. 07911000	P-Number PL-802_TUB-02	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE 1/2" Inline Vacuum Breaker Application: Inline Color / Finish: Starlight chrome Fixture Type: Vacuum breaker Manufacturer: GROHE Size: 13 mm (1/2")			
	SKU No. 28672000	P-Number PL-805_TUB-02	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Shower Outlet Elbow, 1/2" Collection: RELAXA Connection Type: 1/2" NPT Female Threads Color / Finish: StarLight chrome Manufacturer: GROHE			
 	SKU No. 95866000	P-Number PL-801_TUB-02	Color/Finish Starlight chrome	
	List	Net	Quantity 1	Total
	GROHE Volume Control For Shower Heads & Hand Showers ANSI Compliance: ICC/ANSI A117.1 Color / Finish: Starlight chrome Flow Rate: Adjusts from 2.5 GPM to a trickle flow Non-Positive Shutoff: Non-Positive shutoff			

American Standard






DXV

GROHE

INAX

PART OF LIXIL

ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 2390.202.020	P-Number PL-602-L_TUB-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			
 	SKU No. 2391.202.020	P-Number PL-602-R_TUB-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			
	SKU No. 1640.305.002	P-Number PL-901-LI_TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Deep Soak® Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			




DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard

May 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No.	P-Number	Color/Finish
	1583.470.002	PL-901-LI_TUB-02	Polished chrome
	List	Net	Quantity
1			
American Standard Universal Bathtub Drain			
Fixture Type		Bathtub drain	
Color / Finish		Polished chrome	
	SKU No.	P-Number	Color/Finish
	D2210AA109.415	PL-301_WCL-02	Canvas white
	List	Net	Quantity
1			
DXV Two-Piece Right Height® Elongated Single Flush Toilet			
Collection		EQUILITY™	
Fixture Type		Toilet	
Toilet Type		Tank type	
Mounting And Waste		Floor mounted with floor outlet	
Toilet Water Consumption		High Efficiency HET 4.8 LPF (1.28 GPF)	
Material		Vitreous china	
Antimicrobial		EverClean® antimicrobial surface	
Color / Finish		Canvas white	
Bowl Shape		Elongated bowl	
   			




DELTA HOTELS - GENERATION 2.0

Marriott Global Design Standard

May 2023

ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No.	P-Number	Color/Finish
	D2210AA108.415	PL-301_WCL-02	Canvas white
	List	Net	Quantity
		1	
	DXV Two-Piece Right Height® Elongated Single Flush Toilet		
	Collection	EQUILITY™	
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Antimicrobial	EverClean® antimicrobial surface	
	Color / Finish	Canvas white	
	Bowl Shape	Elongated bowl	



Related Literature



Residential Fixtures and Faucets List Price Guide 2022



2021 LIXIL Builder Advantage Program Brochure




Ultima® Diaphragm Flush Valves Sell Sheet

Find Our Products Here

REVIT, Specs, CAD and BIM Availability

Through our partner ATS, American Standard Brands provides a complete plumbing specification solution for your Revit and 3D projects. With over 8,500 product combinations accessible for immediate download and new files being added daily, ATS is the largest source for Revit plumbing equipment. ATS and American Standard’s combined 3D BIM families can be easily accessed and downloaded at no-cost to the specification design community. For more information, please visit our partner website, www.atsspec.net.



Revit Families Available

Our products are specified in
SpecLink
www.bsdspeclink.com



For American Standard Customer Care

Call 1-800-442-1902 – Monday – Friday, 8:00 am – 7:00 pm EST

Visit www.americanstandard.com

Front Cover: Cadet® Touchless Chair Height Elongated Toilet Less Seat - 215AA709.002