

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

National Program Guide

May 2023



American Standard

DVV

GROHE

INAX

PART OF LIXIL

*American  
Standard*

DXXV



INAX

PART OF **LIXIL**



# ENERGY CONSERVATION ENERGY CREATION

Mega-solar power plant at the **LIXIL** Chita Plant in Japan

**LIXIL** is the most **comprehensive global company in the housing and building industry**. We provide **human-centric innovations** that **enhance** people's living space. From **sanitary fixtures** and **fittings** to a **full line-up** of materials for **residential and commercial**. We bring to market **beautiful design, reliable quality, innovation, environmentally-friendly products** with a **responsible approach to business and the planet**.

**LIXIL** Link to  
Good Living

# FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

National Program Guide

May 2023



## TOWNPLACE SUITES - SHOWER ONLY

|   |  |                                      |                              |
|---|--|--------------------------------------|------------------------------|
|    | <b>SKU No.</b><br>215CA104.020   | <b>PL-Number</b><br>PL-301-LI_WCL-01 | <b>Color/Finish</b><br>White |
|   | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1         |
|   | <b>American Standard TOILETTE ALLONGÉE CADET® PRO™</b><br>Collection CADET® PRO™<br>Fixture Type Toilet<br>Toilet Type Tank type<br>Mounting And Waste Floor mounted with floor outlet<br>Toilet Water High Efficiency HET 4.8 LPF (1.28 GPF)<br>Consumption<br>Material Vitreous china<br>Antimicrobial EverClean® antimicrobial surface<br>Color / Finish White<br>Bowl Shape Elongated bowl |                                      |                              |
|  | <b>SKU No.</b><br>5503A00B.020   | <b>PL-Number</b><br>PL-302-LI_WCL-01 | <b>Color/Finish</b><br>White |
|   | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1         |
|   | <b>American Standard Toilet Seat For Round Bowl With Seat Cover</b><br>Toilet Bowl For elongated bowl<br>Application For residential applications<br>Grade Standard<br>Cover With seat cover<br>Color / Finish White   |                                      |                              |

*American Standard*



INAX

# FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

National Program Guide

May 2023



## TOWNPLACE SUITES - TUB/SHOWER COMBO

|  |   |  |  |
|--|---|--|--|
|  | <b>SKU No.</b><br>2390202.020   | <b>PL-Number</b><br>PL-601-LI_TUB-01 (L) | <b>Color/Finish</b><br>White           |
|  | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                   |
|  | <b>American Standard Princeton® Recess Bath (Below Floor Installation)</b><br>Installation Alcove<br>Bath Type Bathing pool<br>Material Americast® brand engineered material, Acid resistant porcelain finish<br>Color / Finish White<br>Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm)<br>Dimensions 1524 x 762 x 356 mm (60" x 30" x 14") |  |  |
|  | <b>SKU No.</b><br>2391202.020   | <b>PL-Number</b><br>PL-601-LI_TUB-01 (R) | <b>Color/Finish</b><br>White           |
|  | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                   |
|  | <b>American Standard Princeton® Recess Bath (Below Floor Installation)</b><br>Installation Alcove<br>Bath Type Bathing pool<br>Material Americast® brand engineered material, Acid resistant porcelain finish<br>Color / Finish White<br>Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm)<br>Dimensions 1524 x 762 x 356 mm (60" x 30" x 14") |  |  |
|  | <b>SKU No.</b><br>1640305.002   | <b>PL-Number</b><br>PL-901-LI_TUB-01     | <b>Color/Finish</b><br>Polished chrome |
|  | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                   |
|  | <b>American Standard Deep Soak® Bathtub Drain</b><br>Fixture Type Bathtub drain<br>Color / Finish Polished chrome   |  |  |

American Standard



INAX

**TOWNPLACE SUITES - TUB/SHOWER COMBO**

|  |   |                                      |                              |              |
|--|---|--------------------------------------|------------------------------|--------------|
|   | <b>SKU No.</b><br>211AA104.020  | <b>PL-Number</b><br>PL-303-LI_WCL-02 | <b>Color/Finish</b><br>White |              |
|  | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1         | <b>Total</b> |
|  | <b>American Standard Champion® Pro Right Height® Elongated Toilet</b><br>Collection CHAMPION® PRO™<br>Fixture Type Toilet<br>Toilet Type Tank type<br>Mounting And Waste Floor mounted with floor outlet<br>Toilet Water Consumption High Efficiency HET 4.8 LPF (1.28 GPF)<br>Material Vitreous china<br>Antimicrobial EverClean® antimicrobial surface<br>Color / Finish White<br>Bowl Shape Elongated bowl |                                      |                              |              |
|   | <b>SKU No.</b><br>5503A00B.020  | <b>PL-Number</b><br>PL-302-LI_WCL-02 | <b>Color/Finish</b><br>White |              |
|  | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1         | <b>Total</b> |
|  | <b>American Standard Toilet Seat For Round Bowl With Seat Cover</b><br>Toilet Bowl For elongated bowl<br>Application For residential applications<br>Grade Standard<br>Cover With seat cover<br>Color / Finish White  |                                      |                              |              |

# FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

National Program Guide

May 2023



## TOWNPLACE SUITES - ADA SHOWER ONLY

|   |   |  |                     |
|---|---|--|---------------------|
| <br> | <b>SKU No.</b>  | <b>PL-Number</b>                       | <b>Color/Finish</b> |
|   | 215AA104.020  | PL-305-LI_WCL-03                       | White               |
|   | <b>List</b>   | <b>Net</b>                             | <b>Quantity</b>     |
|   |   | 1                                      |                     |
|   | <b>American Standard Cadet® Pro™ Right Height® Elongated Toilet</b> |  |                     |
|   | Collection  | CADET® PRO™                            |                     |
|   | Fixture Type  | Toilet                                 |                     |
|   | Toilet Type   | Tank type                              |                     |
|   | Mounting And Waste  | Floor mounted with floor outlet        |                     |
|   | Toilet Water Consumption  | High Efficiency HET 4.8 LPF (1.28 GPF) |                     |
|   | Material  | Vitreous china                         |                     |
|   | Antimicrobial   | EverClean® antimicrobial surface       |                     |
|   | Color / Finish  | White                                  |                     |
|   | Bowl Shape  | Elongated bowl                         |                     |
|    | <b>SKU No.</b>  | <b>PL-Number</b>                       | <b>Color/Finish</b> |
|   | 5503A00B.020  | PL-302-LI_WCL-03                       | White               |
|   | <b>List</b>   | <b>Net</b>                             | <b>Quantity</b>     |
|   |   | 1                                      |                     |
|   | <b>American Standard Toilet Seat For Round Bowl With Seat Cover</b> |  |                     |
|   | Toilet Bowl   | For elongated bowl                     |                     |
|   | Application   | For residential applications           |                     |
|   | Grade   | Standard                               |                     |
|   | Cover   | With seat cover                        |                     |
|   | Color / Finish  | White                                  |                     |

American Standard

DXV

GROHE

INAX

# FOUR POINTS BY SHERATON - GEN 4.0




Marriott Global Design Standards

National Program Guide

May 2023



## TOWNPLACE SUITES - ADA TUB/SHOWER COMBO

|   |  |   |  |
|---|--|---|--|
|    | <b>SKU No.</b><br>2390202.020  | <b>PL-Number</b><br>PL-601-LI_TUB-02 (L)                              | <b>Color/Finish</b><br>White           |
|   | <b>List</b>  | <b>Net</b>  | <b>Quantity</b><br>1                   |
|   | <b>American Standard Princeton® Recess Bath (Below Floor Installation)</b> |   |  |
|   | Installation   | Alcove  |  |
|   | Bath Type  | Bathing pool  |  |
|   | Material   | Americast® brand engineered material, Acid resistant porcelain finish |  |
|   | Color / Finish   | White   |  |
|   | Installed Size   | 60 x 30 x 17-1/2" (1524 x 762 x 445 mm)                               |  |
|   | Dimensions   | 1524 x 762 x 356 mm (60" x 30" x 14")                                 |  |
|  | <b>SKU No.</b><br>2391202.020  | <b>PL-Number</b><br>PL-601-LI_TUB-02 (R)                              | <b>Color/Finish</b><br>White           |
|   | <b>List</b>  | <b>Net</b>  | <b>Quantity</b><br>1                   |
|   | <b>American Standard Princeton® Recess Bath (Below Floor Installation)</b> |   |  |
|   | Installation   | Alcove  |  |
|   | Bath Type  | Bathing pool  |  |
|   | Material   | Americast® brand engineered material, Acid resistant porcelain finish |  |
|   | Color / Finish   | White   |  |
|   | Installed Size   | 60 x 30 x 17-1/2" (1524 x 762 x 445 mm)                               |  |
|   | Dimensions   | 1524 x 762 x 356 mm (60" x 30" x 14")                                 |  |
|  | <b>SKU No.</b><br>1640305.002  | <b>PL-Number</b><br>PL-901-LI_TUB-02                                  | <b>Color/Finish</b><br>Polished chrome |
|   | <b>List</b>  | <b>Net</b>  | <b>Quantity</b><br>1                   |
|   | <b>American Standard Deep Soak® Bathtub Drain</b>                          |   |  |
|   | Fixture Type   | Bathtub drain   |  |
|   | Color / Finish   | Polished chrome   |  |

American Standard

DXXV

GROHE

INAX

**TOWNPLACE SUITES - ADA TUB/SHOWER COMBO**

|   |  |                                      |                              |              |
|---|--|--------------------------------------|------------------------------|--------------|
| <br> | <b>SKU No.</b><br>215AA104.020   | <b>PL-Number</b><br>PL-303-LI_WCL-04 | <b>Color/Finish</b><br>White |              |
|   | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1         | <b>Total</b> |
|   | <b>American Standard Cadet® Pro™ Right Height® Elongated Toilet</b><br>Collection CADET® PRO™<br>Fixture Type Toilet<br>Toilet Type Tank type<br>Mounting And Waste Floor mounted with floor outlet<br>Toilet Water Consumption High Efficiency HET 4.8 LPF (1.28 GPF)<br>Material Vitreous china<br>Antimicrobial EverClean® antimicrobial surface<br>Color / Finish White<br>Bowl Shape Elongated bowl |                                      |                              |              |
|    | <b>SKU No.</b><br>5503A00B.020   | <b>PL-Number</b><br>PL-302-LI_WCL-04 | <b>Color/Finish</b><br>White |              |
|   | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1         | <b>Total</b> |
|   | <b>American Standard Toilet Seat For Round Bowl With Seat Cover</b><br>Toilet Bowl For elongated bowl<br>Application For residential applications<br>Grade Standard<br>Cover With seat cover<br>Color / Finish White   |                                      |                              |              |



# FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

National Program Guide

May 2023



## FOUR POINTS BY SHERATON - SHOWER ONLY

|   |                                    |                  |                     |
|---|------------------------------------|------------------|---------------------|
|       | <b>SKU No.</b>                     | <b>PL-Number</b> | <b>Color/Finish</b> |
|   | 0614000.020                        | PL-100-LI_SNK-01 | White finish        |
|   | <b>List</b>                        | <b>Net</b>       | <b>Quantity</b>     |
|   |                                    | 1                |                     |
| <b>American Standard Studio Undercounter Sink</b>   |                                    |                  |                     |
| Collection  | STUDIO                             |                  |                     |
| Basin Type  | Lavatory                           |                  |                     |
| Material  | Vitreous china                     |                  |                     |
| Color / Finish  | White finish                       |                  |                     |
| Mounting  | Counter mounted                    |                  |                     |
| ADA   | ANSI A117.1 compliant              |                  |                     |
|   | <b>SKU No.</b>                     | <b>PL-Number</b> | <b>Color/Finish</b> |
|   | 2064101.002                        | PL-200-LI_SNK-01 | Polished chrome     |
|   | <b>List</b>                        | <b>Net</b>       | <b>Quantity</b>     |
|   |                                    | 1                |                     |
| <b>American Standard Single Control Lavatory Faucet</b>   |                                    |                  |                     |
| Collection  | SERIN                              |                  |                     |
| Flow Rate   | 4.5 LPM (1.2 GPM) maximum flowrate |                  |                     |
| Faucet Flow Control   | Pressure compensating aerator      |                  |                     |
| Operation   | Manual                             |                  |                     |
| Number of Handles   | Single handle                      |                  |                     |
| Faucet Type   | Lavatory faucet                    |                  |                     |
| Color / Finish  | Polished chrome                    |                  |                     |
| ADA   | ANSI A117.1 compliant              |                  |                     |

American Standard

DXXV

GROHE

INAX




**FOUR POINTS BY SHERATON - SHOWER ONLY**





|   |   |  |
|---|---|--|
| <b>SKU No.</b><br>26043001                                      | <b>PL-Number</b><br>PL-400-LI_SHR-01                | <b>Color/Finish</b><br>StarLight<br>chrome |
| <b>List</b>   | <b>Net</b>  | <b>Quantity</b><br>1                       |
| <b>GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays</b> |   |  |
| ASME Compliance   | ASME A112.18.1                                      |  |
| CALGreen Compliance   | CALGreen compliant                                  |  |
| CEC   | California Energy Commission (CEC) compliant        |  |
| Cleaning  | SpeedClean® anti-lime system                        |  |
| Connection  | 1/2" connection thread                              |  |
| CSA Compliance  | CSA B125.1  |  |
| EPA Compliance  | Energy Policy Act of 1992                           |  |
| EPA Watersense  | EPA WaterSense®                                     |  |
| Face Diameter   | 4" face   |  |
| Color / Finish  | StarLight chrome                                    |  |
| Flow Rate   | EcoJoy 2.0 GPM (7.6 l/min) flow limiter             |  |
| Function  | 4 sprays: GROHE Rain O², Rain, Massage and Jet      |  |
| Installation  | Installed on shower arm                             |  |
| Manufacturer  | GROHE   |  |
| Minimum Pressure  | 103 kPa (15 PSI) minimum recommended pressure       |  |
| Shower Head Type  | Residential   |  |
| Spray   | Multispray  |  |
| Spray Pattern   | DreamSpray perfect spray pattern                    |  |
| US Federal  | US Federal and State material regulations compliant |  |




**FOUR POINTS BY SHERATON - SHOWER ONLY**

|   |   |  |  |
|---|---|--|--|
|    | <b>SKU No.</b><br>288CA114.020                                      | <b>PL-Number</b><br>PL-300-LI_WCL-01         | <b>Color/Finish</b><br>White               |
|   | <b>List</b>   | <b>Net</b>                                   | <b>Quantity</b><br>1                       |
|   | <b>American Standard H2 Optimum Siphonic Elongated Toilet</b>       |  |  |
|   | Collection  | GLENWALL®                                    |  |
|   | Fixture Type  | Toilet                                       |  |
|   | Toilet Type   | Tank type                                    |  |
|   | Mounting And Waste  | Floor mounted with floor outlet              |  |
|   | Toilet Water Consumption  | Ultra High Efficiency UHET 4.2 LPF (1.1 GPF) |  |
|   | Material  | Vitreous china                               |  |
|   | Antimicrobial   | EverClean® antimicrobial surface             |  |
|   | Color / Finish  | White  |  |
|   | Bowl Shape  | Elongated bowl                               |  |
|  | <b>SKU No.</b><br>5503A00B.020                                      | <b>PL-Number</b><br>PL-300-LI_WCL-01         | <b>Color/Finish</b><br>White               |
|   | <b>List</b>   | <b>Net</b>                                   | <b>Quantity</b><br>1                       |
|   | <b>American Standard Toilet Seat For Round Bowl With Seat Cover</b> |  |  |
|   | Toilet Bowl   | For elongated bowl                           |  |
|   | Application   | For residential applications                 |  |
|   | Grade   | Standard                                     |  |
|   | Cover   | With seat cover                              |  |
|   | Color / Finish  | White  |  |
|  | <b>SKU No.</b><br>40462001  | <b>PL-Number</b><br>TA-402-LI_ACC GR RIS     | <b>Color/Finish</b><br>StarLight<br>chrome |
|   | <b>List</b>   | <b>Net</b>                                   | <b>Quantity</b><br>1                       |
|   | <b>GROHE Baucosmopolitan Multi-Towel Rack</b>                       |  |  |
|   | Color / Finish  | StarLight chrome                             |  |

**FOUR POINTS BY SHERATON - SHOWER ONLY**

|  |   |  |  |
|--|---|--|--|
|   | <b>SKU No.</b><br>40800001  | <b>PL-Number</b><br>TA-402-LI_ACC GR RIS | <b>Color/Finish</b><br>StarLight<br>chrome |
|  | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|  | <b>GROHE Essentials Multi Bath Towel Rack</b><br>Color / Finish                      StarLight chrome   |  |  |
|  | <b>SKU No.</b><br>40457001  | <b>PL-Number</b><br>TA-200-LI_ACC GR RIS | <b>Color/Finish</b><br>StarLight<br>chrome |
|  | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|  | <b>GROHE Baucosmopolitan Paper Holder</b><br>Capacity                              One roll<br>Construction                        Without cover<br>Fastening                              Concealed fastening<br>Color / Finish                        StarLight chrome<br>Fixture Type                            Toilet Tissue holder<br>Height                                    4-1/10" (104 mm) high<br>Material                                 Metal construction<br>Projection                              2-5/16" (58 mm) projection<br>Width                                      152 mm (6") wide |  |  |

**FOUR POINTS BY SHERATON - SHOWER ONLY**

|   |  |                      |                     |
|---|--|----------------------|---------------------|
|  | <b>SKU No.</b>   | <b>PL-Number</b>     | <b>Color/Finish</b> |
|   | 40461001   | TA-400-LI_ACC GR RIS | StarLight<br>chrome |
|   | <b>List</b>  | <b>Net</b>           | <b>Quantity</b>     |
|   |  | 1                    |                     |
|   | <b>GROHE Baucosmopolitan Robe Hook</b>   |                      |                     |
| Color / Finish  | StarLight chrome   |                      |                     |
| Fixture Type  | Hooks  |                      |                     |
| Height  | 2 1/8" (54 mm) high  |                      |                     |
| Material  | Metal  |                      |                     |
| Mounting Hardware   | Concealed fastening, suitable for screwing<br>(including screws and dowels) or gluing (glue<br>40 915 000 sold separately) |                      |                     |
| Projection  | 2 1/4" (55 mm) projection  |                      |                     |

# FOUR POINTS BY SHERATON - GEN 4.0




Marriott Global Design Standards

National Program Guide

May 2023



## FOUR POINTS BY SHERATON - TUB/SHOWER COMBO

|   |                                    |                  |                     |
|---|------------------------------------|------------------|---------------------|
|       | <b>SKU No.</b>                     | <b>PL-Number</b> | <b>Color/Finish</b> |
|   | 0614000.020                        | PL-100-LI_SNK-01 | White finish        |
|   | <b>List</b>                        | <b>Net</b>       | <b>Quantity</b>     |
| <b>American Standard Studio Undercounter Sink</b>   |                                    |                  |                     |
| Collection  | STUDIO                             |                  |                     |
| Basin Type  | Lavatory                           |                  |                     |
| Material  | Vitreous china                     |                  |                     |
| Color / Finish  | White finish                       |                  |                     |
| Mounting  | Counter mounted                    |                  |                     |
| ADA   | ANSI A117.1 compliant              |                  |                     |
|   | <b>SKU No.</b>                     | <b>PL-Number</b> | <b>Color/Finish</b> |
|   | 2064101.002                        | PL-200-LI_SNK-01 | Polished chrome     |
|   | <b>List</b>                        | <b>Net</b>       | <b>Quantity</b>     |
| <b>American Standard Single Control Lavatory Faucet</b>   |                                    |                  |                     |
| Collection  | SERIN                              |                  |                     |
| Flow Rate   | 4.5 LPM (1.2 GPM) maximum flowrate |                  |                     |
| Faucet Flow Control   | Pressure compensating aerator      |                  |                     |
| Operation   | Manual                             |                  |                     |
| Number of Handles   | Single handle                      |                  |                     |
| Faucet Type   | Lavatory faucet                    |                  |                     |
| Color / Finish  | Polished chrome                    |                  |                     |
| ADA   | ANSI A117.1 compliant              |                  |                     |


American Standard

DXV

GROHE

INAX





**FOUR POINTS BY SHERATON - TUB/SHOWER COMBO**

|  |   |                  |                     |
|--|---|------------------|---------------------|
|  | <b>SKU No.</b>                                      | <b>PL-Number</b> | <b>Color/Finish</b> |
|  | 26043001  | PL-400-LI_SHR-01 | StarLight<br>chrome |
|  | <b>List</b>   | <b>Net</b>       | <b>Quantity</b>     |
|  |   | 1                |                     |
| <b>GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays</b>                    |   |                  |                     |
| ASME Compliance  | ASME A112.18.1                                      |                  |                     |
| CALGreen Compliance  | CALGreen compliant                                  |                  |                     |
| CEC  | California Energy Commission (CEC) compliant        |                  |                     |
| Cleaning   | SpeedClean® anti-lime system                        |                  |                     |
| Connection   | 1/2" connection thread                              |                  |                     |
| CSA Compliance   | CSA B125.1  |                  |                     |
| EPA Compliance   | Energy Policy Act of 1992                           |                  |                     |
| EPA Watersense   | EPA WaterSense®                                     |                  |                     |
| Face Diameter  | 4" face   |                  |                     |
| Color / Finish   | StarLight chrome                                    |                  |                     |
| Flow Rate  | EcoJoy 2.0 GPM (7.6 l/min) flow limiter             |                  |                     |
| Function   | 4 sprays: GROHE Rain O², Rain, Massage and Jet      |                  |                     |
| Installation   | Installed on shower arm                             |                  |                     |
| Manufacturer   | GROHE   |                  |                     |
| Minimum Pressure   | 103 kPa (15 PSI) minimum recommended pressure       |                  |                     |
| Shower Head Type   | Residential   |                  |                     |
| Spray  | Multispray  |                  |                     |
| Spray Pattern  | DreamSpray perfect spray pattern                    |                  |                     |
| US Federal   | US Federal and State material regulations compliant |                  |                     |



**FOUR POINTS BY SHERATON - TUB/SHOWER COMBO**

|      |   |                                      |  |              |
|------|---|--------------------------------------|--|--------------|
|      | <b>SKU No.</b><br>TU064502WDXH.002  | <b>PL-Number</b><br>PL-800-LI_SHR-02 | <b>Color/Finish</b><br>Polished chrome |              |
|      | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1                   | <b>Total</b> |
|      | <b>American Standard Serin® Pressure Balance Bath/Shower Trim With Double Ceramic Pressure Balance Cartridge</b><br>Kit Type Bath/Shower Trim Kit less showerhead.Less valve body with RED/BLUE indicator ring.<br>Suggested Rough Valve For use with Flash™ rough valve Bodies<br>Color / Finish Polished chrome |                                      |  |              |
|      | <b>SKU No.</b><br>RU101SS   | <b>PL-Number</b><br>PL-800-LI_SHR-02 | <b>Color/Finish</b>                    |              |
|      | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1                   | <b>Total</b> |
|      | <b>American Standard Flash™ Rough Valve Bodies</b><br>Series FLASH™<br>Model Type Pressure Balance rough valve body only, less trim<br>Compliance and Certifications ASSE 1016, ASME A112.18.1016, CSA B125.16, ASME A112.18.1, CSA B125.1  |                                      |  |              |
| <br> | <b>SKU No.</b><br>0255.112.020  | <b>PL-Number</b><br>PL-602-LI_TUB-01 | <b>Color/Finish</b><br>White           |              |
|      | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1                   | <b>Total</b> |
|      | <b>American Standard New Salem® Recess Bath</b><br>Installation Alcove<br>Bath Type Bathing pool<br>Material Enameled Steel: Acid resisting, heavy gauge<br>Color / Finish White<br>Dimensions 1524 x 762 x 362 mm (60" x 30" x 14-1/4")  |                                      |  |              |




**FOUR POINTS BY SHERATON - TUB/SHOWER COMBO**

|   |  |                                      |  |              |
|---|--|--------------------------------------|--|--------------|
|   | <b>SKU No.</b><br>0255.212.020   | <b>PL-Number</b><br>PL-602-LI_TUB-01 | <b>Color/Finish</b><br>White           |              |
|   | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1                   | <b>Total</b> |
|   | <b>American Standard New Salem® Recess Bath</b><br>Installation Alcove<br>Bath Type Bathing pool<br>Material Enameled Steel: Acid resisting, heavy gauge<br>Color / Finish White<br>Dimensions 1524 x 762 x 362 mm (60" x 30" x 14-1/4") |                                      |  |              |
|   | <b>SKU No.</b><br>1583.470.002   | <b>PL-Number</b><br>PL-900-LI_TUB-01 | <b>Color/Finish</b><br>Polished chrome |              |
|   | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1                   | <b>Total</b> |
|   | <b>American Standard Universal Bathtub Drain</b><br>Fixture Type Bathtub drain<br>Color / Finish Polished chrome   |                                      |  |              |
|    | <b>SKU No.</b><br>1640.305.002   | <b>PL-Number</b><br>PL-900-LI_TUB-01 | <b>Color/Finish</b><br>Polished chrome |              |
|   | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1                   | <b>Total</b> |
|   | <b>American Standard Deep Soak® Bathtub Drain</b><br>Fixture Type Bathtub drain<br>Color / Finish Polished chrome  |                                      |  |              |



**FOUR POINTS BY SHERATON - TUB/SHOWER COMBO**

|   |  |   |                     |
|---|--|---|---------------------|
|    | <b>SKU No.</b>   | <b>PL-Number</b>  | <b>Color/Finish</b> |
|   | 2391.202.020   | PL-602-LI_TUB-01  | White               |
|   | <b>List</b>  | <b>Net</b>  | <b>Quantity</b>     |
|   |  | 1   |                     |
|   | <b>American Standard Princeton® Recess Bath (Below Floor Installation)</b> |   |                     |
|   | Installation   | Alcove  |                     |
|   | Bath Type  | Bathing pool  |                     |
|   | Material   | Americast® brand engineered material, Acid resistant porcelain finish |                     |
|   | Color / Finish   | White   |                     |
|   | Installed Size   | 60 x 30 x 17-1/2" (1524 x 762 x 445 mm)                               |                     |
|   | Dimensions   | 1524 x 762 x 356 mm (60" x 30" x 14")                                 |                     |
|  | <b>SKU No.</b>   | <b>PL-Number</b>  | <b>Color/Finish</b> |
|   | 2390.202.020   | PL-602-LI_TUB-01  | White               |
|   | <b>List</b>  | <b>Net</b>  | <b>Quantity</b>     |
|   |  | 1   |                     |
|   | <b>American Standard Princeton® Recess Bath (Below Floor Installation)</b> |   |                     |
|   | Installation   | Alcove  |                     |
|   | Bath Type  | Bathing pool  |                     |
|   | Material   | Americast® brand engineered material, Acid resistant porcelain finish |                     |
|   | Color / Finish   | White   |                     |
|   | Installed Size   | 60 x 30 x 17-1/2" (1524 x 762 x 445 mm)                               |                     |
|   | Dimensions   | 1524 x 762 x 356 mm (60" x 30" x 14")                                 |                     |


**FOUR POINTS BY SHERATON - TUB/SHOWER COMBO**

|   |   |  |  |
|---|---|--|--|
|    | <b>SKU No.</b><br>288CA114.020  | <b>PL-Number</b><br>PL-300-LI_WCL-01     | <b>Color/Finish</b><br>White               |
|   | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|   | <b>American Standard H2 Optimum Siphonic Elongated Toilet</b><br>Collection GLENWALL®<br>Fixture Type Toilet<br>Toilet Type Tank type<br>Mounting And Waste Floor mounted with floor outlet<br>Toilet Water Ultra High Efficiency UHET 4.2 LPF (1.1 GPF)<br>Consumption<br>Material Vitreous china<br>Antimicrobial EverClean® antimicrobial surface<br>Color / Finish White<br>Bowl Shape Elongated bowl |  |  |
|  | <b>SKU No.</b><br>5503A00B.020  | <b>PL-Number</b><br>PL-300-LI_WCL-01     | <b>Color/Finish</b><br>White               |
|   | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|   | <b>American Standard Toilet Seat For Round Bowl With Seat Cover</b><br>Toilet Bowl For elongated bowl<br>Application For residential applications<br>Grade Standard<br>Cover With seat cover<br>Color / Finish White  |  |  |
|  | <b>SKU No.</b><br>40462001  | <b>PL-Number</b><br>TA-402-LI_ACC GR TUB | <b>Color/Finish</b><br>StarLight<br>chrome |
|   | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|   | <b>GROHE Baucosmopolitan Multi-Towel Rack</b><br>Color / Finish StarLight chrome  |  |  |

**FOUR POINTS BY SHERATON - TUB/SHOWER COMBO**

|  |  |  |  |
|--|--|--|--|
|   | <b>SKU No.</b><br>40800001   | <b>PL-Number</b><br>TA-402-LI_ACC GR TUB | <b>Color/Finish</b><br>StarLight<br>chrome |
|  | <b>List</b>  | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|  | <b>GROHE Essentials Multi Bath Towel Rack</b><br>Color / Finish                      StarLight chrome  |  |  |
|  | <b>SKU No.</b><br>40457001   | <b>PL-Number</b><br>TA-200-LI_ACC GR TUB | <b>Color/Finish</b><br>StarLight<br>chrome |
|  | <b>List</b>  | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|  | <b>GROHE Baucosmopolitan Paper Holder</b><br>Capacity                              One roll<br>Construction                          Without cover<br>Fastening                              Concealed fastening<br>Color / Finish                          StarLight chrome<br>Fixture Type                            Toilet Tissue holder<br>Height                                    4-1/10" (104 mm) high<br>Material                                  Metal construction<br>Projection                              2-5/16" (58 mm) projection<br>Width                                      152 mm (6") wide |  |  |

**FOUR POINTS BY SHERATON - TUB/SHOWER COMBO**

|   |  |                      |                     |
|---|--|----------------------|---------------------|
|  | <b>SKU No.</b>   | <b>PL-Number</b>     | <b>Color/Finish</b> |
|   | 40461001   | TA-400-LI_ACC GR TUB | StarLight chrome    |
|   | <b>List</b>  | <b>Net</b>           | <b>Quantity</b>     |
|   |  | 1                    |                     |
|   | <b>GROHE Baucosmopolitan Robe Hook</b>   |                      |                     |
| Color / Finish  | StarLight chrome   |                      |                     |
| Fixture Type  | Hooks  |                      |                     |
| Height  | 2 1/8" (54 mm) high  |                      |                     |
| Material  | Metal  |                      |                     |
| Mounting Hardware   | Concealed fastening, suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) |                      |                     |
| Projection  | 2 1/4" (55 mm) projection  |                      |                     |

# FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

National Program Guide

May 2023



## FOUR POINTS BY SHERATON - ADA SHOWER ONLY

|   |                                    |                  |                     |
|---|------------------------------------|------------------|---------------------|
|       | <b>SKU No.</b>                     | <b>PL-Number</b> | <b>Color/Finish</b> |
|   | 0614000.020                        | PL-100-LI_SNK-01 | White finish        |
|   | <b>List</b>                        | <b>Net</b>       | <b>Quantity</b>     |
|   |                                    | 1                |                     |
| <b>American Standard Studio Undercounter Sink</b>   |                                    |                  |                     |
| Collection  | STUDIO                             |                  |                     |
| Basin Type  | Lavatory                           |                  |                     |
| Material  | Vitreous china                     |                  |                     |
| Color / Finish  | White finish                       |                  |                     |
| Mounting  | Counter mounted                    |                  |                     |
| ADA   | ANSI A117.1 compliant              |                  |                     |
|   | <b>SKU No.</b>                     | <b>PL-Number</b> | <b>Color/Finish</b> |
|   | 2064101.002                        | PL-200-LI_SNK-01 | Polished chrome     |
|   | <b>List</b>                        | <b>Net</b>       | <b>Quantity</b>     |
|   |                                    | 1                |                     |
| <b>American Standard Single Control Lavatory Faucet</b>   |                                    |                  |                     |
| Collection  | SERIN                              |                  |                     |
| Flow Rate   | 4.5 LPM (1.2 GPM) maximum flowrate |                  |                     |
| Faucet Flow Control   | Pressure compensating aerator      |                  |                     |
| Operation   | Manual                             |                  |                     |
| Number of Handles   | Single handle                      |                  |                     |
| Faucet Type   | Lavatory faucet                    |                  |                     |
| Color / Finish  | Polished chrome                    |                  |                     |
| ADA   | ANSI A117.1 compliant              |                  |                     |

American Standard

DXV

GROHE

INAX

**FOUR POINTS BY SHERATON - ADA SHOWER ONLY**



|   |   |  |
|---|---|--|
| <b>SKU No.</b><br>26043001                                      | <b>PL-Number</b><br>PL-400-LI_SHR-02                | <b>Color/Finish</b><br>StarLight<br>chrome |
| <b>List</b>   | <b>Net</b>  | <b>Quantity</b><br>1                       |
| <b>GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays</b> |   |  |
| ASME Compliance   | ASME A112.18.1                                      |  |
| CALGreen Compliance   | CALGreen compliant                                  |  |
| CEC   | California Energy Commission (CEC) compliant        |  |
| Cleaning  | SpeedClean® anti-lime system                        |  |
| Connection  | 1/2" connection thread                              |  |
| CSA Compliance  | CSA B125.1  |  |
| EPA Compliance  | Energy Policy Act of 1992                           |  |
| EPA Watersense  | EPA WaterSense®                                     |  |
| Face Diameter   | 4" face   |  |
| Color / Finish  | StarLight chrome                                    |  |
| Flow Rate   | EcoJoy 2.0 GPM (7.6 l/min) flow limiter             |  |
| Function  | 4 sprays: GROHE Rain O², Rain, Massage and Jet      |  |
| Installation  | Installed on shower arm                             |  |
| Manufacturer  | GROHE   |  |
| Minimum Pressure  | 103 kPa (15 PSI) minimum recommended pressure       |  |
| Shower Head Type  | Residential   |  |
| Spray   | Multispray  |  |
| Spray Pattern   | DreamSpray perfect spray pattern                    |  |
| US Federal  | US Federal and State material regulations compliant |  |



**FOUR POINTS BY SHERATON - ADA SHOWER ONLY**



|  |   |                     |
|--|---|---------------------|
| <b>SKU No.</b>                               | <b>PL-Number</b>  | <b>Color/Finish</b> |
| T064.430.002                                 | PL-804-LI_SHR-02  | Polished chrome     |
| <b>List</b>                                  | <b>Net</b>  | <b>Quantity</b>     |
|  |   | 1                   |
| <b>American Standard Diverter Valve Trim</b> |   |                     |
| Brass Advantages                             | Durable, ideal material for prolonged contact with water  |                     |
| Combination                                  | Less valve  |                     |
| Compliances and Certifications               | ASME A112.18.1  |                     |
| Connection                                   | 1/2" NPTconnections on mixed water inlet and two (R422/R422S) orthree (R433/R433S) outlets  |                     |
| Escutcheon                                   | Stamped brass escutcheon  |                     |
| Color / Finish                               | Polished chrome   |                     |
| Fixture Type                                 | IN-WALL DIVERTER VALVES   |                     |
| Installation                                 | Permits checking of valve installation prior to installing trim parts   |                     |
| Manufacturer                                 | American Standard   |                     |
| Material                                     | Solid Brass Construction:   |                     |
| Maximum Diverting Outlets                    | 3 Way   |                     |
| Model  | Rotational control alternates water flow between two (R422/R422S) or three (R433/R433S) different shower outlets (i.e. showerhead, handspray, bodyside spray or tub spout), forged brass valve body |                     |
| Model Series                                 | SERIN®  |                     |
| Model Type                                   | Valve trim ONLY   |                     |
| Notes  | Cannot be used as a shut-off valve  |                     |

**FOUR POINTS BY SHERATON - ADA SHOWER ONLY**

| SKU No.  | PL-Number   | Color/Finish |       |
|--|---|--------------|-------|
| R422   | PL-804-LI_SHR-02  |              |       |
| List   | Net   | Quantity     | Total |
|  |   | 1            |       |
| <b>American Standard Two-Way In-Wall Diverter Valve Rough (Discrete)</b> |   |              |       |
| Brass Advantages   | Durable, ideal material for prolonged contact with water  |              |       |
| Combination  | LESS handle   |              |       |
| Compliances and Certifications   | Meets the American Disabilities Act Guidelines and ANSI A117.1 requirements for the physically challenged., ASME A112.18.1, CSA B125.1  |              |       |
| Connection Size  | 13 mm (1/2") NPT inlets/outlets   |              |       |
| Escutcheon   | Stamped brass escutcheon  |              |       |
| Fixture Type   | ROUGH VALVES  |              |       |
| Flow   | Tub port with increased water flow  |              |       |
| For Series   | T064.430, T105.430, T106.430, T184.430, T186.430, T455430, T555.430   |              |       |
| Function   | 2 discrete functions  |              |       |
| Installation   | Permits checking of valve installation prior to installing trim parts   |              |       |
| Material   | Solid Brass Construction  |              |       |
| Model  | Rotational control alternates water flow between two different shower outlets (i.e. showerhead, handspray, body side spray or tub spout), forged brass valve body. Mixed water inlet and two outlets are marked on back of valve body |              |       |
| Number of Outlets  | Two-Way In-Wall Diverter  |              |       |
| Trim Match   | Rough and Trim must be ordered separately.  |              |       |






**FOUR POINTS BY SHERATON - ADA SHOWER ONLY**






| SKU No.  | PL-Number  | Color/Finish |       |
|--|--|--------------|-------|
| R433   | PL-804-LI_SHR-02   |              |       |
| List   | Net  | Quantity     | Total |
|  |  | 1            |       |
| <b>American Standard Three-Way In-Wall Diverter Valve Rough (Discrete)</b> |  |              |       |
| Brass Advantages   | Durable, ideal material for prolonged contact with water   |              |       |
| Combination  | LESS handle  |              |       |
| Compliances and Certifications   | ASME A112.18.1, CSA B125.1   |              |       |
| Connection Size  | 13 mm (1/2") NPT inlets/outlets  |              |       |
| Escutcheon   | Stamped brass escutcheon   |              |       |
| Fixture Type   | ROUGH VALVES   |              |       |
| Flow   | Tub port with increased water flow   |              |       |
| For Series   | T064.430, T105.430, T106.430, T184.430, T186.430, T455430, T555.430, T722.430  |              |       |
| Function   | 3 discrete functions   |              |       |
| Installation   | Permits checking of valve installation prior to installing trim parts  |              |       |
| Material   | Solid Brass Construction   |              |       |
| Model  | Rotational control alternates water flow between two (R422/R422S) or three (R433/R433S) different shower outlets (i.e. showerhead, handspray, body side spray or tub spout), forged brass valve body |              |       |
| Note   | Cannot be used as a shut-off valve   |              |       |
| Number of Outlets  | Three-Way In-Wall Diverter   |              |       |



**FOUR POINTS BY SHERATON - ADA SHOWER ONLY**

|   |                |  |                     |
|---|----------------|--|---------------------|
|    | <b>SKU No.</b> | <b>PL-Number</b>   | <b>Color/Finish</b> |
|   | 1660.774.002   | PL-402-LI_SHR-02   | Polished chrome     |
|   | <b>List</b>    | <b>Net</b>   | <b>Quantity</b>     |
|   |                | 1  |                     |
| <b>American Standard Spectra Handheld® Slide Bar Kit</b>  |                |  |                     |
| Function  |                | 4-Function hand shower adjusts from Drench to Sensitive to powerwash® to Massage |                     |
| Color / Finish  |                | Polished chrome  |                     |
| <br> | <b>SKU No.</b> | <b>PL-Number</b>   | <b>Color/Finish</b> |
|   | 288AA114.020   | PL-301-LI_WCL-02   | White               |
|   | <b>List</b>    | <b>Net</b>   | <b>Quantity</b>     |
|   |                | 1  |                     |
| <b>American Standard H2Optimum Siphonic Right Height Elongated Toilet</b>   |                |  |                     |
| Collection  |                | H2OPTIMUM™   |                     |
| Fixture Type  |                | Toilet   |                     |
| Toilet Type   |                | Tank type  |                     |
| Mounting And Waste  |                | Floor mounted with floor outlet  |                     |
| Toilet Water Consumption  |                | Ultra High Efficiency UHET 4.2 LPF (1.1 GPF)                                     |                     |
| Material  |                | Vitreous china   |                     |
| Antimicrobial   |                | EverClean® antimicrobial surface   |                     |
| Color / Finish  |                | White  |                     |
| Bowl Shape  |                | Elongated bowl   |                     |





**FOUR POINTS BY SHERATON - ADA SHOWER ONLY**

|   |   |  |   |
|---|---|--|---|
|    | <b>SKU No.</b><br>5503A00B.020                                      | <b>PL-Number</b><br>PL-300-LI_WCL-01               | <b>Color/Finish</b><br>White            |
|   | <b>List</b>   | <b>Net</b>   | <b>Quantity</b><br>1                    |
|   | <b>American Standard Toilet Seat For Round Bowl With Seat Cover</b> |  |   |
|   | Toilet Bowl Application   | For elongated bowl<br>For residential applications |   |
|   | Grade   | Standard   |   |
|   | Cover   | With seat cover                                    |   |
|   | Color / Finish  | White  |   |
|   | <b>SKU No.</b><br>40462001  | <b>PL-Number</b><br>TA-402-LI_ACC GR TUB           | <b>Color/Finish</b><br>StarLight chrome |
|   | <b>List</b>   | <b>Net</b>   | <b>Quantity</b><br>1                    |
|   | <b>GROHE Baucosmopolitan Multi-Towel Rack</b>                       |  |   |
|   | Color / Finish  | StarLight chrome                                   |   |
|  | <b>SKU No.</b><br>40800001  | <b>PL-Number</b><br>TA-402-LI_ACC GR TUB           | <b>Color/Finish</b><br>StarLight chrome |
|   | <b>List</b>   | <b>Net</b>   | <b>Quantity</b><br>1                    |
|   | <b>GROHE Essentials Multi Bath Towel Rack</b>                       |  |   |
|   | Color / Finish  | StarLight chrome                                   |   |

**FOUR POINTS BY SHERATON - ADA SHOWER ONLY**

|   |   |  |  |
|---|---|--|--|
|    | <b>SKU No.</b><br>40457001  | <b>PL-Number</b><br>TA-200-LI_ACC GR TUB | <b>Color/Finish</b><br>StarLight<br>chrome |
|   | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|   | <b>GROHE Baucosmopolitan Paper Holder</b><br>Capacity One roll<br>Construction Without cover<br>Fastening Concealed fastening<br>Color / Finish StarLight chrome<br>Fixture Type Toilet Tissue holder<br>Height 4-1/10" (104 mm) high<br>Material Metal construction<br>Projection 2-5/16" (58 mm) projection<br>Width 152 mm (6") wide |  |  |
|  | <b>SKU No.</b><br>40461001  | <b>PL-Number</b><br>TA-400-LI_ACC GR TUB | <b>Color/Finish</b><br>StarLight<br>chrome |
|   | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|   | <b>GROHE Baucosmopolitan Robe Hook</b><br>Color / Finish StarLight chrome<br>Fixture Type Hooks<br>Height 2 1/8" (54 mm) high<br>Material Metal<br>Mounting Hardware Concealed fastening, suitable for screwing<br>(including screws and dowels) or gluing (glue<br>40 915 000 sold separately)<br>Projection 2 1/4" (55 mm) projection |  |  |

**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**

|   |   |                                      |  |
|---|---|--------------------------------------|--|
|       | <b>SKU No.</b><br>0614000.020                           | <b>PL-Number</b><br>PL-100-LI_SNK-01 | <b>Color/Finish</b><br>White finish    |
|   | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1                   |
|   | <b>American Standard Studio Undercounter Sink</b>       |                                      |  |
|   | Collection  | STUDIO                               |  |
|   | Basin Type  | Lavatory                             |  |
|   | Material  | Vitreous china                       |  |
|   | Color / Finish  | White finish                         |  |
|   | Mounting  | Counter mounted                      |  |
|   | ADA   | ANSI A117.1 compliant                |  |
|   | <b>SKU No.</b><br>2064101.002                           | <b>PL-Number</b><br>PL-200-LI_SNK-01 | <b>Color/Finish</b><br>Polished chrome |
|   | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1                   |
|   | <b>American Standard Single Control Lavatory Faucet</b> |                                      |  |
|   | Collection  | SERIN                                |  |
|   | Flow Rate   | 4.5 LPM (1.2 GPM) maximum flowrate   |  |
|   | Faucet Flow Control                                     | Pressure compensating aerator        |  |
|   | Operation   | Manual                               |  |
|   | Number of Handles                                       | Single handle                        |  |
|   | Faucet Type   | Lavatory faucet                      |  |
|   | Color / Finish  | Polished chrome                      |  |
|   | ADA   | ANSI A117.1 compliant                |  |

**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**



|   |   |  |
|---|---|--|
| <b>SKU No.</b><br>26043001                                      | <b>PL-Number</b><br>PL-400-LI_TUB-02                | <b>Color/Finish</b><br>StarLight<br>chrome |
| <b>List</b>   | <b>Net</b>  | <b>Quantity</b><br>1                       |
| <b>GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays</b> |   |  |
| ASME Compliance   | ASME A112.18.1                                      |  |
| CALGreen Compliance   | CALGreen compliant                                  |  |
| CEC   | California Energy Commission (CEC) compliant        |  |
| Cleaning  | SpeedClean® anti-lime system                        |  |
| Connection  | 1/2" connection thread                              |  |
| CSA Compliance  | CSA B125.1  |  |
| EPA Compliance  | Energy Policy Act of 1992                           |  |
| EPA Watersense  | EPA WaterSense®                                     |  |
| Face Diameter   | 4" face   |  |
| Color / Finish  | StarLight chrome                                    |  |
| Flow Rate   | EcoJoy 2.0 GPM (7.6 l/min) flow limiter             |  |
| Function  | 4 sprays: GROHE Rain O², Rain, Massage and Jet      |  |
| Installation  | Installed on shower arm                             |  |
| Manufacturer  | GROHE   |  |
| Minimum Pressure  | 103 kPa (15 PSI) minimum recommended pressure       |  |
| Shower Head Type  | Residential   |  |
| Spray   | Multispray  |  |
| Spray Pattern   | DreamSpray perfect spray pattern                    |  |
| US Federal  | US Federal and State material regulations compliant |  |





**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**



|  |   |                     |
|--|---|---------------------|
| <b>SKU No.</b>                               | <b>PL-Number</b>  | <b>Color/Finish</b> |
| T064.430.002                                 | PL-804-LI_TUB-02  | Polished chrome     |
| <b>List</b>                                  | <b>Net</b>  | <b>Quantity</b>     |
|  |   | 1                   |
| <b>American Standard Diverter Valve Trim</b> |   |                     |
| Brass Advantages                             | Durable, ideal material for prolonged contact with water  |                     |
| Combination                                  | Less valve  |                     |
| Compliances and Certifications               | ASME A112.18.1  |                     |
| Connection                                   | 1/2" NPTconnections on mixed water inlet and two (R422/R422S) orthree (R433/R433S) outlets  |                     |
| Escutcheon                                   | Stamped brass escutcheon  |                     |
| Color / Finish                               | Polished chrome   |                     |
| Fixture Type                                 | IN-WALL DIVERTER VALVES   |                     |
| Installation                                 | Permits checking of valve installation prior to installing trim parts   |                     |
| Manufacturer                                 | American Standard   |                     |
| Material                                     | Solid Brass Construction:   |                     |
| Maximum Diverting Outlets                    | 3 Way   |                     |
| Model  | Rotational control alternates water flow between two (R422/R422S) or three (R433/R433S) different shower outlets (i.e. showerhead, handspray, bodyside spray or tub spout), forged brass valve body |                     |
| Model Series                                 | SERIN®  |                     |
| Model Type                                   | Valve trim ONLY   |                     |
| Notes  | Cannot be used as a shut-off valve  |                     |

**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**

| SKU No.  | PL-Number   | Color/Finish |       |
|--|---|--------------|-------|
| R422   | PL-804-LI_TUB-02  |              |       |
| List   | Net   | Quantity     | Total |
|  |   | 1            |       |
| <b>American Standard Two-Way In-Wall Diverter Valve Rough (Discrete)</b> |   |              |       |
| Brass Advantages   | Durable, ideal material for prolonged contact with water  |              |       |
| Combination  | LESS handle   |              |       |
| Compliances and Certifications   | Meets the American Disabilities Act Guidelines and ANSI A117.1 requirements for the physically challenged., ASME A112.18.1, CSA B125.1  |              |       |
| Connection Size  | 13 mm (1/2") NPT inlets/outlets   |              |       |
| Escutcheon   | Stamped brass escutcheon  |              |       |
| Fixture Type   | ROUGH VALVES  |              |       |
| Flow   | Tub port with increased water flow  |              |       |
| For Series   | T064.430, T105.430, T106.430, T184.430, T186.430, T455430, T555.430   |              |       |
| Function   | 2 discrete functions  |              |       |
| Installation   | Permits checking of valve installation prior to installing trim parts   |              |       |
| Material   | Solid Brass Construction  |              |       |
| Model  | Rotational control alternates water flow between two different shower outlets (i.e. showerhead, handspray, body side spray or tub spout), forged brass valve body. Mixed water inlet and two outlets are marked on back of valve body |              |       |
| Number of Outlets  | Two-Way In-Wall Diverter  |              |       |
| Trim Match   | Rough and Trim must be ordered separately.  |              |       |



**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**




| SKU No.  | PL-Number  | Color/Finish |       |
|--|--|--------------|-------|
| R433   | PL-804-LI_TUB-02   |              |       |
| List   | Net  | Quantity     | Total |
|  |  | 1            |       |
| <b>American Standard Three-Way In-Wall Diverter Valve Rough (Discrete)</b> |  |              |       |
| Brass Advantages   | Durable, ideal material for prolonged contact with water   |              |       |
| Combination  | LESS handle  |              |       |
| Compliances and Certifications   | ASME A112.18.1, CSA B125.1   |              |       |
| Connection Size  | 13 mm (1/2") NPT inlets/outlets  |              |       |
| Escutcheon   | Stamped brass escutcheon   |              |       |
| Fixture Type   | ROUGH VALVES   |              |       |
| Flow   | Tub port with increased water flow   |              |       |
| For Series   | T064.430, T105.430, T106.430, T184.430, T186.430, T455430, T555.430, T722.430  |              |       |
| Function   | 3 discrete functions   |              |       |
| Installation   | Permits checking of valve installation prior to installing trim parts  |              |       |
| Material   | Solid Brass Construction   |              |       |
| Model  | Rotational control alternates water flow between two (R422/R422S) or three (R433/R433S) different shower outlets (i.e. showerhead, handspray, body side spray or tub spout), forged brass valve body |              |       |
| Note   | Cannot be used as a shut-off valve   |              |       |
| Number of Outlets  | Three-Way In-Wall Diverter   |              |       |






**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**

|      |  |                                      |  |
|------|--|--------------------------------------|--|
|      | <b>SKU No.</b><br>1660.774.002   | <b>PL-Number</b><br>PL-402-LI_TUB-02 | <b>Color/Finish</b><br>Polished chrome |
|      | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1                   |
|      | <b>American Standard Spectra Handheld® Slide Bar Kit</b><br>Function 4-Function hand shower adjusts from Drench to Sensitive to powerwash® to Massage<br>Color / Finish Polished chrome  |                                      |  |
| <br> | <b>SKU No.</b><br>0255.112.020   | <b>PL-Number</b><br>PL-602-LI_TUB-01 | <b>Color/Finish</b><br>White           |
|      | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1                   |
|      | <b>American Standard New Salem® Recess Bath</b><br>Installation Alcove<br>Bath Type Bathing pool<br>Material Enameled Steel: Acid resisting, heavy gauge<br>Color / Finish White<br>Dimensions 1524 x 762 x 362 mm (60" x 30" x 14-1/4") |                                      |  |
| <br> | <b>SKU No.</b><br>0255.212.020   | <b>PL-Number</b><br>PL-602-LI_TUB-01 | <b>Color/Finish</b><br>White           |
|      | <b>List</b>  | <b>Net</b>                           | <b>Quantity</b><br>1                   |
|      | <b>American Standard New Salem® Recess Bath</b><br>Installation Alcove<br>Bath Type Bathing pool<br>Material Enameled Steel: Acid resisting, heavy gauge<br>Color / Finish White<br>Dimensions 1524 x 762 x 362 mm (60" x 30" x 14-1/4") |                                      |  |




**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**

|   |   |                                      |  |
|---|---|--------------------------------------|--|
|    | <b>SKU No.</b><br>1583.470.002  | <b>PL-Number</b><br>PL-900-LI_TUB-02 | <b>Color/Finish</b><br>Polished chrome |
|   | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1                   |
|   | <b>American Standard Universal Bathtub Drain</b><br>Fixture Type                      Bathtub drain<br>Color / Finish                      Polished chrome  |                                      |  |
|   | <b>SKU No.</b><br>1640.305.002  | <b>PL-Number</b><br>PL-900-LI_TUB-02 | <b>Color/Finish</b><br>Polished chrome |
|   | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1                   |
|   | <b>American Standard Deep Soak® Bathtub Drain</b><br>Fixture Type                      Bathtub drain<br>Color / Finish                      Polished chrome   |                                      |  |
|  | <b>SKU No.</b><br>2391.202.020  | <b>PL-Number</b><br>PL-602-LI_TUB-02 | <b>Color/Finish</b><br>White           |
|   | <b>List</b>   | <b>Net</b>                           | <b>Quantity</b><br>1                   |
|   | <b>American Standard Princeton® Recess Bath (Below Floor Installation)</b><br>Installation                      Alcove<br>Bath Type                          Bathing pool<br>Material                            Americast® brand engineered material, Acid resistant porcelain finish<br>Color / Finish                      White<br>Installed Size                      60 x 30 x 17-1/2" (1524 x 762 x 445 mm)<br>Dimensions                        1524 x 762 x 356 mm (60" x 30" x 14") |                                      |  |



**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**

|  |  |   |                     |
|--|--|---|---------------------|
|   | <b>SKU No.</b>   | <b>PL-Number</b>  | <b>Color/Finish</b> |
|  | 2390.202.020   | PL-602-LI_TUB-02  | White               |
|  | <b>List</b>  | <b>Net</b>  | <b>Quantity</b>     |
|  |  | 1   |                     |
|  | <b>American Standard Princeton® Recess Bath (Below Floor Installation)</b> |   |                     |
|  | Installation   | Alcove  |                     |
|  | Bath Type  | Bathing pool  |                     |
|  | Material   | Americast® brand engineered material, Acid resistant porcelain finish |                     |
|  | Color / Finish   | White   |                     |
|  | Installed Size   | 60 x 30 x 17-1/2" (1524 x 762 x 445 mm)                               |                     |
|  | Dimensions   | 1524 x 762 x 356 mm (60" x 30" x 14")                                 |                     |
| <br> | <b>SKU No.</b>   | <b>PL-Number</b>  | <b>Color/Finish</b> |
|  | 288AA114.020   | PL-301-LI_WCL-02  | White               |
|  | <b>List</b>  | <b>Net</b>  | <b>Quantity</b>     |
|  |  | 1   |                     |
|  | <b>American Standard H2Optimum Siphonic Right Height Elongated Toilet</b>  |   |                     |
|  | Collection   | H2OPTIMUM™  |                     |
|  | Fixture Type   | Toilet  |                     |
|  | Toilet Type  | Tank type   |                     |
|  | Mounting And Waste   | Floor mounted with floor outlet                                       |                     |
|  | Toilet Water Consumption   | Ultra High Efficiency UHET 4.2 LPF (1.1 GPF)                          |                     |
|  | Material   | Vitreous china  |                     |
|  | Antimicrobial  | EverClean® antimicrobial surface                                      |                     |
|  | Color / Finish   | White   |                     |
|  | Bowl Shape   | Elongated bowl  |                     |

**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**

|   |   |  |   |
|---|---|--|---|
|    | <b>SKU No.</b><br>5503A00B.020                                      | <b>PL-Number</b><br>PL-300-LI_WCL-01               | <b>Color/Finish</b><br>White            |
|   | <b>List</b>   | <b>Net</b>   | <b>Quantity</b><br>1                    |
|   | <b>American Standard Toilet Seat For Round Bowl With Seat Cover</b> |  |   |
|   | Toilet Bowl Application   | For elongated bowl<br>For residential applications |   |
|   | Grade   | Standard   |   |
|   | Cover   | With seat cover                                    |   |
|   | Color / Finish  | White  |   |
|   | <b>SKU No.</b><br>40462001  | <b>PL-Number</b><br>TA-402-LI_ACC GR TUB           | <b>Color/Finish</b><br>StarLight chrome |
|   | <b>List</b>   | <b>Net</b>   | <b>Quantity</b><br>1                    |
|   | <b>GROHE Baucosmopolitan Multi-Towel Rack</b>                       |  |   |
|   | Color / Finish  | StarLight chrome                                   |   |
|  | <b>SKU No.</b><br>40800001  | <b>PL-Number</b><br>TA-402-LI_ACC GR TUB           | <b>Color/Finish</b><br>StarLight chrome |
|   | <b>List</b>   | <b>Net</b>   | <b>Quantity</b><br>1                    |
|   | <b>GROHE Essentials Multi Bath Towel Rack</b>                       |  |   |
|   | Color / Finish  | StarLight chrome                                   |   |

**FOUR POINTS BY SHERATON - ADA TUB/SHOWER COMBO**

|   |   |  |  |
|---|---|--|--|
|    | <b>SKU No.</b><br>40457001  | <b>PL-Number</b><br>TA-200-LI_ACC GR TUB | <b>Color/Finish</b><br>StarLight<br>chrome |
|   | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|   | <b>GROHE Baucosmopolitan Paper Holder</b><br>Capacity One roll<br>Construction Without cover<br>Fastening Concealed fastening<br>Color / Finish StarLight chrome<br>Fixture Type Toilet Tissue holder<br>Height 4-1/10" (104 mm) high<br>Material Metal construction<br>Projection 2-5/16" (58 mm) projection<br>Width 152 mm (6") wide |  |  |
|  | <b>SKU No.</b><br>40461001  | <b>PL-Number</b><br>TA-400-LI_ACC GR TUB | <b>Color/Finish</b><br>StarLight<br>chrome |
|   | <b>List</b>   | <b>Net</b>                               | <b>Quantity</b><br>1                       |
|   | <b>GROHE Baucosmopolitan Robe Hook</b><br>Color / Finish StarLight chrome<br>Fixture Type Hooks<br>Height 2 1/8" (54 mm) high<br>Material Metal<br>Mounting Hardware Concealed fastening, suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)<br>Projection 2 1/4" (55 mm) projection       |  |  |

# Related Literature



Residential Fixtures and Faucets List Price Guide 2022



2021 LIXIL Builder Advantage Program Brochure




Ultima® Diaphragm Flush Valves Sell Sheet

## Find Our Products Here

### REVIT, Specs, CAD and BIM Availability

Through our partner ATS, American Standard Brands provides a complete plumbing specification solution for your Revit and 3D projects. With over 8,500 product combinations accessible for immediate download and new files being added daily, ATS is the largest source for Revit plumbing equipment. ATS and American Standard’s combined 3D BIM families can be easily accessed and downloaded at no-cost to the specification design community. For more information, please visit our partner website, [www.atsspec.net](http://www.atsspec.net).



Revit Families Available

Our products are specified in



### For American Standard Customer Care

Call 1-800-442-1902 – Monday – Friday, 8:00 am – 7:00 pm EST

Visit [www.americanstandard.com](http://www.americanstandard.com)

**Front Cover:** Cadet® Touchless Chair Height Elongated Toilet Less Seat - 215AA709.002