

*Pure Freude
an Wasser*



GROHE EXPOSED SHOWER SYSTEMS



SHOWER

GROHE SHOWER SYSTEMS

POWERED BY GROHE TECHNOLOGY

GROHE shower systems are packed with innovative technologies and features. From SpeedClean® to GROHE TurboStat™, more relevant technologies ensure greater comfort and enjoyment.

NEW! GROHE's metal shower heads have been upgraded with new GROHE PureRain spray to deliver larger water droplets, while integrated DropStop function ensures that once the shower is switched off, the shower head will not drip.



GROHE CoolTouch®

Eliminates the risk of scalding from a hot chrome surface.*



GROHE EcoJoy™

Less water and perfect flow.



GROHE SilkMove®

Smoothest handling for effortless precision and ultimate comfort.



GROHE StarLight®

A radiant chrome finish that resists smudging and tarnishing for enduring pristine looks.



GROHE TurboStat™

Always the right temperature. Reacts instantly to changes in water pressure.



AquaDimmer

Diverter combined with volume control.



DropStop

DropStop function prevents dripping when the valve is closed and the shower head is horizontal.



Inner WaterGuide

Inner water guide for a longer life.



One-Click Showering

Direct access to different sprays by pressing the corresponding button.



GROHE PureRain Spray

The new and improved Rain spray with larger and softer droplets for a more luxurious showering experience.**



SafeStop

Safety lock protects against scalding.



SmartControl®

Push for ON-OFF and turn for volume adjustment.



SpeedClean®

Remove lime scale with a single wipe.



TwistFree

Prevents the shower hose from twisting.

* Available on all thermostatic Rainshower™ shower systems



GROHE

SHOWER SYSTEMS

German innovations have always been a driving force behind the success of GROHE showers. GROHE has been producing its innovative showers and shower engines since the late seventies. From injection molding, welding and galvanizing of plastic components to assembly, quality inspection and packing – proven expertise and diligent work at every stage of the process are key to the high quality of GROHE showers.



GROHE Thermostatic Shower Systems

For the safest and most comfortable shower experience, powered by GROHE TurboStat™

See page 6



GROHE Retro-Fit™ Diverter Shower Systems

Switch between shower head and hand shower with a single lever

See page 28

THERMOSTATIC SHOWER SYSTEM



Shower Outlets

Shower components that water flows from such as shower head or hand shower

Adjustable Slide Bar

Allows the user to adjust the height of the hand shower to meet their needs

Thermostatic Valve

Controls temperature with one handle and diverts to shower head or hand shower with the other

Temperature Handle

Controls temperature only

Diverter Handle

Turns water on and off and controls water flow to shower outlets

A thermostatic shower system is a complete system that has an exposed thermostatic valve built into the system allowing the user to fine tune the temperature and select the shower outlet they want to use.

DIVERTER SHOWER SYSTEM



Shower Outlets

Shower components that water flows from such as shower head or hand shower

Adjustable Slide Bar

Allows the user to adjust the height of the hand shower to meet their needs

Diverter Handle

Controls water flow to shower outlets

Pressure Balance Valve

(Sold separately)
Controls temperature and turns the water on and off

A diverter shower system can be used to add to an existing valve. It includes a diverter handle that allows the user to select the shower outlet they want to use. All temperature mixing and on/off functionality are operated through a separate valve in the wall.


THERMOSTATIC SHOWER SYSTEMS

Precision control for a relaxed showering experience.

We've all been there before. You've just stepped into the shower when someone else in the house either turns on a faucet or flushes the toilet. Suddenly the temperature of your shower plummets or becomes scalding hot – leaving you with soap in your eyes as you try to manually adjust the temperature back to a comfortable level.

The SafeStop is a small manual override button that keeps in particular children safe from going above 100°F (38°C). However, if required, you can go above 100°F by simply pressing the button and unlocking the temperature cartridge.

Installing a GROHE thermostatic shower system means you can have a safe and enjoyable showering experience every time.



Always the right temperature, for ultimate convenience and safety.

GROHE TurboStat™ technology lies at the heart of our thermostatic shower systems. The thermoelement's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. Time and water will no longer be wasted getting the temperature right with GROHE thermostatic shower systems. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.



GROHE RAINSHOWER™ SMARTCONTROL®

Choose the spray, control the volume, save the settings. GROHE's unique SmartControl® push-and-turn button technology takes the idea of comfortable showering to a new level. The innovative GROHE SmartControl® technology offers spray selection and volume adjustment in one. Turn the GROHE ProGrip handle and alter the volume as you like. Your preferred volume setting is stored - perfect for a short shower pause or for your next shower. Smooth and intuitive controls, operated directly from the main shower unit, means operation is simple and easy for the entire family - including children. That's Smart.

- **Key Features:**

- PUSH for ON-OFF, TURN for volume adjustment. Easy and direct selection of spray, outlet & flow on the body
- GROHE StarLight® chrome finish
- GROHE CoolTouch® – cooling channels create a barrier and eliminate risk of scalding
- GROHE TurboStat™ – Always the right temperature, for utmost convenience and safety
- XL EasyReach® tray to store shampoo and soap
- 19 5/8" Shower arm
- Includes 69" metal, twist-free RotaFlex shower hose (28 025)
- Hand shower holder included
- Shower head and hand shower sold separately





GROHE RAINSHOWER™

SMARTCONTROL®

Just push the button to choose your preferred shower outlet and enjoy. Switch whenever you like between a refreshing GROHE Rain/Rain O²® spray, the new TrioMassage spray to massage your head and shoulders, or simply have the Power & Soul® hand shower. Prefer two sprays at the same time? No problem, just activate both buttons.

Start/Stop & Volume

The innovative GROHE SmartControl® technology lets you choose your preferred shower outlet and adjust the water flow as desired. Operation is simple and easy for all the family – including children. That's Smart.



Temperature

GROHE TurboStat™ technology lies at the heart of this shower system. The thermoelement's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower.



Push the button to start the shower.




Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower.
The volume is now preset when you restart.

GROHE RAINSHOWER™ SMARTCONTROL®



26 379 000

Rainshower™ SmartControl® shower system



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
TurboStat™



GROHE
EasyReach®



SmartControl®



SafeStop



TwistFree

RECOMMENDED SHOWER HEADS



27 471 000

Rainshower™ Veris 300 shower head with DropStop, 2.5gpm



27 492 000

Euphoria® Cosmopolitan 180 shower head, 2.5gpm



26 457 000/ENO

Euphoria® 260, 2.5gpm



CEC

27 837 000

Rainshower™ Veris 300 shower head with DropStop, 2.0gpm



CEC

27 808 000

Euphoria® Cosmopolitan 180 shower head, 2.0gpm



CEC

26 456 000/ENO

Euphoria® 260, 1.75gpm



RECOMMENDED HAND SHOWERS



27 809 000

Euphoria® 110 Mono hand shower, 2.0gpm



CEC

27 265 00E

Euphoria® 110 Mono hand shower, 1.5gpm



27 673 000

Power & Soul® 130 hand shower with One-Click Showering technology, 2.5gpm



GROHE StarLight®



GROHE DreamSpray®



DropStop



One-Click Showering



SpeedClean®

GROHE EUPHORIA CUBE® SHOWER SYSTEM

For those who appreciate minimalist design, a precise combination of square and rectangular shapes enhanced with the latest GROHE technologies, make Euphoria Cube® the smart choice for the ultimate shower system experience.

Key Features:

- Stylish cube, minimalist design
- Metal chrome shower head
- GROHE StarLight® chrome finish
- GROHE TurboStat™ – Always the right temperature, for utmost convenience and safety
- GROHE AquaDimmer – Adjustable volume control through diverter
- Shower rail with Inner WaterGuide
- 15 ¾" Shower arm
- Includes easy to install adapters
- Adjustable hand shower glider
- Shower head and hand shower sold separately
- 100% shower enjoyment guaranteed



GROHE EUPHORIA CUBE®

SHOWER SYSTEM



26 420 000
Euphoria Cube® shower system



GROHE
StarLight®



GROHE
TurboStat™



AquaDimmer



Inner
WaterGuide



TwistFree

CALGreen

RECOMMENDED SHOWER HEADS



27 480 000
Rainshower™ Allure 230
with DropStop,
2.5gpm

26 469 000
Rainshower™ Allure 230
with DropStop,
1.75gpm

27 705 000
Euphoria Cube® 150,
2.5gpm

26 468 000
Euphoria Cube® 150,
1.75gpm

RECOMMENDED HAND SHOWERS



27 664 000/EN0
Power & Soul® Cosmopolitan 130
with One-Click Showering
technology,
2.5gpm

26 046 002/EN2
New Tempesta® Cosmopolitan 100
with EcoJoy™ technology,
1.75gpm

27 888 000
Euphoria® Cube+ Stick,
2.5gpm

26 467 000
Euphoria® Cube+ Stick,
1.75gpm



GROHE
StarLight®



GROHE
EcoJoy™



GROHE
DreamSpray®



DropStop



One-Click
Showering



SpeedClean®

GROHE EUPHORIA®

SHOWER SYSTEM

Minimalist aesthetics meets maximum performance. This popular system combines modern design with functional excellence in one convenient, affordable package.

Key Features:

- Available in both Shower and Tub/Shower configurations
- ADA compliant levers
- Metal chrome shower head
- GROHE StarLight® chrome & Brushed Nickel InfinityFinish™
- GROHE TurboStat™ – Always the right temperature, for utmost convenience and safety
- Shower rail with Inner WaterGuide
- 17 11/16" shower arm
- Optional ComfortZone: 180° swivel shower arm
- Includes easy to install adapters
- Adjustable hand shower glider
- Optional service stops (12 400 000) can be added to adapters
- Shower head and hand shower sold separately
- 100% shower enjoyment guaranteed



GROHE EUPHORIA® SHOWER SYSTEM



CEC

26 490 000/ENO
Euphoria® tub/shower system



26 419 000/ENO
Euphoria® shower system



GROHE
StarLight®



GROHE
TurboStat™



Inner
WaterGuide



SafeStop



TwistFree

CALGreen

RECOMMENDED SHOWER HEADS



27 478 000

Rainshower™ Cosmopolitan 310 with DropStop, 2.5gpm

28 373 000/ENO

Rainshower™ Cosmopolitan 210 with DropStop, 2.5gpm

27 492 000/ENO

Euphoria® Cosmopolitan 180, 2.5gpm

26 457 000/ENO

Euphoria® 260, 2.5gpm



CEC

CEC

CEC

26 472 000/ENO

Rainshower™ Cosmopolitan 310 with DropStop, 1.75gpm

27 814 000/ENO

Rainshower™ Cosmopolitan 210 with DropStop, 2.0gpm

26 456 000/ENO

Euphoria® 260, 1.75gpm

RECOMMENDED HAND SHOWERS



CEC



27 400 000/ENO

Euphoria® Cosmopolitan Stick, 2.5gpm

26 466 000/ENO

Euphoria® Cosmopolitan Stick, 1.75gpm

27 239 000/ENO

Euphoria® 110 Massage, 2.5gpm

27 265 00E

Euphoria® 110 Massage, 1.5gpm

OPTIONAL ACCESSORIES



27 180 000

Euphoria® spacer disc

26 362 LNO

EasyReach® tray

48 053 000

46" Longer rail
Not compatible with tub/shower models

48 054 000

34" Shorter rail
Not compatible with tub/shower models



GROHE StarLight®



GROHE EcoJoy™



GROHE DreamSpray®



DropStop



SpeedClean®

GROHE EUPHORIA®

SHOWER SYSTEM BUNDLES



26 128 001
Euphoria® shower system

26 177 001
Euphoria® tub/shower system



GROHE
StarLight®



GROHE
TurboStat™



GROHE
DreamSpray®



DropStop



Inner
WaterGuide



SafeStop
max 38°



TwistFree



SpeedClean®



GROHE NEW TEMPESTA® SHOWER SYSTEM

With its crisp, cylindrical profile and distinctive beveled detailing, the New Tempesta® System is the perfect choice for modern, architectural bathrooms. Clean, design that works with a standard shower head at an affordable price and provides an alternative to conceal pressure balance valve shower combos.

Key Features:

- GROHE StarLight® chrome finish
- GROHE TurboStat™ – Always the right temperature, for utmost convenience and safety
- GROHE AquaDimmer – Adjustable volume control through diverter
- Shower rail with Inner WaterGuide
- 13 3/16" shower arm
- Includes easy to install adapters
- Adjustable hand shower glider
- Optional service stops (12 400 000) can be added to adapters
- Shower head and hand shower sold separately
- 100% shower enjoyment guaranteed





GROHE NEW TEMPESTA® SHOWER SYSTEM



26 421 000

New Tempesta® shower system



GROHE
StarLight®



GROHE
TurboStat™



AquaDimmer



Inner
WaterGuide



TwistFree

CALGreen

RECOMMENDED SHOWER HEADS



CEC



26 410 000/ENO
Tempesta® 210,
2.5gpm

26 409 000/ENO
Tempesta® 210,
1.75gpm



CEC



26 051 001
New Tempesta®
Cosmopolitan 100,
1.5gpm

26 366 001
New Tempesta®
Cosmopolitan 100,
1.75gpm



CEC



27 606 001
New Tempesta® 100,
2.5gpm

26 050 001
New Tempesta® 100,
1.5gpm

RECOMMENDED HAND SHOWERS



CEC



27 575 002
New Tempesta®
Cosmopolitan 100,
2.5gpm

27 571 20E
New Tempesta®
Cosmopolitan 100,
1.5gpm



CEC



28 421 002
New Tempesta® 100,
2.5gpm

27 597 10E
New Tempesta® 100,
1.5gpm

OPTIONAL ACCESSORIES



26 362 LN0
EasyReach® tray

48 053 000
46" Longer rail
48 054 000
34" Shorter rail



GROHE
StarLight®



GROHE
EcoJoy™



GROHE
DreamSpray®



SpeedClean®

GROHE RETRO-FIT™ SHOWER SYSTEM

Ideal for retrofit or renovation, the GROHE Retro-Fit™ Shower System installs easily and quickly. Simply replace the existing shower arm and add the system components without altering any in-wall plumbing. Once installed, it's easy to use; a quarter turn of the diverter lever (located at the bottom of the shower bar) switches water flow from shower head to hand shower or you can have both outlets on simultaneously.

Key Features:

- Easy upgrade for the shower
 - No need to break tile
 - Works with existing plumbing behind the wall
 - Allows for up to 2 shower outlets
- Six-position diverter
 - Select normal or Eco water flow through the shower head, hand shower or both
- Optional 1.75gpm flow restrictor for California and other "Green" states
- Built-in diverter allows change between shower head and hand shower
- Supply elbow connection – Angles the hose around existing valve for ease of use
- GROHE StarLight® chrome & Brushed Nickel InfinityFinish™
- Wall mounted – replaces existing shower head/arm
- Standard 12 3/16" and 17 11/16" Rainshower™ shower arms
- Optional ComfortZone: 180° swivel shower arm
- Adjustable hand shower glider
- Metal shower hose 59" (28 417)
- Optional 6" height extension (26 464) sold separately
- Shower head and hand shower sold separately






**Before
Installation**



**After
Installation**



Six Position Diverter

Select Normal or Eco water flow through the shower head, hand shower or both.

1. Head Shower
2. Hand Shower
3. Head Shower & Hand Shower
4. Head Shower Eco flow I
5. Hand shower Eco flow II
6. Head Shower & Hand Shower Eco flow

GROHE RETRO-FIT™

SHOWER SYSTEM



26 486 000/ENO
18" Retro-Fit™ shower system
with Rainshower™ shower arm



26 485 000/ENO
25" Retro-Fit™ shower system
with Rainshower™ shower arm



26 488 000/ENO
18" Retro-Fit™ shower system
with standard shower arm



26 487 000/ENO
25" Retro-Fit™ shower system
with standard shower arm



GROHE
StarLight®



TwistFree

CALGreen

RECOMMENDED SHOWER HEADS



CEC

CEC

CEC

27 480 000

Rainshower™
Allure 230,
2.5gpm

26 469 000

Rainshower™
Allure 230,
1.75gpm

27 705 000

Euphoria Cube® 150,
2.5gpm

26 468 000

Euphoria Cube® 150,
1.75gpm

28 373 000/ENO

Rainshower™
Cosmopolitan 210,
2.5gpm

27 814 000/ENO

Rainshower™
Cosmopolitan 210,
2.0gpm



CEC

CEC

28 375 000/ENO

Rainshower™
Rustic 210,
2.5gpm

26 474 000/ENO

Rainshower™
Rustic 210,
1.75gpm

27 767 000

Power & Soul® 190,
2.5gpm

27 765 000/ENO

Power & Soul®
Cosmopolitan 190,
2.5gpm

26 410 000/ENO

Tempesta® 210,
2.5gpm

26 409 000/ENO

Tempesta® 210,
1.75gpm



CEC

CEC

CEC

26 051 001

New Tempesta®
Cosmopolitan 100,
1.5gpm

26 366 001

New Tempesta®
Cosmopolitan 100,
1.75gpm

27 606 001

New Tempesta® 100,
2.5gpm

26 050 001

New Tempesta® 100,
1.5gpm

27 610 001

New Tempesta®
Rustic 100,
2.5gpm

26 045 001/EN1

New Tempesta®
Rustic 100,
1.75gpm



CEC

CEC

CEC

26 035 000/ENO

Euphoria® Grandera
130 Massage,
2.0gpm

27 247 001/EN1

Euphoria® 110
Massage,
2.5gpm

27 810 001/EN1

Euphoria® 110
Massage,
2.0gpm

26 457 000/ENO

Euphoria® 260,
2.5gpm

26 456 000/ENO

Euphoria® 260,
1.75gpm



GROHE
StarLight®



GROHE
EcoJoy™



GROHE
DreamSpray®



DropStop



SpeedClean®

RECOMMENDED **HAND SHOWERS**



CEC

27 888 000
Euphoria® Cube+
Stick, 2.5gpm



CEC

27 400 000/ENO
Euphoria®
Cosmopolitan Stick,
2.5gpm



CEC

27 239 000/ENO
Euphoria® 110
Massage,
2.5gpm



27 265 00E
Euphoria® 110
Massage,
1.5gpm



CEC

27 575 002
New Tempesta®
Cosmopolitan 100,
2.5gpm



CEC

28 421 002
New Tempesta® 100,
2.5gpm



CEC

27 608 001
New Tempesta®
Rustic 100,
2.5gpm

26 048 001/EN1
New Tempesta®
Rustic 100,
1.75gpm



27 085 000/ENO
Rainshower™
Cosmopolitan 160,
2.5gpm

28 871 000
Rainshower™
Cosmopolitan 160,
2.5gpm

27 129 000/ENO/BE0
Rainshower™
Rustic 130,
2.5gpm

28 897 000/ENO/ZB0
Relexa® Ultra 100,
2.5gpm

27 125 000/BE0/ENO/ZB0
Relexa® Rustic 100,
2.5gpm



27 664 000/ENO
Power & Soul®
Cosmopolitan 130,
2.5gpm

27 673 000
Power & Soul® 130,
2.5gpm

GROHE RETRO-FIT™

SHOWER SYSTEM

25" RETRO-FIT™ BUNDLES



26 123 001/EN1

GROHE 25" Retro-Fit™ Bundle
New Tempesta®,
1.75gpm



GROHE
StarLight®



GROHE
DreamSpray®



TwistFree



SpeedClean®

27 867 001/EN1

GROHE 25" Retro-Fit™ Bundle
Euphoria®,
2.5gpm



GROHE America, Inc.
160 Fifth Avenue, 4th Floor
New York, NY 10010
Tel.: 1-800-444-7643
www.grohe.us

GROHE Canada Inc.
5900 Avebury Road
Mississauga, Ontario, L5R 3M3
Tel.: 1-888-644-7643
info@grohe.ca
www.grohe.ca

© 02/2018 GROHE America, Inc.
SAD17A228A



DISCOVER THE WORLD OF GROHE AT WWW.GROHE.US



Follow us



PART OF **LIXIL**