

COURTYARD GENERATION - 6.5
Marriott Global Design Standards
National Program Guide
May 2023

COURTYARD[®]
BY MARRIOTT



*American
Standard*

DXXV

GROHE

INAX

PART OF LIXIL

*American
Standard*

DXXV



INAX

PART OF **LIXIL**



ENERGY CONSERVATION ENERGY CREATION

Mega-solar power plant at the **LIXIL** Chita Plant in Japan

LIXIL is the most **comprehensive global company in the housing and building industry**. We provide **human-centric innovations** that **enhance** people's living space. From **sanitary fixtures and fittings** to **a full line-up** of materials for **residential and commercial**. We bring to market **beautiful design, reliable quality, innovation, environmentally-friendly products** with a **responsible approach to business and the planet**.








LIXIL Link to
Good Living

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

SHOWER ONLY (STANDARD LAYOUT 1)

    	SKU No. 7105121.002	P-Number PL-206-LI_SNK-06	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Studio® S Single Control Lavatory Faucet Collection STUDIO® S Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control Pressure compensating aerator Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish Polished chrome ADA ANSI A117.1 compliant EPA WaterSense EPA WaterSense® certified			
 	SKU No. 0614000.020	P-Number PL-110-LI_SNK-06	Color/Finish White finish	
	List	Net	Quantity 1	Total
	American Standard Studio Undercounter Sink Collection STUDIO Basin Type Lavatory Material Vitreous china Color / Finish White finish Mounting Counter mounted ADA ANSI A117.1 compliant			

American Standard

DXV

GROHE

INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

SHOWER ONLY (STANDARD LAYOUT 1)

SKU No.	P-Number	Color/Finish	
27591001	PL-401-LI_SHR-01	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
Ball Joint	Rotational Ball joint 15 degree		
Connection	1/2" Connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
Color / Finish	StarLight chrome		
Flow Rate	9.5 LPM (2.5 GPM) flow limiter		
Function	Multifunction		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	Min. recommended pressure: 15 PSI (1.0 bar)		
Product Feature	SpeedClean anti-lime system.		
Shower Head Type	Residential		
Spray	4 Sprays: GROHE Rain O ² , Rain, Massage and Jet		
Spray Pattern	DreamSpray perfect spray pattern		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

SHOWER ONLY (STANDARD LAYOUT 1)

SKU No.	P-Number	Color/Finish	
26043001	PL-402-LI_SHR-01	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
CALGreen Compliance	CALGreen compliant		
CEC	California Energy Commission (CEC) compliant		
Cleaning	SpeedClean® anti-lime system		
Connection	1/2" connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
EPA Watersense	EPA WaterSense®		
Face Diameter	4" face		
Color / Finish	StarLight chrome		
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter		
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure		
Shower Head Type	Residential		
Spray	Multispray		
Spray Pattern	DreamSpray perfect spray pattern		
US Federal	US Federal and State material regulations compliant		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

COURTYARD[®]

BY MARRIOTT

SHOWER ONLY (STANDARD LAYOUT 1)

	SKU No.	P-Number	Color/Finish
	26051001	PL-403-LI_SHR-01	StarLight chrome
	List	Net	Quantity 1
 	GROHE New Tempesta Cosmopolitan 100 Shower Head 1 Spray		
	CALGreen Compliance	CALGreen compliant	
	Connection	13 mm (1/2") connection thread	
	EPA Watersense	EPA WaterSense®	
	Face Diameter	4" face	
	Color / Finish	StarLight chrome	
	Flow Rate	EcoJoy 1.5 GPM (5.7 l/min) flow restrictor	
	Function	Single Function	
	Installation	Installed on shower arm	
	Manufacturer	GROHE	
	Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure	
	Shower Head Type	Residential	
	Spray	Rain spray pattern (1 spray-rain)	
Spray Pattern	DreamSpray perfect spray pattern		
	SKU No.	P-Number	Color/Finish
	1660241.002	PL-803-LI_SHR-01	Polished chrome
	List	Net	Quantity 1
American Standard Modern Shower Arm			
Connection	13 mm (1/2") NPT Thread		
Color / Finish	Polished chrome		
Fixture Type	Shower Arm		
Manufacturer	American Standard		
Material	Brass construction		
Model Type	Modern		
Mounting	Wall-hung		
Size	140 mm (5-1/2")		

American Standard

DXXV

GROHE

INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

SHOWER ONLY (STANDARD LAYOUT 1)

 	SKU No. TU105500.002	P-Number PL-803-LI_SHR-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Studio®S Pressure Balance Bath/Shower Trim With Double Ceramic Pressure Balance Cartridge			
	Kit Type	TU105500 Studio S valve ONLY Trim Kit with pressure Balance cartridge metal lever handle. Less valve body		
Suggested Rough Valve	For use with Flash™ rough valve Bodies			
Color / Finish	Polished chrome			
	SKU No. RU101SS	P-Number PL-803-LI_SHR-01	Color/Finish	
	List	Net	Quantity 1	Total
	American Standard Flash™ Rough Valve Bodies			
	Series	FLASH™		
Model Type	Pressure Balance rough valve body only, less trim			
Compliance and Certifications	ASSE 1016, ASME A112.18.1016, CSA B125.16, ASME A112.18.1, CSA B125.1			

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

SHOWER ONLY (STANDARD LAYOUT 1)

	SKU No. 1660.241.002	P-Number PL-801-LI_SHR-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Modern Shower Arm Connection 13 mm (1/2") NPT Thread Color / Finish Polished chrome Fixture Type SHOWER ARM Manufacturer American Standard Material Brass construction Model Type Modern Size 140 mm (5-1/2")			
 	SKU No. 14468000	P-Number PL-801-LI_SHR-01	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Concetto Pressure Balance Trim With Cartridge Kit Type Valve trim Suggested Rough Valve For use with GrohSafe 3.0 rough-in valves (35 110), (35 111), (35 112), (35 113), (35 114), (35 115), (35 116)			
	SKU No. 35110000	P-Number PL-801-LI_SHR-01	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim			

American
Standard

DXXV

GROHE

INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

SHOWER ONLY (STANDARD LAYOUT 1)








	SKU No.	P-Number	Color/Finish
	2989101.020	PL-313-LI_WCL-03	White
	List	Net	Quantity
		1	
	American Standard Concealed Trapway Cadet® 3 Flowise® Right Height® Elongated Toilet		
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Antimicrobial	EverClean® antimicrobial surface	
	Color / Finish	White	
	Bowl Shape	Elongated bowl	



COURTYARD GENERATION - 6.5

Marriott Global Design Standards
May 2023

TUB / SHOWER ONLY (STANDARD LAYOUT 2)

    	SKU No. 7105121.002	P-Number PL-206-LI_SNK-06	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Studio® S Single Control Lavatory Faucet Collection STUDIO® S Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control Pressure compensating aerator Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish Polished chrome ADA ANSI A117.1 compliant EPA WaterSense EPA WaterSense® certified			
 	SKU No. 0614000.020	P-Number PL-110-LI_SNK-06	Color/Finish White finish	
	List	Net	Quantity 1	Total
	American Standard Studio Undercounter Sink Collection STUDIO Basin Type Lavatory Material Vitreous china Color / Finish White finish Mounting Counter mounted ADA ANSI A117.1 compliant			

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

TUB / SHOWER ONLY (STANDARD LAYOUT 2)

SKU No.	P-Number	Color/Finish	
27591001	PL-401-LI_SHR-01	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
Ball Joint	Rotational Ball joint 15 degree		
Connection	1/2" Connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
Color / Finish	StarLight chrome		
Flow Rate	9.5 LPM (2.5 GPM) flow limiter		
Function	Multifunction		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	Min. recommended pressure: 15 PSI (1.0 bar)		
Product Feature	SpeedClean anti-lime system.		
Shower Head Type	Residential		
Spray	4 Sprays: GROHE Rain O ² , Rain, Massage and Jet		
Spray Pattern	DreamSpray perfect spray pattern		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

TUB / SHOWER ONLY (STANDARD LAYOUT 2)

SKU No.	P-Number	Color/Finish	
26043001	PL-402-LI_SHR-01	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
CALGreen Compliance	CALGreen compliant		
CEC	California Energy Commission (CEC) compliant		
Cleaning	SpeedClean® anti-lime system		
Connection	1/2" connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
EPA Watersense	EPA WaterSense®		
Face Diameter	4" face		
Color / Finish	StarLight chrome		
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter		
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure		
Shower Head Type	Residential		
Spray	Multispray		
Spray Pattern	DreamSpray perfect spray pattern		
US Federal	US Federal and State material regulations compliant		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

TUB / SHOWER ONLY (STANDARD LAYOUT 2)

	SKU No.	P-Number	Color/Finish
	26051001	PL-403-LI_SHR-01	StarLight chrome
	List	Net	Quantity
		1	
	GROHE New Tempesta Cosmopolitan 100 Shower Head 1 Spray		
	CALGreen Compliance	CALGreen compliant	
	Connection	13 mm (1/2") connection thread	
	EPA Watersense	EPA WaterSense®	
	Face Diameter	4" face	
	Color / Finish	StarLight chrome	
	Flow Rate	EcoJoy 1.5 GPM (5.7 l/min) flow restrictor	
	Function	Single Function	
	Installation	Installed on shower arm	
	Manufacturer	GROHE	
	Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure	
	Shower Head Type	Residential	
	Spray	Rain spray pattern (1 spray-rain)	
	Spray Pattern	DreamSpray perfect spray pattern	
 			
	SKU No.	P-Number	Color/Finish
	1660241.002	PL-801-LI_TUB-01	Polished chrome
	List	Net	Quantity
		1	
	American Standard Modern Shower Arm		
	Connection	13 mm (1/2") NPT Thread	
	Color / Finish	Polished chrome	
	Fixture Type	Shower Arm	
	Manufacturer	American Standard	
	Material	Brass construction	
	Model Type	Modern	
	Mounting	Wall-hung	
	Size	140 mm (5-1/2")	

American Standard

DXV

GROHE




INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

TUB / SHOWER ONLY (STANDARD LAYOUT 2)





 	SKU No. 14468000	P-Number PL-801-LI_TUB-01	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Concetto Pressure Balance Trim With Cartridge Kit Type Valve trim Suggested Rough Valve For use with GrohSafe 3.0 rough-in valves (35 110), (35 111), (35 112), (35 113), (35 114), (35 115), (35 116)			
	SKU No. 35110000	P-Number PL-801-LI_TUB-01	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim			
	SKU No. 13366000	P-Number PL-801-LI_TUB-01	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Concetto Diverter Tub Spout Diverter Diverter Tub Spout Color / Finish StarLight chrome Installation SlipFit installation Manufacturer GROHE			

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

TUB / SHOWER ONLY (STANDARD LAYOUT 2)


 	SKU No. 2390.202.020	P-Number PL-601-LI_TUB-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			
 	SKU No. 2391.202.020	P-Number PL-601-LI_TUB-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

TUB / SHOWER ONLY (STANDARD LAYOUT 2)

	SKU No.	P-Number	Color/Finish
	1583.470.002	PL-901-LI_TUB-01	Polished chrome
	List	Net	Quantity
1			
American Standard Universal Bathtub Drain			
Fixture Type		Bathtub drain	
Color / Finish		Polished chrome	
	SKU No.	P-Number	Color/Finish
	2989101.020	PL-313-LI_WCL-03	White
	List	Net	Quantity
1			
American Standard Concealed Trapway Cadet® 3 Flowise® Right Height® Elongated Toilet			
Fixture Type		Toilet	
Toilet Type		Tank type	
Mounting And Waste		Floor mounted with floor outlet	
Toilet Water Consumption		High Efficiency HET 4.8 LPF (1.28 GPF)	
Material		Vitreous china	
Antimicrobial		EverClean® antimicrobial surface	
Color / Finish		White	
Bowl Shape		Elongated bowl	
   			










COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA SHOWER ONLY (LAYOUT 3)

    	SKU No. 7105121.002	P-Number PL-206-LI_SNK-06	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Studio® S Single Control Lavatory Faucet Collection STUDIO® S Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control Pressure compensating aerator Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish Polished chrome ADA ANSI A117.1 compliant EPA WaterSense EPA WaterSense® certified			
 	SKU No. 0614000.020	P-Number PL-110-LI_SNK-06	Color/Finish White finish	
	List	Net	Quantity 1	Total
	American Standard Studio Undercounter Sink Collection STUDIO Basin Type Lavatory Material Vitreous china Color / Finish White finish Mounting Counter mounted ADA ANSI A117.1 compliant			

American Standard

DXV

GROHE

INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA SHOWER ONLY (LAYOUT 3)

SKU No.	P-Number	Color/Finish	
27591001	PL-401-LI_SHR-01	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
Ball Joint	Rotational Ball joint 15 degree		
Connection	1/2" Connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
Color / Finish	StarLight chrome		
Flow Rate	9.5 LPM (2.5 GPM) flow limiter		
Function	Multifunction		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	Min. recommended pressure: 15 PSI (1.0 bar)		
Product Feature	SpeedClean anti-lime system.		
Shower Head Type	Residential		
Spray	4 Sprays: GROHE Rain O ² , Rain, Massage and Jet		
Spray Pattern	DreamSpray perfect spray pattern		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA SHOWER ONLY (LAYOUT 3)

SKU No.	P-Number	Color/Finish	
26043001	PL-402-LI_SHR-01	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
CALGreen Compliance	CALGreen compliant		
CEC	California Energy Commission (CEC) compliant		
Cleaning	SpeedClean® anti-lime system		
Connection	1/2" connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
EPA Watersense	EPA WaterSense®		
Face Diameter	4" face		
Color / Finish	StarLight chrome		
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter		
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure		
Shower Head Type	Residential		
Spray	Multispray		
Spray Pattern	DreamSpray perfect spray pattern		
US Federal	US Federal and State material regulations compliant		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

COURTYARD®

BY MARRIOTT

ADA SHOWER ONLY (LAYOUT 3)

	SKU No.	P-Number	Color/Finish
	26051001	PL-403-LI_SHR-01	StarLight chrome
	List	Net	Quantity 1
 	GROHE New Tempesta Cosmopolitan 100 Shower Head 1 Spray		
	CALGreen Compliance	CALGreen compliant	
	Connection	13 mm (1/2") connection thread	
	EPA Watersense	EPA WaterSense®	
	Face Diameter	4" face	
	Color / Finish	StarLight chrome	
	Flow Rate	EcoJoy 1.5 GPM (5.7 l/min) flow restrictor	
	Function	Single Function	
	Installation	Installed on shower arm	
	Manufacturer	GROHE	
	Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure	
	Shower Head Type	Residential	
	Spray	Rain spray pattern (1 spray-rain)	
Spray Pattern	DreamSpray perfect spray pattern		
	SKU No.	P-Number	Color/Finish
	1660241.002	PL-801-LI_SHR-01	Polished chrome
	List	Net	Quantity 1
American Standard Modern Shower Arm			
Connection	13 mm (1/2") NPT Thread		
Color / Finish	Polished chrome		
Fixture Type	Shower Arm		
Manufacturer	American Standard		
Material	Brass construction		
Model Type	Modern		
Mounting	Wall-hung		
Size	140 mm (5-1/2")		

American Standard

DXV

GROHE

INAX

COURTYARD GENERATION - 6.5




Marriott Global Design Standards

May 2023

COURTYARD®

BY MARRIOTT

ADA SHOWER ONLY (LAYOUT 3)

 	SKU No.	P-Number	Color/Finish	
	TU105500.002		Polished chrome	
	List	Net	Quantity	Total
			1	
American Standard Studio® S Pressure Balance Bath/Shower Trim With Double Ceramic Pressure Balance Cartridge				
Kit Type		TU105500 Studio S valve ONLY Trim Kit with pressure Balance cartridge metal lever handle. Less valve body		
Suggested Rough Valve		For use with Flash™ rough valve Bodies		
Color / Finish		Polished chrome		
	SKU No.	P-Number	Color/Finish	
	RU101SS			
	List	Net	Quantity	Total
			1	
American Standard Flash™ Rough Valve Bodies				
Series		FLASH™		
Model Type		Pressure Balance rough valve body only, less trim		
Compliance and Certifications		ASSE 1016, ASME A112.18.1016, CSA B125.16, ASME A112.18.1, CSA B125.1		

American Standard

DXV

GROHE

INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA SHOWER ONLY (LAYOUT 3)

SKU No.	P-Number	Color/Finish
T105740.002	PL-502-LI_SHR-01	Polished chrome

List	Net	Quantity	Total
		1	

American Standard Studio® S 2-Handle Thermostatic Valve Trim Kit



Brass Advantages	Durable, ideal material for prolonged contact with water
Compliances and Certifications	Meets the American Disabilities Act Guidelines and ANSI A117.1 Requirements for the physically challenged, ASME A112.18.1
Connection	1/2" NPT Inlets/Outlets. With separate volume control only.
Color / Finish	Polished chrome
Model Series	STUDIO® S
Model Type	Valve trim ONLY











COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA SHOWER ONLY (LAYOUT 3)

	SKU No. RU521	P-Number PL-502-LI_SHR-01	Color/Finish	
	List	Net	Quantity 1	Total
	American Standard Flash Two-Handle Pressure Balance Rough Valve With Built-In 2-Way Diverter Model Type Pressure Balance valve			
 	SKU No. 1660774.002	P-Number PL-404-LI_SHR-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Spectra Handheld® Slide Bar Kit Function 4-Function hand shower adjusts from Drench to Sensitive to powerwash® to Massage Flow Rate 1.8 GPM (6.8 LPM)			
    	SKU No. 2989101.020	P-Number PL-313-LI_WCL-03	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Concealed Trapway Cadet® 3 Flowise® Right Height® Elongated Toilet Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water Consumption High Efficiency HET 4.8 LPF (1.28 GPF) Material Vitreous china Antimicrobial EverClean® antimicrobial surface Color / Finish White Bowl Shape Elongated bowl			

American Standard

DXXV

GROHE








INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA TUB/SHOWER COMBO (LAYOUT 4)

    	SKU No. 7105121.002	P-Number PL-206-LI_SNK-06	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Studio® S Single Control Lavatory Faucet Collection STUDIO® S Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control Pressure compensating aerator Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish Polished chrome ADA ANSI A117.1 compliant EPA WaterSense EPA WaterSense® certified			
 	SKU No. 0614000.020	P-Number PL-110-LI_SNK-06	Color/Finish White finish	
	List	Net	Quantity 1	Total
	American Standard Studio Undercounter Sink Collection STUDIO Basin Type Lavatory Material Vitreous china Color / Finish White finish Mounting Counter mounted ADA ANSI A117.1 compliant			

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA TUB/SHOWER COMBO (LAYOUT 4)

SKU No.	P-Number	Color/Finish	
27591001	PL-401-LI_TUB-02	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
Ball Joint	Rotational Ball joint 15 degree		
Connection	1/2" Connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
Color / Finish	StarLight chrome		
Flow Rate	9.5 LPM (2.5 GPM) flow limiter		
Function	Multifunction		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	Min. recommended pressure: 15 PSI (1.0 bar)		
Product Feature	SpeedClean anti-lime system.		
Shower Head Type	Residential		
Spray	4 Sprays: GROHE Rain O ² , Rain, Massage and Jet		
Spray Pattern	DreamSpray perfect spray pattern		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA TUB/SHOWER COMBO (LAYOUT 4)

SKU No.	P-Number	Color/Finish	
26043001	PL-402-LI_TUB-02	StarLight chrome	
List	Net	Quantity	Total
		1	
GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays			
ASME Compliance	ASME A112.18.1		
CALGreen Compliance	CALGreen compliant		
CEC	California Energy Commission (CEC) compliant		
Cleaning	SpeedClean® anti-lime system		
Connection	1/2" connection thread		
CSA Compliance	CSA B125.1		
EPA Compliance	Energy Policy Act of 1992		
EPA Watersense	EPA WaterSense®		
Face Diameter	4" face		
Color / Finish	StarLight chrome		
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter		
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet		
Installation	Installed on shower arm		
Manufacturer	GROHE		
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure		
Shower Head Type	Residential		
Spray	Multispray		
Spray Pattern	DreamSpray perfect spray pattern		
US Federal	US Federal and State material regulations compliant		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

COURTYARD®

BY MARRIOTT

ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No.	P-Number	Color/Finish
	26051001	PL-403-LI_TUB-02	StarLight chrome
	List	Net	Quantity 1
 	GROHE New Tempesta Cosmopolitan 100 Shower Head 1 Spray		
	CALGreen Compliance	CALGreen compliant	
	Connection	13 mm (1/2") connection thread	
	EPA Watersense	EPA WaterSense®	
	Face Diameter	4" face	
	Color / Finish	StarLight chrome	
	Flow Rate	EcoJoy 1.5 GPM (5.7 l/min) flow restrictor	
	Function	Single Function	
	Installation	Installed on shower arm	
	Manufacturer	GROHE	
	Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure	
	Shower Head Type	Residential	
Spray	Rain spray pattern (1 spray-rain)		
Spray Pattern	DreamSpray perfect spray pattern		
	SKU No.	P-Number	Color/Finish
	1660241.002	PL-801-LI_TUB-02	Polished chrome
	List	Net	Quantity 1
American Standard Modern Shower Arm			
Connection	13 mm (1/2") NPT Thread		
Color / Finish	Polished chrome		
Fixture Type	Shower Arm		
Manufacturer	American Standard		
Material	Brass construction		
Model Type	Modern		
Mounting	Wall-hung		
Size	140 mm (5-1/2")		

American Standard

DXV

GROHE

INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 14468000	P-Number PL-801-LI_TUB-02	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Concetto Pressure Balance Trim With Cartridge Kit Type Valve trim Suggested Rough Valve For use with GrohSafe 3.0 rough-in valves (35 110), (35 111), (35 112), (35 113), (35 114), (35 115), (35 116)			
	SKU No. 35110000	P-Number PL-801-LI_TUB-02	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim			
	SKU No. 13366000	P-Number PL-801-LI_TUB-02	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Concetto Diverter Tub Spout Diverter Diverter Tub Spout Color / Finish StarLight chrome Installation SlipFit installation Manufacturer GROHE			

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA TUB/SHOWER COMBO (LAYOUT 4)

SKU No.	P-Number	Color/Finish
TU105740.002	PL-502-LI_SHR-01	Polished chrome

List	Net	Quantity	Total
		1	

American Standard Studio® S 2-Handle Integrated Shower Diverter Trim Only

Brass Advantages

Durable, ideal material for prolonged contact with water

Compliances and Certifications

Meets the American Disabilities Act Guidelines and ANSI A117.1 Requirements for the physically challenged, ASME A112.18.1

Connection

1/2" NPT Inlets/Outlets. With separate diverter control only.

Color / Finish

Polished chrome

Model Series

STUDIO® S

Model Type

Valve trim ONLY



COURTYARD GENERATION - 6.5






Marriott Global Design Standards

May 2023

COURTYARD®

BY MARRIOTT

ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No. RU531	P-Number PL-502-LI_SHR-01	Color/Finish	
	List	Net	Quantity 1	Total
	American Standard Flash Two-Handle Pressure Balance Rough Valve With Built-In 3-Way Diverter Model Type Pressure Balance valve			
 	SKU No. 1660774.002	P-Number PL-404-LI_TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Spectra Handheld® Slide Bar Kit Function 4-Function hand shower adjusts from Drench to Sensitive to powerwash® to Massage Flow Rate 1.8 GPM (6.8 LPM)			
 	SKU No. 2390.202.020	P-Number PL-601-LI_TUB-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			

American Standard

DXV

GROHE

INAX

COURTYARD GENERATION - 6.5




Marriott Global Design Standards

May 2023

COURTYARD[®]

BY MARRIOTT

ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 2391.202.020	P-Number PL-601-LI_TUB-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			
	SKU No. 1583.470.002	P-Number PL-901-LI_TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Universal Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			

American Standard

DXV

GROHE


INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No.	P-Number	Color/Finish
	2989101.020	PL-313-LI_WCL-03	White
	List	Net	Quantity
		1	
	American Standard Concealed Trapway Cadet® 3 Flowise® Right Height® Elongated Toilet		
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Antimicrobial	EverClean® antimicrobial surface	
	Color / Finish	White	
	Bowl Shape	Elongated bowl	






COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

BATHROOM ACCESSORIES

	SKU No. 40688001	P-Number TA-202-LI_GR STD	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Essentials Towel Rail Series ESSENTIALS Color / Finish Starlight chrome		
	SKU No. 40366001	P-Number TA-402-LI_GR STD, TA-403-LI_GR STD	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Essentials Towel Rail Series ESSENTIALS Color / Finish StarLight chrome		
	SKU No. 40385001	P-Number TA-202-LI_GR STD	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Essentials Paper Holder Capacity One roll Color / Finish StarLight chrome Fixture Type Toilet Tissue holder Height 232 mm (9-1/8") high Material Metal Mounting Wall mounted Mounting Hardware Concealed fastening Projection 116 mm (4-9/16") projection Toilet Paper Flow Non-continuous paper flow		

COURTYARD GENERATION - 6.5



Marriott Global Design Standards

May 2023

COURTYARD®

BY MARRIOTT

BATHROOM ACCESSORIES

	SKU No. 40663001	P-Number TA-501-LI_GR SHR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Baucosmopolitan Wire Basket Color / Finish StarLight chrome			
	SKU No. 40421001	P-Number TA-104-LI_GR SHR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essentials Grip Bar Application For residential applications Clearance Clearance between the grab bar and wall shall be 2-31/64" (63 mm) Configuration Straight Dimensions 11-3/5" (295 mm) length Fastening Concealed fastening Color / Finish StarLight chrome Fixture Type Grip bar Material Metal construction			

American Standard

DXV

GROHE



INAX

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

BATHROOM ACCESSORIES


	SKU No. 40793001	P-Number TA-101-LI_GR ACC RIS, TA-105-PB_GR TUB	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essentials Grip Bar		Application For residential applications Configuration Straight Dimensions 17-7/10" (450 mm) length Fastening Concealed fastening Color / Finish StarLight chrome Fixture Type Grip bar ICC/ANSI codes ICC/ANSI A117.1 Material Metal	
	SKU No. 40794001	P-Number TA-501-LI_GR SHR, TA-105-PB_GR ACC RIS	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essentials Grip Bar		Application For residential applications Configuration Straight Dimensions 657 mm (functional length 600 mm) Fastening Concealed fastening Color / Finish StarLight chrome Fixture Type Grip bar Material Metal	

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

SINKS & FAUCETS

	SKU No.	P-Number	Color/Finish
	31518000		StarLight chrome
	List	Net	Quantity
		1	
	GROHE Concetto Single-Handle Pull Down Dual Spray Bar Faucet		
	Collection	CONCETTO	
	Flow Rate	5.7 LPM (1.5 GPM) maximum flowrate	
	Faucet Flow Control	Spray outlet	
	Operation	Manual	
	Number of Handles	Single handle	
	Faucet Type	Bar sink faucet	
	Color / Finish	StarLight chrome	
	ADA	ANSI A117.1 compliant	




COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

LAVATORY SINKS

 	SKU No.	P-Number	Color/Finish
	0614000.020	PL-110-LI_SNK-06	White finish
	List	Net	Quantity
American Standard Studio Undercounter Sink			
Collection	STUDIO		
Basin Type	Lavatory		
Material	Vitreous china		
Color / Finish	White finish		
Mounting	Counter mounted		
ADA	ANSI A117.1 compliant		




COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

FAUCETS - MANUAL

	SKU No.	P-Number	Color/Finish
	7105121.002	PL-206-LI_SNK-06	Polished chrome
	List	Net	Quantity
		1	
American Standard Studio® S Single Control Lavatory Faucet			
Collection	STUDIO® S		
Flow Rate	4.5 LPM (1.2 GPM) maximum flowrate		
Faucet Flow Control	Pressure compensating aerator		
Operation	Manual		
Number of Handles	Single handle		
Faucet Type	Lavatory faucet		
Color / Finish	Polished chrome		
ADA	ANSI A117.1 compliant		
EPA WaterSense	EPA WaterSense® certified		





COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

FLOOR MOUNTED TOILETS


	SKU No.	P-Number	Color/Finish
	3043001.020	PL-307-LI_WCL-02	White
	List	Net	Quantity
	American Standard Madera™ Flowise® 16-1/2" Height Elongated Flushometer Toilet		
	Collection	MADERA™ FloWise®	
	Fixture Type	Toilet	
	Toilet Type	For flush valve	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	Toilet operates in the range of 4.2 to 6.0 LPF (1.1 - 1.6 GPF)	
	Material	Vitreous china	
	Color / Finish	White	
	Bowl Shape	Elongated bowl	

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

COMMERCIAL TOILET SEATS

	SKU No.	P-Number	Color/Finish
	5901100.020	PL-303-LI_WCL-02, PL-303-LI_WCL-04	White
	List	Net	Quantity
<p>American Standard Commercial Heavy Duty Toilet Seat For Elongated Bowl Open Front Less Seat Cover Everclean Antimicrobial Surface</p> <p>Toilet Bowl For elongated bowl Application For commercial applications Grade Heavy duty Seat Type Open front Cover Less seat cover Color / Finish White</p>			







COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

TOILET FLUSH VALVES


 	SKU No. 6047161.002	P-Number PL-304-LI_WCL-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Flush Valve For 11-1/2" Supply CL To Top Of Bowl, 1.6 Gpf Flush Valve Type Toilet flush valve Installation Exposed Flush Valve Operation Manual Color / Finish Polished chrome Flush Rate Low consumption 6.0 LPF (1.6 GPF)			
 	SKU No. 6065161.002	P-Number PL-305-LI_WCL-01, PL-305-LI_WCL-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Selectronic® Sensor-Operated Toilet Flush Valve, 1.6 Gpf Battery Powered Collection SELECTRONIC® Flush Valve Type Toilet flush valve Installation Exposed Flush Valve Operation Automatic no-touch Power Type Battery powered Color / Finish Polished chrome Flush Rate Low consumption 6.0 LPF (1.6 GPF)			

COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

TOILET FLUSH VALVES

	SKU No.	P-Number	Color/Finish
	6065121.002	PL-306-LI_WCL-01, PL-306-LI_WCL-02	Polished chrome
	List	Net	Quantity
		1	
American Standard Selectronic® Sensor-Operated Toilet Flush Valve, 1.28 Gpf Battery Powered			
Collection	SELECTRONIC®		
Flush Valve Type	Toilet flush valve		
Installation	Exposed		
Flush Valve Operation	Automatic no-touch		
Power Type	Battery powered		
Color / Finish	Polished chrome		
Flush Rate	High Efficiency 4.8 LPF (1.28 GPF)		



COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

URINALS



SKU No.	P-Number	Color/Finish	
6590.001.020	PL-315-LI_URN-01, PL-315-LI_URN-02	White	
List	Net	Quantity	Total
		1	
American Standard Washbrook Flowise Universal Urinal			
Series	WASHBROOK FLOWISE		
Urinal Type	Flush valve		
Flush Type	Washdown		
Material	Vitreous china		
Color / Finish	White		
Mounting	Wall Mounted		









COURTYARD GENERATION - 6.5

Marriott Global Design Standards

May 2023

URINAL FLUSH VALVES

	SKU No. 6045101.002	P-Number PL-317-LI_URN-01, PL-317-LI_URN-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Manual Flowise® Urinal Flush Valve 1.0 Gpf Flush Valve Type Urinal flush valve Installation Exposed Flush Valve Operation Manual Color / Finish Polished chrome Flush Rate Low consumption 3.8 LPF (1.0 GPF)			
				
	SKU No. 6063101.002	P-Number PL-318-LI_URN-01, PL-318-LI_URN-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Selectronic® Sensor-Operated Urinal Flush Valve, 1.0 Gpf Battery Powered Collection SELECTRONIC® Flush Valve Type Urinal flush valve Installation Exposed Flush Valve Operation Automatic no-touch Power Type Battery powered Color / Finish Polished chrome Flush Rate Low consumption 3.8 LPF (1.0 GPF)			
  				

American
Standard

DXV

GROHE

INAX

COURTYARD GENERATION - 6.5


Marriott Global Design Standards

May 2023

COURTYARD[®]

BY MARRIOTT

URINAL FLUSH VALVES

	SKU No.	P-Number	Color/Finish
	6063051.002	PL-319-LI_URN-01, PL-319-LI_URN-02	Polished chrome
	List	Net	Quantity
		1	
American Standard Selectronic[®] Sensor-Operated Urinal Flush Valve, 0.5 Gpf Battery Powered			
Collection		SELECTRONIC [®]	
Flush Valve Type		Urinal flush valve	
Installation		Exposed	
Flush Valve Operation		Automatic no-touch	
Power Type		Battery powered	
Color / Finish		Polished chrome	
Flush Rate		High Efficiency 1.9 LPF (0.5 GPF)	



American Standard



INAX

Related Literature



Residential Fixtures and Faucets List Price Guide 2022



2021 LIXIL Builder Advantage Program Brochure




Ultima® Diaphragm Flush Valves Sell Sheet

Find Our Products Here

REVIT, Specs, CAD and BIM Availability

Through our partner ATS, American Standard Brands provides a complete plumbing specification solution for your Revit and 3D projects. With over 8,500 product combinations accessible for immediate download and new files being added daily, ATS is the largest source for Revit plumbing equipment. ATS and American Standard’s combined 3D BIM families can be easily accessed and downloaded at no-cost to the specification design community. For more information, please visit our partner website, www.atsspec.net.



Revit Families Available

Our products are specified in
SpecLink
www.bsdspeclink.com



For American Standard Customer Care

Call 1-800-442-1902 – Monday – Friday, 8:00 am – 7:00 pm EST

Visit www.americanstandard.com

Front Cover: Cadet® Touchless Chair Height Elongated Toilet Less Seat - 215AA709.002