

HEALTHCARE – MEDICAL OFFICE BUILDING
SOLUTIONS PRODUCT GUIDE
JANUARY 2024



*American
Standard*

DXV

GROHE

INAX

PART OF **LIXIL**



America Standard is an industry leader in commercial products, offering an impressive range of innovative and durable solutions. Our comprehensive product lineup includes faucets, showers, toilets, and other plumbing fixtures that have been trusted by countless businesses, from small enterprises to major corporations. We take pride in our commitment to quality, sustainability, and meeting the unique needs of the commercial sector, ensuring that our customers receive top-tier products backed by our extensive expertise and unwavering dedication to their success.

With a strong presence across the Americas, our team of experts stands ready to assist customers in selecting the perfect products to meet their commercial project requirements. Whether enhancing guest experiences in hospitality, improving hygiene in healthcare facilities, or maximizing water efficiency in commercial spaces, American Standard is the go-to partner for businesses seeking reliable and sustainable solutions.

PART OF **LIXIL**

*American
Standard*

PART OF **LIXIL**

American Standard

LIFE. LOVE. HOME.

For almost 150 years,
our commitment to quality,
innovation and performance
has made us a part of
your bathroom and kitchen routines.

From faucets, bathtubs, showers,
and toilets, our products help
make life happier, healthier, and simpler
in the home and at work.

AMERICAN STANDARD

CERAMICS & FITTINGS



Infectious Control Sink & Faucet

	SKU No. 3351101.020	TAG-Number	Color/Finish White (020)
	<p>American Standard, Afwall Millennium Wall-Hung EverClean Bowl Less Seat - 1.1 - 1.6 GPF</p> <ul style="list-style-type: none"> • Elongated wall-hung top spud flushometer valve toilet • High efficiency, low consumption toilet works with 1.1 to 1.6 gpf • MaP Score of 1,000 grams at 1.1 - 1.6 GPF • EverClean Antimicrobial Surface inhibits the growth of stain and odor causing bacteria, mold and mildew on the surface • Static weight load of 1,000 lbs (product not recommended for bariatric use) • Concealed tap way design • Condensation channel • Powerful direct-fed siphon jet flush action • 1-1/2" inlet spud • 2-1/8" Full-glazed trapway • 10" x 12" water surface area <p>Nominal Dimensions</p> <ul style="list-style-type: none"> • 26" x 14" x 15" 		
	SKU No. 3461001.020		Color/Finish White (020)
	<p>American Standard, Madera FloWise 16-1/2" Height Elongated Toilet With EverClean Less Seat - 1.1 to 1.6 GPF</p> <ul style="list-style-type: none"> • Elongated floor mount flushometer value toilet, top spud, less seat • High efficiency, low consumption • Operates in the range of 1.1 to 1.6 gpf • Maximum Performance (MaP) score of 1,000 grams at 1.1 GPF • EverClean Antimicrobial Surface inhibits the growth of stain and odor causing bacteria, mold and mildew on the surface • 2-1/8" fully glazed trapway • 10" or 12" rough-in • 16-1/2" rim height for accessible applications • Condensation channel • Powerful direct-fed siphon jet action • 10" x 12" water surface area • 1-1/2" inlet spud • Two color-matched bolt caps <p>Nominal Dimensions</p> <ul style="list-style-type: none"> • 28-1/4" x 14" x 16-1/2" 		

AMERICAN STANDARD

CERAMICS & FITTINGS



Toilet - Commercial Toilet w/ Bedpan Lugs



SKU No.
2462100.020

Color/Finish
White (020)

American Standard, Cadet Two-Piece Pressure Assist Elongated EverClean Toilet Less Seat - 1.1 GPF, 31% Water Savings

• Tank 4142.100.020 • Bowl: 3481.001.020

- Combination bowl and tank, less seat
- 12" rough-in
- EverClean Antimicrobial Surface inhibits the growth of bacteria, mold and mildew
- Elongated bowl
- Pressure-assisted siphon jet flush action
- 2-1/18" fully glazed trapway
- 10" x 12" water surface area
- Chrome metal trip lever
- Two color-matched bolt caps
- Sanitary bar on bowl

Nominal Dimensions
• 30-1/4" x 20-1/2" x 29-1/4"



SKU No.
5901100.020

Color/Finish
White (020)

American Standard, Elongated Heavy Duty Open Front Less Lid Commercial Toilet Seat

- Elongated Open Front toilet seat
- Without seat lid cover
- Engineered with stainless steel check hinges
- Tested for 500 lb static weight load
- Fits most conventional elongated commercial toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic

AMERICAN STANDARD

CERAMICS & FITTINGS



Exposed Toilet Flush Valve - Sensor, Piston-Type



SKU No.
6066111.002

Color/Finish
Polished Chrome (002)

American Standard, Selectronic Exposed 1-1/2" Top Spud Toilet Flush Valve - Piston-Type - PWRX® 10-Year Battery System - 1.1 GPF

- **PWRX** 10-Year Battery System (PWRX Battery Pack included)
- Electronic, proximity flush valves with programmable sensor
- Exclusive **DynaClean** self-cleaning wiper spring technology
- Integral wiper spring cleans refill orifice with every flush to help prevent valve run-on
- Proprietary brass alloy resists dezincification
- Fully mechanical manual override can operate without power
- Can be installed left or right
- Includes sweat solder kit
- 11-1/2" rough-in
- **ADA Compliant**



SKU No.
6066121.002

Color/Finish
Polished Chrome (002)

American Standard, Selectronic Exposed Toilet Flush Valve - Piston-Type PWRX® 10-Year Battery System - 1.28 GPF

- **PWRX** 10-Year Battery System (PWRX Battery Pack included)
- Electronic, proximity flush valves with programmable sensor
- Exclusive **DynaClean** self-cleaning wiper spring technology
- Integral wiper spring cleans refill orifice with every flush to help prevent valve run-on
- Proprietary brass alloy resists dezincification
- Fully mechanical manual override can operate without power
- Can be installed left or right
- Includes sweat solder kit
- 11-1/2" rough-in
- **ADA Compliant**



SKU No.
6066161.002

Color/Finish
Polished Chrome (002)

American Standard, Selectronic Exposed 1-1/2" Top Spud Toilet Flush Valve - Piston-Type - PWRX® 10-Year Battery System - 1.6 GPF

- **PWRX** 10-Year Battery System (PWRX Battery Pack included)
- Electronic, proximity flush valves with programmable sensor
- Exclusive **DynaClean** self-cleaning wiper spring technology
- Integral wiper spring cleans refill orifice with every flush to help prevent valve run-on
- Proprietary brass alloy resists dezincification
- Fully mechanical manual override can operate without power
- Can be installed left or right
- Includes sweat solder kit
- 11-1/2" rough-in
- **ADA Compliant**

AMERICAN STANDARD

CERAMICS & FITTINGS



Exposed Toilet Flush Valve - Sensor, Diaphragm-Type



SKU No.
6247121.002

Color/Finish
Polished Chrome (002)

American Standard, Ultima Selectronic Exposed Toilet Flush Valve - Diaphragm-Type Battery Powered, 1.1 GPF, 31% Water Savings

- For flushometer bowls with 1-1/2" exposed top spud
- Includes CR-p2 lithium battery with 5 year life (4,000 uses per month)
- Automatic touchless operation limits the spread of germs for a safer restroom
- Exclusive DynaClean self-cleaning wiper spring technology
- Integral wiper spring cleans refill orifice helps prevent valve run-on
- EvoLast premium chlorine and chloramine-resistant diaphragm
- Fully mechanical manual override button can flush the valve without power
- Proprietary brass alloy resists dezincification
- Detection range can be adjusted manually or with optional remote control
- Adjustable tailpiece for rough-in, Can be installed left- or right-handed
- **ADA Compliant**
- **WaterSense Certified**



SKU No.
6247121.002

Color/Finish
Polished Chrome (002)

American Standard, Ultima Selectronic Exposed Toilet Flush Valve - Diaphragm-Type Battery Powered, 1.28 GPF, 20% Water Savings

- For flushometer bowls with 1-1/2" exposed top spud
- Includes CR-p2 lithium battery with 5 year life (4,000 uses per month)
- Automatic touchless operation limits the spread of germs for a safer restroom
- Exclusive DynaClean self-cleaning wiper spring technology
- Integral wiper spring cleans refill orifice helps prevent valve run-on
- EvoLast premium chlorine and chloramine-resistant diaphragm
- Fully mechanical manual override button can flush the valve without power
- Proprietary brass alloy resists dezincification
- Detection range can be adjusted manually or with optional remote control
- Adjustable tailpiece for rough-in, Can be installed left- or right-handed
- **ADA Compliant**
- **WaterSense Certified**



SKU No.
6247121.002

Color/Finish
Polished Chrome (002)

American Standard, Ultima Selectronic Exposed Toilet Flush Valve - Diaphragm-Type Battery Powered, 1.6 GPF





- For flushometer bowls with 1-1/2" exposed top spud
- Includes CR-p2 lithium battery with 5 year life (4,000 uses per month)
- Automatic touchless operation limits the spread of germs for a safer restroom
- Exclusive DynaClean self-cleaning wiper spring technology
- Integral wiper spring cleans refill orifice helps prevent valve run-on
- EvoLast premium chlorine and chloramine-resistant diaphragm
- Fully mechanical manual override button can flush the valve without power
- Proprietary brass alloy resists dezincification
- Detection range can be adjusted manually or with optional remote control
- Adjustable tailpiece for rough-in, Can be installed left- or right-handed
- **ADA Compliant**
- **WaterSense Certified**

AMERICAN STANDARD

CERAMICS & FITTINGS



Accessories - Grab Bars

	<table border="1"> <thead> <tr> <th data-bbox="479 430 812 493">SKU No.</th> <th data-bbox="812 430 1518 493">Color/Finish</th> </tr> </thead> <tbody> <tr> <td data-bbox="479 493 812 535">40421001</td> <td data-bbox="812 493 1518 535">StarLight Chrome</td> </tr> <tr> <td colspan="2" data-bbox="479 535 1518 745"> <p>GROHE, Essentials 12" Grab Bar</p> <ul style="list-style-type: none"> • 12" (305 mm) long • Wall mounted • GROHE StarLight Chrome finish </td> </tr> </tbody> </table>	SKU No.	Color/Finish	40421001	StarLight Chrome	<p>GROHE, Essentials 12" Grab Bar</p> <ul style="list-style-type: none"> • 12" (305 mm) long • Wall mounted • GROHE StarLight Chrome finish 	
SKU No.	Color/Finish						
40421001	StarLight Chrome						
<p>GROHE, Essentials 12" Grab Bar</p> <ul style="list-style-type: none"> • 12" (305 mm) long • Wall mounted • GROHE StarLight Chrome finish 							
	<table border="1"> <thead> <tr> <th data-bbox="479 766 812 829">SKU No.</th> <th data-bbox="812 766 1518 829">Color/Finish</th> </tr> </thead> <tbody> <tr> <td data-bbox="479 829 812 871">40793001</td> <td data-bbox="812 829 1518 871">StarLight Chrome</td> </tr> <tr> <td colspan="2" data-bbox="479 871 1518 1081"> <p>GROHE, Essentials 18" Grab Bar</p> <ul style="list-style-type: none"> • 18" (457 mm) long • Wall mounted • GROHE StarLight Chrome finish </td> </tr> </tbody> </table>	SKU No.	Color/Finish	40793001	StarLight Chrome	<p>GROHE, Essentials 18" Grab Bar</p> <ul style="list-style-type: none"> • 18" (457 mm) long • Wall mounted • GROHE StarLight Chrome finish 	
SKU No.	Color/Finish						
40793001	StarLight Chrome						
<p>GROHE, Essentials 18" Grab Bar</p> <ul style="list-style-type: none"> • 18" (457 mm) long • Wall mounted • GROHE StarLight Chrome finish 							
	<table border="1"> <thead> <tr> <th data-bbox="479 1102 812 1165">SKU No.</th> <th data-bbox="812 1102 1518 1165">Color/Finish</th> </tr> </thead> <tbody> <tr> <td data-bbox="479 1165 812 1207">40794001</td> <td data-bbox="812 1165 1518 1207">StarLight Chrome</td> </tr> <tr> <td colspan="2" data-bbox="479 1207 1518 1417"> <p>GROHE, Essentials 24" Grab Bar</p> <ul style="list-style-type: none"> • 24" (610 mm) long • Wall mounted • GROHE StarLight Chrome finish </td> </tr> </tbody> </table>	SKU No.	Color/Finish	40794001	StarLight Chrome	<p>GROHE, Essentials 24" Grab Bar</p> <ul style="list-style-type: none"> • 24" (610 mm) long • Wall mounted • GROHE StarLight Chrome finish 	
SKU No.	Color/Finish						
40794001	StarLight Chrome						
<p>GROHE, Essentials 24" Grab Bar</p> <ul style="list-style-type: none"> • 24" (610 mm) long • Wall mounted • GROHE StarLight Chrome finish 							
	<table border="1"> <thead> <tr> <th data-bbox="479 1438 812 1501">SKU No.</th> <th data-bbox="812 1438 1518 1501">Color/Finish</th> </tr> </thead> <tbody> <tr> <td data-bbox="479 1501 812 1543">40797001</td> <td data-bbox="812 1501 1518 1543">StarLight Chrome</td> </tr> <tr> <td colspan="2" data-bbox="479 1543 1518 1753"> <p>GROHE, Essentials 38" x 24" L Shaped Grab Bar</p> <ul style="list-style-type: none"> • 38" x 24" L Shaped Grab Bar • Wall mounted • GROHE StarLight Chrome finish </td> </tr> </tbody> </table>	SKU No.	Color/Finish	40797001	StarLight Chrome	<p>GROHE, Essentials 38" x 24" L Shaped Grab Bar</p> <ul style="list-style-type: none"> • 38" x 24" L Shaped Grab Bar • Wall mounted • GROHE StarLight Chrome finish 	
SKU No.	Color/Finish						
40797001	StarLight Chrome						
<p>GROHE, Essentials 38" x 24" L Shaped Grab Bar</p> <ul style="list-style-type: none"> • 38" x 24" L Shaped Grab Bar • Wall mounted • GROHE StarLight Chrome finish 							




AMERICAN STANDARD

CERAMICS & FITTINGS



PART OF LIXIL

Sinks - Wall-Hung




	<p>SKU No. 9024000EC.020</p> <p style="text-align: right;">Color/Finish White (020)</p> <hr/> <p>American Standard, Decorum Wall-Hung EverClean Sink w. No Faucet Holes</p> <ul style="list-style-type: none"> • Wall-hung sink • For concealed arm (by others) or wall support • Less faucet holes • EverClean Antimicrobial Surface • Rear overflow • Recessed self-draining deck • Made of vitreous china • ADA and TAS Compliant <p>Nominal Dimensions 18-1/4" x 20-1/16"</p> <p>Bowl Size • 13-15/16 wide x 12-13/16" front-to-back x 5" deep</p>
	<p>SKU No. 9024001EC.020</p> <p style="text-align: right;">Color/Finish White (020)</p> <hr/> <p>American Standard, Decorum Wall-Hung EverClean Sink w. Center Hole Only</p> <ul style="list-style-type: none"> • Wall-hung sink • For concealed arm (by others) or wall support • Faucet holes - center hole only • EverClean Antimicrobial Surface • Rear overflow • Recessed self-draining deck • Made of vitreous china • ADA and TAS Compliant <p>Nominal Dimensions 18-1/4" x 20-1/16"</p> <p>Bowl Size • 13-15/16 wide x 12-13/16" front-to-back x 5" deep</p>
	<p>SKU No. 9024921EC.020</p> <p style="text-align: right;">Color/Finish White (020)</p> <hr/> <p>American Standard, Decorum Wall-Hung EverClean Sink With Center Hole Only and Extra Right-Hand Hole</p> <ul style="list-style-type: none"> • Wall-hung sink • For concealed arm (by others) or wall support • Faucet holes - center hole only • Extra hole measures 1-3/8" diameter • EverClean Antimicrobial Surface • Less overflow • Recessed self-draining deck • Made of vitreous china • ADA and TAS compliant <p>Nominal Dimensions 18-1/4" x 20-1/16"</p> <p>Bowl Size • 13-15/16 wide x 12-13/16" front-to-back x 5" deep</p>

AMERICAN STANDARD

CERAMICS & FITTINGS



Faucet Options - 8-Inch Wide Spread, 4-Inch Centerset, Single-Hole Sensor

	<table border="1"> <thead> <tr> <th>SKU No.</th> <th>Color/Finish</th> </tr> </thead> <tbody> <tr> <td>T064356.002</td> <td>Polished Chrome (002)</td> </tr> </tbody> </table> <p>American Standard, Serin Wall-Mount Touchless Faucets - Battery Powered, 0.5 GPM, 77% Water Savings</p> <ul style="list-style-type: none"> • 0.5 GPM pressure-compensating, vandal-resistant multi-laminar spray • Includes 4-Year CR-P2 lithium battery • R350 rough valve must be purchased separately • Self-adjusting sensor automatically sets range for optimum performance • Adjustable Spout Reach: Easily adjustable from 6-inch - 9-inch • Vandal-resistant solid brass construction with fully enclosed, water-resistant electrical controls • Integral in-line strainer protects the solenoid valve • Single inlet for cold or tempered water • Touchless operation limits the spread of germs • Safety Timer: Automatically turns water off after 55 seconds 	SKU No.	Color/Finish	T064356.002	Polished Chrome (002)		
SKU No.	Color/Finish						
T064356.002	Polished Chrome (002)						
	<table border="1"> <thead> <tr> <th>SKU No.</th> <th>Color/Finish</th> </tr> </thead> <tbody> <tr> <td>R350</td> <td>N/A</td> </tr> </tbody> </table> <p>American Standard, Rough-In Valve for Serin Wall-Mount Faucets</p> <ul style="list-style-type: none"> • Required for installation of Serin wall-mount faucet 	SKU No.	Color/Finish	R350	N/A		
SKU No.	Color/Finish						
R350	N/A						
	<table border="1"> <thead> <tr> <th>SKU No.</th> <th>TAG-Number</th> <th>Color/Finish</th> </tr> </thead> <tbody> <tr> <td>7755305.002</td> <td></td> <td>Polished Chrome (002)</td> </tr> </tbody> </table> <p>American Standard, NextGen Selectronic Integrated Faucet Battery Powered - SmartTherm - 0.5 GPM, 77% Water Savings</p> <ul style="list-style-type: none"> • CR-P2 lithium battery installed in faucet - 5-year Battery Life • Electronic proximity faucets with programmable, multi-function sensor • Vandal-resistant metal construction with the sensor, solenoid valve and all electronics enclosed in the spout • 24" long flexible stainless steel inlet hose with integral strainer and 3/8" compression connection • Include an Integral ASSE 1070 Certified SmartTherm Safety Shut-Off • Removable mixing handle prevents user adjustment. Cover plug included • Range can be adjusted manually or with optional remote control • Optional deck plate for 4" (775P.400.002) or 8" (775P.800.002) centers and remote control (605XRCT) must be ordered separately • 0.5 gpm pressure-compensating, vandal-resistant laminar spray • ADA Compliant 	SKU No.	TAG-Number	Color/Finish	7755305.002		Polished Chrome (002)
SKU No.	TAG-Number	Color/Finish					
7755305.002		Polished Chrome (002)					

AMERICAN STANDARD

CERAMICS & FITTINGS



PART OF LIXIL

Soap Dispensers



SKU No.
7770100.002

Color/Finish
Polished Chrome (002)

American Standard, Touchless Sensor-Operated Foam Soap Dispenser - Battery Powered

- Deck-mounted design with brass spout
- Touchless operation limits the spread of germs
- Dispenses universal bulk foam soap - Viscosity range: 1 - 20 cps
- Easy-To-Rise foam soap save water
- Waterproof electronic
- Portion control: 4 options to control the amount of soap dispensed per activation
- Initialization mode: Simplifies start-up by pumping soap through system

Power Source

- Includes 4 D-sized batteries
- Battery life 75,000 cycles



SKU No.
777B100.002

Color/Finish
Polished Chrome (002)

American Standard, Touchless Sensor-Operated Foam Soap Dispenser - Base Model

- Deck-mounted design with brass spout
- Touchless operation limits the spread of germs
- Dispenses universal bulk foam soap - Viscosity range: 1 - 20 cps
- Easy-To-Rise foam soap save water
- Waterproof electronic
- Portion control: 4 options to control the amount of soap dispensed per activation
- Initialization mode: Simplifies start-up by pumping soap through system

Power Source

- Selectronic® power kit must be purchased separately
- One AC power kit can power both the faucet and soap dispenser
- Includes 1,800 ml soap bottle with quick disconnect or convenient removal to fill and replace

Power Source For Base Models Must Be Purchased Separately

Selectronic Hard Wired AC Power Kit

PK00.HAC

Selectronic Plug-In AC Power Kit

PK00.PAC

AMERICAN STANDARD

CERAMICS & FITTINGS



Soap Dispensers



SKU No.
2411015.002

Color/Finish
Polished Chrome (002)

American Standard, Commercial Grid Drain with Overflow

- Brass construction
- With overflow
- 1-1/4" tailpiece



SKU No.
777B100.002

Color/Finish
Polished Chrome (002)

American Standard, Perforated Offset Grid Drain for Sinks

- For wheelchair lavatory
- Brass construction
- With overflow
- 1-1/4" tailpiece
- 4-3/4" - 5" offset

American Standard



**SOLUTIONS
PRODUCT GUIDE**

**FOR HEALTHCARE,
MEDICAL OFFICE BUILDING**