

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

National Program Guide

May 2023



*American
Standard*

DXXV

GROHE

INAX

PART OF LIXIL

*American
Standard*

DXXV



INAX

PART OF **LIXIL**







ENERGY CONSERVATION ENERGY CREATION

Mega-solar power plant at the **LIXIL** Chita Plant in Japan

LIXIL is the most **comprehensive global company in the housing and building industry**. We provide **human-centric innovations** that **enhance** people's living space. From **sanitary fixtures and fittings** to a **full line-up** of materials for **residential and commercial**. We bring to market **beautiful design, reliable quality, innovation, environmentally-friendly products** with a **responsible approach to business and the planet**.

LIXIL Link to
Good Living

SHOWER ONLY

 	SKU No.	PL-Number	Color/Finish
	0614000.020	PL-100-LI_SNK-01	White finish
	List	Net	Quantity
American Standard Studio Undercounter Sink Collection STUDIO Basin Type Lavatory Material Vitreous china Color / Finish White finish Mounting Counter mounted ADA ANSI A117.1 compliant			
    	SKU No.	PL-Number	Color/Finish
	2064101.002	PL-200-LI_SNK-01	Polished chrome
	List	Net	Quantity
American Standard Single Control Lavatory Faucet Collection SERIN Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control Pressure compensating aerator Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish Polished chrome ADA ANSI A117.1 compliant			

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



SHOWER ONLY

SKU No.	PL-Number	Color/Finish
26043001	PL-400-LI_SHR-01	StarLight chrome

List	Net	Quantity	Total
		1	

GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays



ASME Compliance	ASME A112.18.1
CALGreen Compliance	CALGreen compliant
CEC	California Energy Commission (CEC) compliant
Cleaning	SpeedClean® anti-lime system
Connection	1/2" connection thread
CSA Compliance	CSA B125.1
EPA Compliance	Energy Policy Act of 1992
EPA Watersense	EPA WaterSense®
Face Diameter	4" face
Color / Finish	StarLight chrome
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet
Installation	Installed on shower arm
Manufacturer	GROHE
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure
Shower Head Type	Residential
Spray	Multispray
Spray Pattern	DreamSpray perfect spray pattern
US Federal	US Federal and State material regulations compliant



American Standard



INAX

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



SHOWER ONLY

   	SKU No. 288CA114.020	PL-Number PL-300-LI_WCL-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard H2 Optimum Siphonic Elongated Toilet Collection GLENWALL® Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water Consumption Ultra High Efficiency UHET 4.2 LPF (1.1 GPF) Material Vitreous china Antimicrobial EverClean® antimicrobial surface Color / Finish White Bowl Shape Elongated bowl			
	SKU No. 5503A00B.020	PL-Number PL-300-LI_WCL-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Toilet Seat For Round Bowl With Seat Cover Toilet Bowl For elongated bowl Application For residential applications Grade Standard Cover With seat cover Color / Finish White			
	SKU No. 40462001	PL-Number TA-402-LI_ACC GR RIS	Color/Finish StarLight chrome	
	GROHE Baucosmopolitan Multi-Towel Rack			
	List	Net	Quantity 1	Total

American Standard

DXV

GROHE

INAX



FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



SHOWER ONLY

	SKU No.	PL-Number	Color/Finish
	40800001	TA-402-LI_ACC GR RIS	StarLight chrome
	List	Net	Quantity
1			
GROHE Essentials Multi Bath Towel Rack			
Color / Finish		StarLight chrome	
	SKU No.	PL-Number	Color/Finish
	40457001	TA-200-LI_ACC GR RIS	StarLight chrome
	List	Net	Quantity
1			
GROHE Baucosmopolitan Paper Holder			
Capacity		One roll	
Construction		Without cover	
Fastening		Concealed fastening	
Color / Finish		StarLight chrome	
Fixture Type		Toilet Tissue holder	
Height		4-1/10" (104 mm) high	
Material		Metal construction	
Projection		2-5/16" (58 mm) projection	
Width		152 mm (6") wide	

American Standard

DXXV

GROHE

INAX


FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



SHOWER ONLY

	SKU No.	PL-Number	Color/Finish
	40461001	TA-400-LI_ACC GR RIS	StarLight chrome
	List	Net	Quantity
		1	
	GROHE Baucosmopolitan Robe Hook		
Color / Finish	StarLight chrome		
Fixture Type	Hooks		
Height	2 1/8" (54 mm) high		
Material	Metal		
Mounting Hardware	Concealed fastening, suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
Projection	2 1/4" (55 mm) projection		



FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



TUB/SHOWER COMBO

 	SKU No.	PL-Number	Color/Finish
	0614000.020	PL-100-LI_SNK-01	White finish
	List	Net	Quantity
American Standard Studio Undercounter Sink			
Collection		STUDIO	
Basin Type		Lavatory	
Material		Vitreous china	
Color / Finish		White finish	
Mounting		Counter mounted	
ADA		ANSI A117.1 compliant	
    	SKU No.	PL-Number	Color/Finish
	2064101.002	PL-200-LI_SNK-01	Polished chrome
	List	Net	Quantity
American Standard Single Control Lavatory Faucet			
Collection		SERIN	
Flow Rate		4.5 LPM (1.2 GPM) maximum flowrate	
Faucet Flow Control		Pressure compensating aerator	
Operation		Manual	
Number of Handles		Single handle	
Faucet Type		Lavatory faucet	
Color / Finish		Polished chrome	
ADA		ANSI A117.1 compliant	

American Standard



INAX

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



TUB/SHOWER COMBO

SKU No.	PL-Number	Color/Finish
26043001	PL-400-LI_SHR-01	StarLight chrome

List	Net	Quantity	Total
		1	



GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays

ASME Compliance	ASME A112.18.1
CALGreen Compliance	CALGreen compliant
CEC	California Energy Commission (CEC) compliant
Cleaning	SpeedClean® anti-lime system
Connection	1/2" connection thread
CSA Compliance	CSA B125.1
EPA Compliance	Energy Policy Act of 1992
EPA Watersense	EPA WaterSense®
Face Diameter	4" face
Color / Finish	StarLight chrome
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet
Installation	Installed on shower arm
Manufacturer	GROHE
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure
Shower Head Type	Residential
Spray	Multispray
Spray Pattern	DreamSpray perfect spray pattern
US Federal	US Federal and State material regulations compliant



American Standard



INAX

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



TUB/SHOWER COMBO

 	SKU No. TU064502WDXH.002	PL-Number PL-800-LI_SHR-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Serin® Pressure Balance Bath/Shower Trim With Double Ceramic Pressure Balance Cartridge Kit Type Bath/Shower Trim Kit less showerhead.Less valve body with RED/BLUE indicator ring. Suggested Rough Valve For use with Flash™ rough valve Bodies Color / Finish Polished chrome			
	SKU No. RU101SS	PL-Number PL-800-LI_SHR-02	Color/Finish	
	List	Net	Quantity 1	Total
	American Standard Flash™ Rough Valve Bodies Series FLASH™ Model Type Pressure Balance rough valve body only, less trim Compliance and Certifications ASSE 1016, ASME A112.18.1016, CSA B125.16, ASME A112.18.1, CSA B125.1			
 	SKU No. 0255.112.020	PL-Number PL-602-LI_TUB-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard New Salem® Recess Bath Installation Alcove Bath Type Bathing pool Material Enameled Steel: Acid resisting, heavy gauge Color / Finish White Dimensions 1524 x 762 x 362 mm (60" x 30" x 14-1/4")			

American Standard



INAX






FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



TUB/SHOWER COMBO

 	SKU No. 0255212.020	PL-Number PL-602-LI_TUB-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard New Salem® Recess Bath Installation Alcove Bath Type Bathing pool Material Enameled Steel: Acid resisting, heavy gauge Color / Finish White Dimensions 1524 x 762 x 362 mm (60" x 30" x 14-1/4")			
	SKU No. 1583470.002	PL-Number PL-900-LI_TUB-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Universal Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			
 	SKU No. 1640305.002	PL-Number PL-900-LI_TUB-01	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Deep Soak® Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			

American Standard

DXXV

GROHE

INAX

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



TUB/SHOWER COMBO

   	SKU No. 288CA114.020	PL-Number PL-300-LI_WCL-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard H2 Optimum Siphonic Elongated Toilet Collection GLENWALL® Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water Consumption Ultra High Efficiency UHET 4.2 LPF (1.1 GPF) Material Vitreous china Antimicrobial EverClean® antimicrobial surface Color / Finish White Bowl Shape Elongated bowl			
	SKU No. 5503A00B.020	PL-Number PL-300-LI_WCL-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Toilet Seat For Round Bowl With Seat Cover Toilet Bowl For elongated bowl Application For residential applications Grade Standard Cover With seat cover Color / Finish White			
	SKU No. 40462001	PL-Number TA-402-LI_ACC GR TUB	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Baucosmopolitan Multi-Towel Rack Color / Finish StarLight chrome			

American Standard





INAX

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards
May 2023



TUB/SHOWER COMBO

	SKU No.	PL-Number	Color/Finish
	40800001	TA-402-LI_ACC GR TUB	StarLight chrome
	List	Net	Quantity
1			
GROHE Essentials Multi Bath Towel Rack			
Color / Finish		StarLight chrome	
	SKU No.	PL-Number	Color/Finish
	40457001	TA-200-LI_ACC GR TUB	StarLight chrome
	List	Net	Quantity
1			
GROHE Baucosmopolitan Paper Holder			
Capacity		One roll	
Construction		Without cover	
Fastening		Concealed fastening	
Color / Finish		StarLight chrome	
Fixture Type		Toilet Tissue holder	
Height		4-1/10" (104 mm) high	
Material		Metal construction	
Projection		2-5/16" (58 mm) projection	
Width		152 mm (6") wide	

American
Standard



INAX


FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



TUB/SHOWER COMBO

	SKU No.	PL-Number	Color/Finish
	40461001	TA-400-LI_ACC GR TUB	StarLight chrome
	List	Net	Quantity
		1	
	GROHE Baucosmopolitan Robe Hook		
Color / Finish	StarLight chrome		
Fixture Type	Hooks		
Height	2 1/8" (54 mm) high		
Material	Metal		
Mounting Hardware	Concealed fastening, suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)		
Projection	2 1/4" (55 mm) projection		






FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards
May 2023



ADA SHOWER ONLY

 	SKU No.	PL-Number	Color/Finish
	0614000.020	PL-100-LI_SNK-01	White finish
	List	Net	Quantity
American Standard Studio Undercounter Sink			
Collection	STUDIO		
Basin Type	Lavatory		
Material	Vitreous china		
Color / Finish	White finish		
Mounting	Counter mounted		
ADA	ANSI A117.1 compliant		
    	SKU No.	PL-Number	Color/Finish
	2064101.002	PL-200-LI_SNK-01	Polished chrome
	List	Net	Quantity
American Standard Single Control Lavatory Faucet			
Collection	SERIN		
Flow Rate	4.5 LPM (1.2 GPM) maximum flowrate		
Faucet Flow Control	Pressure compensating aerator		
Operation	Manual		
Number of Handles	Single handle		
Faucet Type	Lavatory faucet		
Color / Finish	Polished chrome		
ADA	ANSI A117.1 compliant		

American Standard



INAX

ADA SHOWER ONLY

SKU No.	PL-Number	Color/Finish
26043001	PL-400-LI_SHR-02	StarLight chrome

List	Net	Quantity	Total
		1	



GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays	
ASME Compliance	ASME A112.18.1
CALGreen Compliance	CALGreen compliant
CEC	California Energy Commission (CEC) compliant
Cleaning	SpeedClean® anti-lime system
Connection	1/2" connection thread
CSA Compliance	CSA B125.1
EPA Compliance	Energy Policy Act of 1992
EPA Watersense	EPA WaterSense®
Face Diameter	4" face
Color / Finish	StarLight chrome
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet
Installation	Installed on shower arm
Manufacturer	GROHE
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure
Shower Head Type	Residential
Spray	Multispray
Spray Pattern	DreamSpray perfect spray pattern
US Federal	US Federal and State material regulations compliant



ADA SHOWER ONLY



SKU No.	PL-Number	Color/Finish	
T064.430.002	PL-804-LI_SHR-02	Polished chrome	
List	Net	Quantity	Total
		1	
American Standard Diverter Valve Trim			
Brass Advantages	Durable, ideal material for prolonged contact with water		
Combination	Less valve		
Compliances and Certifications	ASME A112.18.1		
Connection	1/2" NPTconnections on mixed water inlet and two (R422/R422S) orthree (R433/R433S) outlets		
Escutcheon	Stamped brass escutcheon		
Color / Finish	Polished chrome		
Fixture Type	IN-WALL DIVERTER VALVES		
Installation	Permits checking of valve installation prior to installing trim parts		
Manufacturer	American Standard		
Material	Solid Brass Construction:		
Maximum Diverting Outlets	3 Way		
Model	Rotational control alternates water flow between two (R422/R422S) or three (R433/R433S) different shower outlets (i.e. showerhead, handspray, bodyside spray or tub spout), forged brass valve body		
Model Series	SERIN®		
Model Type	Valve trim ONLY		
Notes	Cannot be used as a shut-off valve		

ADA SHOWER ONLY

SKU No.	PL-Number	Color/Finish	
R422	PL-804-LI_SHR-02		
List	Net	Quantity	Total
		1	
<p>American Standard Two-Way In-Wall Diverter Valve Rough (Discrete)</p>			
Brass Advantages	Durable, ideal material for prolonged contact with water		
Combination	LESS handle		
Compliances and Certifications	Meets the American Disabilities Act Guidelines and ANSI A117.1 requirements for the physically challenged., ASME A112.18.1, CSA B125.1		
Connection Size	13 mm (1/2") NPT inlets/outlets		
Escutcheon	Stamped brass escutcheon		
Fixture Type	ROUGH VALVES		
Flow	Tub port with increased water flow		
For Series	T064.430, T105.430, T106.430, T184.430, T186.430, T455430, T555.430		
Function	2 discrete functions		
Installation	Permits checking of valve installation prior to installing trim parts		
Material	Solid Brass Construction		
Model	Rotational control alternates water flow between two different shower outlets (i.e. showerhead, handspray, body side spray or tub spout), forged brass valve body. Mixed water inlet and two outlets are marked on back of valve body		
Number of Outlets	Two-Way In-Wall Diverter		
Trim Match	Rough and Trim must be ordered separately.		



FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA SHOWER ONLY

SKU No.	PL-Number	Color/Finish	
R433	PL-804-LI_SHR-02		
List	Net	Quantity	Total
		1	
American Standard Three-Way In-Wall Diverter Valve Rough (Discrete)			
Brass Advantages	Durable, ideal material for prolonged contact with water		
Combination	LESS handle		
Compliances and Certifications	ASME A112.18.1, CSA B125.1		
Connection Size	13 mm (1/2") NPT inlets/outlets		
Escutcheon	Stamped brass escutcheon		
Fixture Type	ROUGH VALVES		
Flow	Tub port with increased water flow		
For Series	T064.430, T105.430, T106.430, T184.430, T186.430, T455430, T555.430, T722.430		
Function	3 discrete functions		
Installation	Permits checking of valve installation prior to installing trim parts		
Material	Solid Brass Construction		
Model	Rotational control alternates water flow between two (R422/R422S) or three (R433/R433S) different shower outlets (i.e. showerhead, handspray, body side spray or tub spout), forged brass valve body		
Note	Cannot be used as a shut-off valve		
Number of Outlets	Three-Way In-Wall Diverter		












FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA SHOWER ONLY

   	SKU No. 1660.774.002	PL-Number PL-402-LI_SHR-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Spectra Handheld® Slide Bar Kit Function 4-Function hand shower adjusts from Drench to Sensitive to powerwash® to Massage Flow rate 1.8 GPM (6.8 LPM)			
    	SKU No. 288AA114.020	PL-Number PL-301-LI_WCL-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard H2Optimum Siphonic Right Height Elongated Toilet Collection H2OPTIMUM™ Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water Ultra High Efficiency UHET 4.2 LPF (1.1 GPF) Consumption Material Vitreous china Antimicrobial EverClean® antimicrobial surface Color / Finish White Bowl Shape Elongated bowl			

American Standard



INAX




FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA SHOWER ONLY

	SKU No. 5503A00B.020	PL-Number PL-300-LI_WCL-01	Color/Finish White
	List	Net	Quantity 1
	American Standard Toilet Seat For Round Bowl With Seat Cover Toilet Bowl Application For elongated bowl Application For residential applications Grade Standard Cover With seat cover Color / Finish White		
	SKU No. 40462001	PL-Number TA-402-LI_ACC GR TUB	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Baucosmopolitan Multi-Towel Rack Color / Finish StarLight chrome		
	SKU No. 40800001	PL-Number TA-402-LI_ACC GR TUB	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Essentials Multi Bath Towel Rack Color / Finish StarLight chrome		

American Standard





INAX

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards
May 2023



ADA SHOWER ONLY

	SKU No.	PL-Number	Color/Finish
	40457001	TA-200-LI_ACC GR TUB	StarLight chrome
	List	Net	Quantity
		1	
	GROHE Baucosmopolitan Paper Holder		
	Capacity	One roll	
	Construction	Without cover	
	Fastening	Concealed fastening	
	Color / Finish	StarLight chrome	
	Fixture Type	Toilet Tissue holder	
	Height	4-1/10" (104 mm) high	
	Material	Metal construction	
	Projection	2-5/16" (58 mm) projection	
	Width	152 mm (6") wide	
	SKU No.	PL-Number	Color/Finish
	40461001	TA-400-LI_ACC GR TUB	StarLight chrome
	List	Net	Quantity
		1	
	GROHE Baucosmopolitan Robe Hook		
	Color / Finish	StarLight chrome	
	Fixture Type	Hooks	
	Height	2 1/8" (54 mm) high	
	Material	Metal	
	Mounting Hardware	Concealed fastening, suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)	
	Projection	2 1/4" (55 mm) projection	

American
Standard

DXV

GROHE








INAX

FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards
May 2023



ADA TUB/SHOWER COMBO

 	SKU No.	PL-Number	Color/Finish
	0614000.020	PL-100-LI_SNK-01	White finish
	List	Net	Quantity
American Standard Studio Undercounter Sink			
Collection		STUDIO	
Basin Type		Lavatory	
Material		Vitreous china	
Color / Finish		White finish	
Mounting		Counter mounted	
ADA		ANSI A117.1 compliant	
    	SKU No.	PL-Number	Color/Finish
	2064101.002	PL-200-LI_SNK-01	Polished chrome
	List	Net	Quantity
American Standard Single Control Lavatory Faucet			
Collection		SERIN	
Flow Rate		4.5 LPM (1.2 GPM) maximum flowrate	
Faucet Flow Control		Pressure compensating aerator	
Operation		Manual	
Number of Handles		Single handle	
Faucet Type		Lavatory faucet	
Color / Finish		Polished chrome	
ADA		ANSI A117.1 compliant	

American Standard



INAX

ADA TUB/SHOWER COMBO

SKU No.	PL-Number	Color/Finish
26043001	PL-400-LI_TUB-02	StarLight chrome

List	Net	Quantity	Total
		1	



GROHE New Tempesta Cosmopolitan 100 Shower Head 4 Sprays

ASME Compliance	ASME A112.18.1
CALGreen Compliance	CALGreen compliant
CEC	California Energy Commission (CEC) compliant
Cleaning	SpeedClean® anti-lime system
Connection	1/2" connection thread
CSA Compliance	CSA B125.1
EPA Compliance	Energy Policy Act of 1992
EPA Watersense	EPA WaterSense®
Face Diameter	4" face
Color / Finish	StarLight chrome
Flow Rate	EcoJoy 2.0 GPM (7.6 l/min) flow limiter
Function	4 sprays: GROHE Rain O ² , Rain, Massage and Jet
Installation	Installed on shower arm
Manufacturer	GROHE
Minimum Pressure	103 kPa (15 PSI) minimum recommended pressure
Shower Head Type	Residential
Spray	Multispray
Spray Pattern	DreamSpray perfect spray pattern
US Federal	US Federal and State material regulations compliant



FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA TUB/SHOWER COMBO

SKU No.	PL-Number	Color/Finish	
T064602WDXH.002	PL-801-LI_TUB-02	Polished chrome	
List	Net	Quantity	Total
		1	
			
American Standard Serin® Pressure Balance Bath/Shower Fitting			
Kit Type	Bath/Shower Trim Kit with Built-In Diverter		
Suggested Rough Valve	R116SS pressure Balance rough valve body with Built-in Diverter & Screw Driver Stops		
Color / Finish	2.5 gpm (9.5 LPM)		
ADA	Meets the American Disabilities Act Guidelines and ANSI A117.1 requirements for the physically challenged		
			



ADA TUB/SHOWER COMBO

SKU No.	PL-Number	Color/Finish	
T064430.002	PL-804-LI_TUB-02	Polished chrome	
List	Net	Quantity	Total
		1	
American Standard Diverter Valve Trim			
Brass Advantages	Durable, ideal material for prolonged contact with water		
Combination	Less valve		
Compliances and Certifications	ASME A112.18.1		
Connection	1/2" NPTconnections on mixed water inlet and two (R422/R422S) orthree (R433/R433S) outlets		
Escutcheon	Stamped brass escutcheon		
Color / Finish	Polished chrome		
Fixture Type	IN-WALL DIVERTER VALVES		
Installation	Permits checking of valve installation prior to installing trim parts		
Manufacturer	American Standard		
Material	Solid Brass Construction:		
Maximum Diverting Outlets	3 Way		
Model	Rotational control alternates water flow between two (R422/R422S) or three (R433/R433S) different shower outlets (i.e. showerhead, handspray, bodyside spray or tub spout), forged brass valve body		
Model Series	SERIN®		
Model Type	Valve trim ONLY		
Notes	Cannot be used as a shut-off valve		



ADA TUB/SHOWER COMBO

SKU No.	PL-Number	Color/Finish
R422	PL-804-LI_TUB-02	
List	Net	Quantity
		1
<p>American Standard Two-Way In-Wall Diverter Valve Rough (Discrete)</p>		
Brass Advantages	Durable, ideal material for prolonged contact with water	
Combination	LESS handle	
Compliances and Certifications	Meets the American Disabilities Act Guidelines and ANSI A117.1 requirements for the physically challenged., ASME A112.18.1, CSA B125.1	
Connection Size	13 mm (1/2") NPT inlets/outlets	
Escutcheon	Stamped brass escutcheon	
Fixture Type	ROUGH VALVES	
Flow	Tub port with increased water flow	
For Series	T064.430, T105.430, T106.430, T184.430, T186.430, T455430, T555.430	
Function	2 discrete functions	
Installation	Permits checking of valve installation prior to installing trim parts	
Material	Solid Brass Construction	
Model	Rotational control alternates water flow between two different shower outlets (i.e. showerhead, handspray, body side spray or tub spout), forged brass valve body. Mixed water inlet and two outlets are marked on back of valve body	
Number of Outlets	Two-Way In-Wall Diverter	
Trim Match	Rough and Trim must be ordered separately.	



FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA TUB/SHOWER COMBO

SKU No.	PL-Number	Color/Finish	
R433	PL-804-LI_TUB-02		
List	Net	Quantity	Total
		1	
American Standard Three-Way In-Wall Diverter Valve Rough (Discrete)			
Brass Advantages	Durable, ideal material for prolonged contact with water		
Combination	LESS handle		
Compliances and Certifications	ASME A112.18.1, CSA B125.1		
Connection Size	13 mm (1/2") NPT inlets/outlets		
Escutcheon	Stamped brass escutcheon		
Fixture Type	ROUGH VALVES		
Flow	Tub port with increased water flow		
For Series	T064.430, T105.430, T106.430, T184.430, T186.430, T455430, T555.430, T722.430		
Function	3 discrete functions		
Installation	Permits checking of valve installation prior to installing trim parts		
Material	Solid Brass Construction		
Model	Rotational control alternates water flow between two (R422/R422S) or three (R433/R433S) different shower outlets (i.e. showerhead, handspray, body side spray or tub spout), forged brass valve body		
Note	Cannot be used as a shut-off valve		
Number of Outlets	Three-Way In-Wall Diverter		










FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA TUB/SHOWER COMBO

   	SKU No. 1660.774.002	PL-Number PL-402-LI_TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Spectra Handheld® Slide Bar Kit Function 4-Function hand shower adjusts from Drench to Sensitive to powerwash® to Massage Flow rate 1.8 GPM (6.8 LPM)			
 	SKU No. 0255.112.020	PL-Number PL-602-LI_TUB-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard New Salem® Recess Bath Installation Alcove Bath Type Bathing pool Material Enameled Steel: Acid resisting, heavy gauge Color / Finish White Dimensions 1524 x 762 x 362 mm (60" x 30" x 14-1/4")			
 	SKU No. 0255.212.020	PL-Number PL-602-LI_TUB-01	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard New Salem® Recess Bath Installation Alcove Bath Type Bathing pool Material Enameled Steel: Acid resisting, heavy gauge Color / Finish White Dimensions 1524 x 762 x 362 mm (60" x 30" x 14-1/4")			

American Standard

DXV

GROHE

INAX






FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA TUB/SHOWER COMBO

	SKU No. 1583.470.002	PL-Number PL-900-LI_TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Universal Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			
 	SKU No. 1640.305.002	PL-Number PL-900-LI_TUB-02	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Deep Soak® Bathtub Drain Fixture Type Bathtub drain Color / Finish Polished chrome			
 	SKU No. 2391.202.020	PL-Number PL-602-LI_TUB-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			








American Standard

DXV

GROHE

INAX

ADA TUB/SHOWER COMBO

 	SKU No. 2390202.020	PL-Number PL-602-LI_TUB-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")			
    	SKU No. 288AA114.020	PL-Number PL-301-LI_WCL-02	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard H2Optimum Siphonic Right Height Elongated Toilet Collection H2OPTIMUM™ Fixture Type Toilet Toilet Type Tank type Mounting And Waste Floor mounted with floor outlet Toilet Water Ultra High Efficiency UHET 4.2 LPF (1.1 GPF) Consumption Material Vitreous china Antimicrobial EverClean® antimicrobial surface Color / Finish White Bowl Shape Elongated bowl			




FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA TUB/SHOWER COMBO

	SKU No. 5503A00B.020	PL-Number PL-300-LI_WCL-01	Color/Finish White
	List	Net	Quantity 1
	American Standard Toilet Seat For Round Bowl With Seat Cover Toilet Bowl Application For elongated bowl Application For residential applications Grade Standard Cover With seat cover Color / Finish White		
	SKU No. 40462001	PL-Number TA-402-LI_ACC GR TUB	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Baucosmopolitan Multi-Towel Rack Color / Finish StarLight chrome		
	SKU No. 40800001	PL-Number TA-402-LI_ACC GR TUB	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Essentials Multi Bath Towel Rack Color / Finish StarLight chrome		

American Standard



INAX



FOUR POINTS BY SHERATON - GEN 4.0

Marriott Global Design Standards

May 2023



ADA TUB/SHOWER COMBO

	SKU No.	PL-Number	Color/Finish
	40457001	TA-200-LI_ACC GR TUB	StarLight chrome
	List	Net	Quantity
		1	
	GROHE Baucosmopolitan Paper Holder		
	Capacity	One roll	
	Construction	Without cover	
	Fastening	Concealed fastening	
	Color / Finish	StarLight chrome	
	Fixture Type	Toilet Tissue holder	
	Height	4-1/10" (104 mm) high	
	Material	Metal construction	
	Projection	2-5/16" (58 mm) projection	
	Width	152 mm (6") wide	
	SKU No.	PL-Number	Color/Finish
	40461001	TA-400-LI_ACC GR TUB	StarLight chrome
	List	Net	Quantity
		1	
	GROHE Baucosmopolitan Robe Hook		
	Color / Finish	StarLight chrome	
	Fixture Type	Hooks	
	Height	2 1/8" (54 mm) high	
	Material	Metal	
	Mounting Hardware	Concealed fastening, suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)	
	Projection	2 1/4" (55 mm) projection	

American Standard

DXV

GROHE

INAX

Related Literature



Residential Fixtures and Faucets List Price Guide 2022



2021 LIXIL Builder Advantage Program Brochure




Ultima® Diaphragm Flush Valves Sell Sheet

Find Our Products Here

REVIT, Specs, CAD and BIM Availability

Through our partner ATS, American Standard Brands provides a complete plumbing specification solution for your Revit and 3D projects. With over 8,500 product combinations accessible for immediate download and new files being added daily, ATS is the largest source for Revit plumbing equipment. ATS and American Standard’s combined 3D BIM families can be easily accessed and downloaded at no-cost to the specification design community. For more information, please visit our partner website, www.atsspec.net.



Revit Families Available

Our products are specified in
SpecLink
www.bsdspeclink.com



For American Standard Customer Care

Call 1-800-442-1902 – Monday – Friday, 8:00 am – 7:00 pm EST

Visit www.americanstandard.com

Front Cover: Cadet® Touchless Chair Height Elongated Toilet Less Seat - 215AA709.002