

HEALTHCARE – HOSPITAL INPATIENT ROOMS

SOLUTIONS PRODUCT GUIDE

JANUARY 2024



*American
Standard*

DXXV

GROHE

INAX

PART OF LIXIL



America Standard is an industry leader in commercial products, offering an impressive range of innovative and durable solutions. Our comprehensive product lineup includes faucets, showers, toilets, and other plumbing fixtures that have been trusted by countless businesses, from small enterprises to major corporations. We take pride in our commitment to quality, sustainability, and meeting the unique needs of the commercial sector, ensuring that our customers receive top-tier products backed by our extensive expertise and unwavering dedication to their success.

With a strong presence across the Americas, our team of experts stands ready to assist customers in selecting the perfect products to meet their commercial project requirements. Whether enhancing guest experiences in hospitality, improving hygiene in healthcare facilities, or maximizing water efficiency in commercial spaces, American Standard is the go-to partner for businesses seeking reliable and sustainable solutions.

PART OF LIXIL

*American
Standard*

PART OF **LIXIL**

American Standard

LIFE. LOVE. HOME.

For almost 150 years,
our commitment to quality,
innovation and performance
has made us a part of
your bathroom and kitchen routines.

From faucets, bathtubs, showers,
and toilets, our products help
make life happier, healthier, and simpler
in the home and at work.

AMERICAN STANDARD

CERAMICS & FITTINGS



PART OF LIXIL

Infectious Control Sink & Faucet



SKU No.
9118111.020

Color/Finish
White (020)

American Standard, Infection Control Wall-Hung EverClean Sink with Shroud, A-M Drain and A-M P-Trap

- Wall-Hung Sink
- Deep basin and sloped ledges minimize splashing
- Offset, non-pooling drain with sealed overflow
- Integral side and back splashes
- Removable acrylic shroud with mounting hardware
- Includes offset drain and P-trap with Saniguard antimicrobial coating
- Made of vitreous china
- IC Touchless Faucet 6055193.002 sold separately

Nominal Size
• 17 in x 20 in x 26-1/8 in

Bowl Size:
• 16-1/2" in (wide) 10-1/4 in (front to back) 9-1/4 in (deep)



SKU No.
605B193.002 / PK00.WRK

Color/Finish
Polished Chrome (002)

American Standard, Selectronic IC Proximity Gooseneck Spout - PWRX PWRX® 10-Year Battery System - 1.5 GPM, 32% Water Savings

- Ideal for Healthcare - Laminar flow restrictor in base and plain spout end
- **POWER KIT MUST BE PURCHASED SEPARATELY - PK00.WRK**
- Touchless operation limits the spread of germs for a safer restroom
- Single inlet for cold or tempered water
- Vandal-resistant brass spout with single-hole installation
- Adjustable Range: Detection zone can be adjusted manually or with an optional remote control
- Safety Timer: Automatically turns water off after 30 seconds
- Auto Purge: Faucet can be programmed to purge stagnant water periodically
- Fail-Safe Technology: Faucet automatically shuts off upon loss of power or dead battery
- Optional deck plates, thermostatic mixing valve, and remote control available (sold separately)
- **ADA Compliant**


Nominal Dimensions
• 6-1/2" in x 2-1/8 in x 9-1/2 in


AMERICAN STANDARD

CERAMICS & FITTINGS



Toilet - Commercial Toilet w/ Bedpan Lugs

	<p>SKU No. 3462001.020</p>	<p>Color/Finish White (020)</p>
	<p>American Standard, Madera FloWise 16-1/2" Chair Height EverClean Elongated Toilet With Bedpan Lugs, Less Seat - 1.1 to 1.6 GPF</p> <ul style="list-style-type: none"> • Floor-mount, elongated flushometer bowl, less seat • Bedpan lugs • High-Efficiency Toilet (HET) operates in the range of 1.1 gpf - 1.6 gpf • Maximum Performance (MaP) score of 1,000 grams at 1.1 - 1.6 gpf • EverClean Antimicrobial Surface inhibits the growth of stain and odor-causing bacteria • 16-1/2" Chair Height for accessible applications • Static weight load of 2,500 lbs • 2-1/8" fully-glazed trapway • Condensation channel • Powerful direct-fed siphon jet action • 1-1/2" inlet spud <p>Nominal Dimensions</p> <ul style="list-style-type: none"> • 27-1/4" x 14" x 16-7/8" 	

	<p>SKU No. 5901100.020</p>	<p>Color/Finish White (020)</p>
	<p>American Standard, Elongated Heavy Duty Open Front Less Lid Commercial Toilet Seat</p> <ul style="list-style-type: none"> • Elongated Open Front toilet seat • Without seat lid cover • Engineered with stainless steel check hinges • Tested for 500 lb static weight load • Fits most conventional elongated commercial toilets • Bottom mounting hardware included • Made from Polypropylene Plastic 	

AMERICAN STANDARD

CERAMICS & FITTINGS



Exposed Toilet Flush Valve w/ Bedpan Washer Assembly - Piston-Type



SKU No.
6047820.002

Color/Finish
Polished Chrome (002)

American Standard, Ultima Manual Flush Valve With Bedpan Washer Assembly, Straight Tube, 1.28 GPF, 20% Water Savings

- Piston-type manual flushometer
- Straight bedpan washer diverter assembly
- Stop valve and sweat solder assembly
- Rugged brass construction
- Counter balance pivot assembly
- Includes wall support, 1-1/2" spud coupling and flange
- Includes EPDM vacuum breaker assembly



SKU No.
6047821.002

Color/Finish
Polished Chrome (002)

American Standard, Ultima Manual Flush Valve With Bedpan Washer Assembly, Offset Tube, 1.28 GPF, 20% Water Savings

- Piston-type manual flushometer
- Offset Tube bedpan washer diverter assembly
- Stop valve and sweat solder assembly
- 1-1/2" offset allows for installation with grab bar over toilet
- Rugged brass construction
- Counter balance pivot assembly
- Includes wall support, 1-1/2" spud coupling and flange
- Includes EPDM vacuum breaker assembly

AMERICAN STANDARD

CERAMICS & FITTINGS



PART OF LIXIL

Exposed Toilet Flush Valve - Piston-Type and Bedpan Cleanser Wand



SKU No.
6047121.002

Color/Finish
Polished Chrome (002)

American Standard, Exposed Manual Flushometer For 1-1/2" Top Spud Bowls - 1.28 gpf

- Exclusive DynaClean self-cleaning wiper spring technology
- Integral wiper spring cleans refill orifice with every flush
- ADA-compliant non-hold open handle provides automatic shut-off
- High back pressure vacuum breaker prevents dripping
- Can be installed left or right-handed
- Includes sweat solder kit



SKU No.
6047821.002

Color/Finish
Polished Chrome (002)

American Standard, Ultima Manual Flush Valve With Bedpan Washer Assembly, Offset Tube, 1.28 GPF, 20% Water Savings

- Piston-type manual flushometer
- Offset Tube bedpan washer diverter assembly
- Stop valve and sweat solder assembly
- 1-1/2" offset allows for installation with grab bar over toilet
- Rugged brass construction
- Counter balance pivot assembly
- Includes wall support, 1-1/2" spud coupling and flange
- Includes EPDM vacuum breaker assembly



SKU No.
7582167.002

Color/Finish
Polished Chrome (002)

American Standard, Bedpan Cleanser w/ Atmospheric Vacuum Breaker and Loose Key Stop



- Loose key stop valve with 3/8" female NPT inlet
- Volume regulator with ceramic disc valve and wheel handle
- Atmospheric vacuum breaker
- Spray end
- 45-5/8" rubber hose
- Wall hook

AMERICAN STANDARD

CERAMICS & FITTINGS



Sinks - Wall-Hung & Optional Shroud

	<p>SKU No. 0958008EC.020</p> <p style="text-align: right;">Color/Finish White (020)</p> <hr/> <p>American Standard, Murro Wall-Hung EverClean Sink w/ 8-Inch Widespread</p> <ul style="list-style-type: none"> • Wall-hung sink with EverClean Antimicrobial Surface • For concealed arm (by others) or wall support • Faucet holes on 8" centers • EverClean Antimicrobial Surface inhibits the growth of stains and odor-causing bacteria, mold, and mildew on the surface • Rear overflow • Recessed self-draining deck • Made of vitreous china • Optional acrylic (0062000) or vitreous china (0059020EC) shrouds • ADA and TAS Compliant <p>Nominal Dimensions</p> <ul style="list-style-type: none"> • 20-1/2" x 21-1/4" <p>Bowl Size</p> <ul style="list-style-type: none"> • 15-1/2" wide x 13-1/2" front-to-back x 5" deep
	<p>SKU No. 0954004EC.020</p> <p style="text-align: right;">Color/Finish White (020)</p> <hr/> <p>American Standard, Murro Wall-Hung EverClean Sink w/ 4-Inch Centerset</p> <ul style="list-style-type: none"> • Wall-hung sink with EverClean Antimicrobial Surface • For concealed arm (by others) or wall support • Faucet holes on 4" centers • EverClean Antimicrobial Surface inhibits the growth of stains and odor-causing bacteria, mold, and mildew on the surface • Rear overflow • Recessed self-draining deck • Made of vitreous china • Optional acrylic (0062000) or vitreous china (0059020EC) shrouds • ADA and TAS Compliant <p>Nominal Dimensions</p> <ul style="list-style-type: none"> • 20-1/2" x 21-1/4" <p>Bowl Size</p> <ul style="list-style-type: none"> • 15-1/2" wide x 13-1/2" front-to-back x 5" deep

AMERICAN STANDARD

CERAMICS & FITTINGS



Sinks - Wall-Hung & Optional Shroud



SKU No.

0955001EC.020

Color/Finish

White (020)

American Standard, Murro Wall-Hung EverClean Sink w/ 4-Inch Centerset

- Wall-hung sink with EverClean Antimicrobial Surface
- For concealed arm (by others) or wall support
- Faucet holes - center hole only
- EverClean Antimicrobial Surface inhibits the growth of stains and odor-causing bacteria, mold, and mildew on the surface
- Rear overflow
- Recessed self-draining deck
- Made of vitreous china
- **Optional** acrylic (0062000) or vitreous china (0059020EC) shrouds
- **ADA and TAS Compliant**

Nominal Dimensions

- 20-1/2" x 21-1/4"

Bowl Size



- 15-1/2" wide x 13-1/2" front-to-back x 5" deep

AMERICAN STANDARD

CERAMICS & FITTINGS



Sinks - Wall-Hung & Optional Shroud

	<p>SKU No. 0954123EC.020</p> <p style="text-align: right;">Color/Finish White (020)</p>
	<p>American Standard, Murro Wall-Hung EverClean Sink w/ 4-Inch Centerset and Extra Right-Hand Soap Hole</p> <ul style="list-style-type: none"> • Wall-hung sink with EverClean Antimicrobial Surface • For concealed arm (by others) or wall support • Faucet holes - center hole only • EverClean Antimicrobial Surface inhibits the growth of stains and odor-causing bacteria, mold, and mildew on the surface • Rear overflow • Recessed self-draining deck • Made of vitreous china • Optional acrylic (0062000) or vitreous china (0059020EC) shrouds • ADA and TAS Compliant <p>Nominal Dimensions</p> <ul style="list-style-type: none"> • 20-1/2" x 21-1/4" <p>Bowl Size</p> <ul style="list-style-type: none"> • 15-1/2" wide x 13-1/2" front-to-back x 5" deep
	<p>SKU No. 0955123EC.020</p> <p style="text-align: right;">Color/Finish White (020)</p>
	<p>American Standard, Murro Wall-Hung EverClean Sink w/ Center Hole Only and Extra Right-Hand Soap Hole</p> <ul style="list-style-type: none"> • Wall-hung sink with EverClean Antimicrobial Surface • For concealed arm (by others) or wall support • Faucet holes - center hole only • EverClean Antimicrobial Surface inhibits the growth of stains and odor-causing bacteria, mold, and mildew on the surface • Rear overflow • Recessed self-draining deck • Made of vitreous china • Optional acrylic (0062000) or vitreous china (0059020EC) shrouds • ADA and TAS Compliant <p>Nominal Dimensions</p> <ul style="list-style-type: none"> • 20-1/2" x 21-1/4" <p>Bowl Size</p> <ul style="list-style-type: none"> • 15-1/2" wide x 13-1/2" front-to-back x 5" deep




AMERICAN STANDARD

CERAMICS & FITTINGS



PART OF LIXIL

Faucet Options - 8-Inch Wide Spread, 4-Inch Centerset, Single-Hole Sensor

	<p>SKU No. 6540180.002</p> <p style="text-align: right;">Color/Finish Polished Chrome (002)</p> <hr/> <p>American Standard, Monterrey 8-Inch Widespread Gooseneck Faucet w/ Wrist Blade Handles Laminar Flow in Spout Base, 1.5 GPM, 32% Water Savings</p> <ul style="list-style-type: none"> • Laminar flow control in spout base. Plain spout end • Field-convertible rigid/swivel gooseneck spout with 5" reach • Cast brass valve bodies with 8-inch rigid copper connections • 1/2-inch male threaded inlet shanks with brass coupling nuts • Washerless ceramic disc valves assure drip-free performance • Vandal-resistant wrist blade handles with red and blue indicators • 1.5 gpm pressure-compensating flow regulatory
	<p>SKU No. 7500180.002</p> <p style="text-align: right;">Color/Finish Polished Chrome (002)</p> <hr/> <p>American Standard, Monterrey 4-Inch Centerset Gooseneck Faucet w/ Wrist Blade Handles, Laminar Flow in Spout Base, 1.5 GPM, 32% Water Savings</p> <ul style="list-style-type: none"> • Laminar flow control in spout base. Plain spout end • Field-convertible rigid/swivel gooseneck spout with a 5" reach • Washerless ceramic disc valves assure drip-free performance • 1/2" male threaded inlet shanks with brass coupling nuts • Vandal-resistant wrist blade handles with red and blue indicators • 1.5 gpm pressure-compensating flow regulator
	<p>SKU No. 6055193.002</p> <p style="text-align: right;">Color/Finish Polished Chrome (002)</p> <hr/> <p>American Standard, Selectronic IC Proximity Gooseneck Spout - PWRX PWRX® 10-Year Battery System - 1.5 GPM, 32% Water Savings</p> <ul style="list-style-type: none"> • Single post installation with rigid gooseneck spout • Electronic proximity faucets with programmable, multi-function sensor • Vandal-resistant solid brass construction with fully enclosed, water-resistant electrical controls • Integral in-line strainer protects the solenoid valve • Range can be adjusted manually or with optional remote control • Optional deck plate for 4" and 8" centers, mixing valve and remote control must be ordered separately • 1.5 gpm laminar flow control in spout base • Ideal for healthcare applications • ADA Compliant

AMERICAN STANDARD

CERAMICS & FITTINGS



PART OF LIXIL

Soap Dispensers



SKU No.
7770100.002

Color/Finish
Polished Chrome (002)

American Standard, Touchless Sensor-Operated Foam Soap Dispenser - Battery Powered

- Deck-mounted design with brass spout
- Touchless operation limits the spread of germs
- Dispenses universal bulk foam soap - Viscosity range: 1 - 20 cps
- Easy-To-Rise foam soap save water
- Waterproof electronic
- Portion control: 4 options to control the amount of soap dispensed per activation
- Initialization mode: Simplifies start-up by pumping soap through system

Power Source

- Includes 4 D-sized batteries
- Battery life 75,000 cycles



SKU No.
777B100.002

Color/Finish
Polished Chrome (002)

American Standard, Touchless Sensor-Operated Foam Soap Dispenser - Base Model

- Deck-mounted design with brass spout
- Touchless operation limits the spread of germs
- Dispenses universal bulk foam soap - Viscosity range: 1 - 20 cps
- Easy-To-Rise foam soap save water
- Waterproof electronic
- Portion control: 4 options to control the amount of soap dispensed per activation
- Initialization mode: Simplifies start-up by pumping soap through system

Power Source

- Selectronic® power kit must be purchased separately
- One AC power kit can power both the faucet and soap dispenser
- Includes 1,800 ml soap bottle with quick disconnect or convenient removal to fill and replace

Power Source For Base Models Must Be Purchased Separately

Selectronic Hard Wired AC Power Kit

PK00.HAC

Selectronic Plug-In AC Power Kit

PK00.PAC

AMERICAN STANDARD

CERAMICS & FITTINGS



PART OF LIXIL

Commercial Shower System and Valves





	<p>SKU No. TU662213.002</p> <p style="text-align: right;">Color/Finish Polished Chrome (002)</p>
	<p>American Standard, Commercial Shower System Trim Kit w/36-inch Slide Bar, Hand Shower and Showerhead, 1.5 GPM, 40% Water Savings</p> <ul style="list-style-type: none"> • For Flash shower rough-in valves with a choice of connections (sold separately) • 2-way rough diverter valve (R22) - sold separately • Includes 3-function hand shower with pause feature • Pause Feature: Non-positive shut-off button on the handle reduces flow to a trickle to meet ADA requirements • 2-way diverter valve trim kit • Fixed showerhead with arm and flange • 36" slide bar • Metal wall escutcheon with metal lever handle • Red/blue indicator ring • 1.5 GPM maximum flow rate
	<p>SKU No. RU101SS</p> <p style="text-align: right;">Color/Finish N/A</p>
	<p>American Standard, Flash Shower Rough-In Valve With Universal Inlets and Outlets with Screwdriver Stops</p> <ul style="list-style-type: none"> • Test caps • Stainless steel retaining ring with flats • Flat back • Cast brass valve body • Back-to-back capability • Exclusive plaster guard • Screwdriver stops • Cartridge ships with trim
	<p>SKU No. R422</p> <p style="text-align: right;">Color/Finish N/A</p>
	<p>American Standard, 2-Way Diverter Valve</p> <ul style="list-style-type: none"> • 1/2" (13 mm) NPT inlet(s)/outlet(s) • Controls water flow between 2 outlets (shower or sprays) • 2 Discrete functions

AMERICAN STANDARD

CERAMICS & FITTINGS



Accessories - Grab Bars

	<p>SKU No. 40421001</p> <p style="text-align: right;">Color/Finish StarLight Chrome</p> <hr/> <p>GROHE, Essentials 12" Grab Bar</p> <ul style="list-style-type: none"> • 12" (305 mm) long • Wall mounted • GROHE StarLight Chrome finish
	<p>SKU No. 40793001</p> <p style="text-align: right;">Color/Finish StarLight Chrome</p> <hr/> <p>GROHE, Essentials 18" Grab Bar</p> <ul style="list-style-type: none"> • 18" (457 mm) long • Wall mounted • GROHE StarLight Chrome finish
	<p>SKU No. 40794001</p> <p style="text-align: right;">Color/Finish StarLight Chrome</p> <hr/> <p>GROHE, Essentials 24" Grab Bar</p> <ul style="list-style-type: none"> • 24" (610 mm) long • Wall mounted • GROHE StarLight Chrome finish
	<p>SKU No. 40797001</p> <p style="text-align: right;">Color/Finish StarLight Chrome</p> <hr/> <p>GROHE, Essentials 38" x 24" L Shaped Grab Bar</p> <ul style="list-style-type: none"> • 38" x 24" L Shaped Grab Bar • Wall mounted • GROHE StarLight Chrome finish

American Standard

SOLUTIONS PRODUCT GUIDE

FOR HEALTHCARE, HOSPITAL INPATIENT ROOMS