

AC HOTEL - GENERATION 2
Marriott Global Design Standards
National Program Guide
June 2023



*American
Standard*

DXXV

GROHE

INAX

PART OF LIXIL

*American
Standard*

DXXV



INAX

PART OF **LIXIL**



ENERGY CONSERVATION ENERGY CREATION

Mega-solar power plant at the **LIXIL** Chita Plant in Japan

LIXIL is the most **comprehensive global company in the housing and building industry**. We provide **human-centric innovations** that **enhance** people's living space. From **sanitary fixtures** and **fittings** to a **full line-up** of materials for **residential and commercial**. We bring to market **beautiful design, reliable quality, innovation, environmentally-friendly products** with a **responsible approach to business and the planet**.







LIXIL Link to
Good Living

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



SHOWER ONLY (STANDARD LAYOUT 1)





    	SKU No. 3221600A	P-Number PL-200-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Single-Handle Bathroom Faucet S-Size Collection ESSENCE Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE EcoJoy Mousseur Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant			
	SKU No. 8888.114.002	P-Number Not On Spec PL-100-LI	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Town Square S Collection Decorative P Trap Cleanout Plug Removable trap eye for easy cleaning Color / Finish Polished chrome Inlet 1-1/4" diameter slip fit inlet Material Brass construction			

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



SHOWER ONLY (STANDARD LAYOUT 1)






  	SKU No. 26468000	P-Number Not On Spec PL-401-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Euphoria Cube 150 Shower Head 1 Spray Connection 13 mm (1/2") connection thread Flow Rate GROHE EcoJoy 1.75 GPM (6.6 l/min) flow limiter Function Single Function Installation Installed on shower arm Manufacturer GROHE Nominal Dimension 6" x 6" Shower Head Type Residential Spray Rain spray pattern (1 spray-rain) Spray Pattern DreamSpray perfect spray pattern Water Heater Suitable for instantaneous heater			
	SKU No. 27217000	P-Number PL-401.1-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Rainshower 6" Ceiling Shower Arm Connection 13 mm (1/2") NPT Male Threads Color / Finish StarLight chrome Manufacturer GROHE Projection 6" spout reach			

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



SHOWER ONLY (STANDARD LAYOUT 1)





 	SKU No. 29423000	P-Number PL-500-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Timeless Pressure Balance Valve Trim With 2-Way Diverter With Cartridge Kit Type Valve trim Color / Finish StarLight chrome ADA ADA compliant			
	SKU No. 35117000	P-Number PL-801-GR	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Grohsafe™ Pressure Balance Rough-In Valve With Integrated Diverter Model Type Pressure Balance valve			
 	SKU No. 26046002	P-Number PL-402-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE New Tempesta Cosmopolitan 100 Handshower 2 Sprays Flow Rate 1.75 gpm (6.6 l/min) flow limiter Color / Finish StarLight chrome			

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



SHOWER ONLY (STANDARD LAYOUT 1)

 	SKU No. 26466000	P-Number Not On Spec PL-402-GR-A1	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Euphoria Cosmopolitan Stick Hand Shower Series Name EUPHORIA Fixture Type Hand shower Color / Finish StarLight chrome			
 	SKU No. 27524000	P-Number PL-403-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE 36" Shower Bar ASME Compliance ASME A112.18.1 CSA Compliance CSA B125.1 EPA Compliance Energy Policy Act of 1992 Color / Finish Starlight chrome Height 914 mm (36") high Holder With wall holders, glide element and swivel holder Manufacturer GROHE			

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



SHOWER ONLY (STANDARD LAYOUT 1)









	SKU No. 28143000	P-Number PL-404-GR	Color/Finish StarLight chrome
	List	Net	Quantity 1 Total
	GROHE Relaxaflex Metal Longlife Metal Shower Hose 1500 Connection Universal connection G 1/2" x 1/2" Color / Finish Starlight chrome Heat Resistance 165 °F Length 1499 mm (59") long Material Metal Pressure Resistance Pressure resistance up to 16 bar Tensile Strength Tensile strength 500 N		
	SKU No. 07911000	P-Number PL-810-GR	Color/Finish StarLight chrome
	List	Net	Quantity 1 Total
	GROHE 1/2" Inline Vacuum Breaker Application Inline Color / Finish Starlight chrome Fixture Type Vacuum breaker Manufacturer GROHE Size 13 mm (1/2")		
	SKU No. 28672000	P-Number PL-806-GR	Color/Finish StarLight chrome
	List	Net	Quantity 1 Total
	GROHE Shower Outlet Elbow, 1/2" Collection RELAXA Connection Type 1/2" NPT Female Threads Color / Finish StarLight chrome Manufacturer GROHE		

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



SHOWER ONLY (STANDARD LAYOUT 1)


	SKU No. 39661000	P-Number Not On Spec PL-300-GR	Color/Finish Alpine white
	List	Net	Quantity 1
	GROHE Eurocube Two-Piece Elongated Dual Flush Toilet		
  	Collection EUROCUBE	Fixture Type Toilet	Toilet Type Tank type
	Mounting And Waste Floor mounted with floor outlet	Toilet Water 3.8 LPF (1.0 GPF) partial flush and 4.8 LPF	Consumption (1.28 GPF) full flush
	Material Vitreous china	Color / Finish Alpine white	Bowl Shape Elongated bowl
	SKU No. 39662000	P-Number PL-301-GR	Color/Finish Alpine white
	List	Net	Quantity 1
	GROHE Two-Piece Elongated Single Flush Toilet		
  	Collection EUROCUBE	Fixture Type Toilet	Toilet Type Tank type
	Mounting And Waste Floor mounted with floor outlet	Toilet Water High Efficiency HET 4.8 LPF (1.28 GPF)	Consumption
	Material Vitreous china	Color / Finish Alpine white	Bowl Shape Elongated bowl

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



SHOWER ONLY (STANDARD LAYOUT 1)

	SKU No.	P-Number	Color/Finish
	2403128.020	Not On Spec PL-301-AS-A1	White
	List	Net	Quantity
		1	
	American Standard Compact Cadet® 3 Flowise® Right Height® Elongated One-Piece Toilet		
	Collection	COMPACT CADET® 3 FloWise®	
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Antimicrobial	EverClean® antimicrobial surface	
	Color / Finish	White	
	Bowl Shape	Elongated bowl	









AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)


    	SKU No. 3221600A	P-Number PL-200-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Single-Handle Bathroom Faucet S-Size Collection ESSENCE Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE EcoJoy Mousseur Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant			
	SKU No. 8888.114.002	P-Number Not On Spec PL-100-LI	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Town Square S Collection Decorative P Trap Cleanout Plug Removable trap eye for easy cleaning Color / Finish Polished chrome Inlet 1-1/4" diameter slip fit inlet Material Brass construction			

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)

	SKU No.	P-Number	Color/Finish
	26468000	Not On Spec PL-401-GR	StarLight chrome
	List	Net	Quantity
		1	
	GROHE Euphoria Cube 150 Shower Head 1 Spray		
	Connection	13 mm (1/2") connection thread	
	Flow Rate	GROHE EcoJoy 1.75 GPM (6.6 l/min) flow limiter	
	Function	Single Function	
	Installation	Installed on shower arm	
	Manufacturer	GROHE	
	Nominal Dimension	6" x 6"	
	Shower Head Type	Residential	
	Spray	Rain spray pattern (1 spray-rain)	
	Spray Pattern	DreamSpray perfect spray pattern	
	Water Heater	Suitable for instantaneous heater	







AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)


	SKU No. 27705000	P-Number PL-401-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Euphoria Cube 150 Shower Head 1 Spray ASME Compliance ASME A112.18.1 Connection 13 mm (1/2") connection thread CSA Compliance CSA B125.1 EPA Compliance Energy Policy Act of 1992 Color / Finish StarLight chrome Flow Rate 2.5 GPM (9.5 l/min) flow limiter Function Single Function Installation Installed on shower arm Manufacturer GROHE Minimum Pressure Min. recommended pressure: 15 PSI (1.0 bar) Nominal Dimension 6" x 6" Shower Head Type Residential Spray Rain spray pattern (1 spray-rain) Spray Pattern DreamSpray perfect spray pattern US Federal US Federal and State material regulations compliant   Water Heater Suitable for instantaneous heater			
	SKU No. 27217000	P-Number PL-401.1-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Rainshower 6" Ceiling Shower Arm Connection 13 mm (1/2") NPT Male Threads Color / Finish StarLight chrome Manufacturer GROHE Projection 6" spout reach			

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)






 	SKU No. 29423000	P-Number PL-500-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Timeless Pressure Balance Valve Trim With 2-Way Diverter With Cartridge Kit Type Valve trim Color / Finish StarLight chrome ADA ADA compliant			
	SKU No. 35117000	P-Number PL-801-GR	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Grohsafe™ Pressure Balance Rough-In Valve With Integrated Diverter Model Type Pressure Balance valve			
 	SKU No. 26046002	P-Number PL-402-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE New Tempesta Cosmopolitan 100 Handshower 2 Sprays Flow Rate 1.75 gpm (6.6 l/min) flow limiter Color / Finish StarLight chrome			

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)



 	SKU No. 26466000	P-Number PL-402-GR-A1	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Euphoria Cosmopolitan Stick Hand Shower Series Name EUPHORIA Fixture Type Hand shower Color / Finish StarLight chrome			
	SKU No. 95866000	P-Number New Item Request	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Volume Control For Shower Heads & Hand Showers ANSI Compliance ICC/ANSI A117.1 Color / Finish Starlight chrome Flow Rate Adjusts from 2.5 GPM to a trickle flow Non-Positive Shutoff Non-Positive shutoff			
 	SKU No. 27524000	P-Number PL-403-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE 36" Shower Bar ASME Compliance ASME A112.18.1 CSA Compliance CSA B125.1 EPA Compliance Energy Policy Act of 1992 Color / Finish Starlight chrome Height 914 mm (36") high Holder With wall holders, glide element and swivel holder Manufacturer GROHE			

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)

	SKU No. 28025000	P-Number PL-404.A-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Rotaflex Metal Longlife			
	Connection	Universal connection G 1/2" x 1/2" inlets and outlets		
	Cover	Removable protection cover with installation information		
	Color / Finish	Starlight chrome		
	Function	Rotation cone for Twist-free function		
	Length	1753 mm (69") long		
	Material	Metal		
	Pressure Resistance	Pressure resistance: up to 16 bar		
	Stops	Silicone strip prevents hand shower from turning while in body spray position		
	Tensile Strength	Tensile strength 500 N		
	SKU No. 07911000	P-Number PL-810-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE 1/2" Inline Vacuum Breaker			
	Application	Inline		
	Color / Finish	Starlight chrome		
	Fixture Type	Vacuum breaker		
	Manufacturer	GROHE		
	Size	13 mm (1/2")		

AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)



SKU No.	P-Number	Color/Finish
28672000	PL-806-GR	StarLight chrome

List	Net	Quantity	Total
		1	

GROHE Shower Outlet Elbow, 1/2"	
Collection	RELAXA
Connection Type	1/2" NPT Female Threads
Color / Finish	StarLight chrome
Manufacturer	GROHE



SKU No.	P-Number	Color/Finish
39661000	Not On Spec PL-300-GR	Alpine white

List	Net	Quantity	Total
		1	

GROHE Eurocube Two-Piece Elongated Dual Flush Toilet	
Collection	EUROCUBE
Fixture Type	Toilet
Toilet Type	Tank type
Mounting And Waste	Floor mounted with floor outlet
Toilet Water Consumption	3.8 LPF (1.0 GPF) partial flush and 4.8 LPF (1.28 GPF) full flush
Material	Vitreous china
Color / Finish	Alpine white
Bowl Shape	Elongated bowl










AC HOTEL - GENERATION 2

Marriott Global Design Standards
June 2023



ADA SHOWER ONLY (ADA SHOWER LAYOUT 3)





	SKU No.	P-Number	Color/Finish
	39662000	PL-301-GR	Alpine white
	List	Net	Quantity
		1	
	GROHE Two-Piece Elongated Single Flush Toilet		
	Collection	EUROCUBE	
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Color / Finish	Alpine white	
	Bowl Shape	Elongated bowl	
  			
	SKU No.	P-Number	Color/Finish
	2403128.020	Not On Spec PL-301-AS-A1	White
	List	Net	Quantity
		1	
	American Standard Compact Cadet® 3 Flowise® Right Height® Elongated One-Piece Toilet		
	Collection	COMPACT CADET® 3 FloWise®	
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Antimicrobial	EverClean® antimicrobial surface	
	Color / Finish	White	
	Bowl Shape	Elongated bowl	
  			

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)





    	SKU No. 3221600A	P-Number PL-200-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Single-Handle Bathroom Faucet S-Size Collection ESSENCE Flow Rate 4.5 LPM (1.2 GPM) maximum flowrate Faucet Flow Control GROHE EcoJoy Mousseur Operation Manual Number of Handles Single handle Faucet Type Lavatory faucet Color / Finish StarLight chrome EPA WaterSense EPA WaterSense® compliant			
	SKU No. 8888.114.002	P-Number Not On Spec PL-100-LI	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Town Square S Collection Decorative P Trap Cleanout Plug Removable trap eye for easy cleaning Color / Finish Polished chrome Inlet 1-1/4" diameter slip fit inlet Material Brass construction			

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)




  	SKU No. 26468000	P-Number Not on Spec PL-401-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Euphoria Cube 150 Shower Head 1 Spray Connection 13 mm (1/2") connection thread Flow Rate GROHE EcoJoy 1.75 GPM (6.6 l/min) flow limiter Function Single Function Installation Installed on shower arm Manufacturer GROHE Nominal Dimension 6" x 6" Shower Head Type Residential Spray Rain spray pattern (1 spray-rain) Spray Pattern DreamSpray perfect spray pattern Water Heater Suitable for instantaneous heater			
	SKU No. 27217000	P-Number PL-401.1-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Rainshower 6" Ceiling Shower Arm Connection 13 mm (1/2") NPT Male Threads Color / Finish StarLight chrome Manufacturer GROHE Projection 6" spout reach			

AC HOTEL- GENERATION2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 29427000	P-Number PL-500-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Timeless Pressure Balance Valve Trim With 3-Way Diverter With Cartridge			
	Kit Type Color / Finish ADA	Valve trim StarLight chrome ADA compliant		
	SKU No. 35117000	P-Number PL-801-GR	Color/Finish	
	List	Net	Quantity 1	Total
	GROHE Grohsafe™ Pressure Balance Rough-In Valve With Integrated Diverter			
	Model Type	Pressure Balance valve		

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)




	SKU No. 13274001	P-Number PL-405-GR	Color/Finish StarLight Chrome
	List	Net	Quantity 1
	GROHE Tub Spout Collection CONCETTO Compliances and Certifications Energy Policy Act of 1992, ASME A112.18.1/CSA B125.1, EPACK92 compliant, ICC/ANSI A117.1 compliant Discharge Type Flow control Diverter Non diverter tub spout Color / Finish StarLight Chrome Manufacturer GROHE Mounting Wall-hung Projection 170 mm (6-11/16") Thread 13 mm (1/2") NPT Male Threads Thread Size 1/2 Type Tub spout		
			
	SKU No. 14468000	P-Number	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Concetto Pressure Balance Trim With Cartridge Kit Type Valve trim Suggested Rough For use with GrohSafe 3.0 rough-in valves (35 110), (35 111), (35 112), (35 113), (35 114), (35 115), (35 116) Valve		
			
	SKU No. 35110000	P-Number PL-802-GR	Color/Finish
	List	Net	Quantity 1
	GROHE Pressure Balance Valve Rough With Universal With Service Stops Cartridge Cartridge ships with the trim		

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

 	SKU No. 29203001	P-Number PL-501-GR	Color/Finish StarLight chrome
	List	Net	Quantity 1
GROHE Essence 3-Way Diverter Trim ADA ADA compliant Compliances and Certifications ASME A112.18.1/CSA B125.1, ICC/ANSI A117.1 Color / Finish StarLight chrome Handle Lever handle Manufacturer GROHE Maximum Diverting Outlets 3 outlets: shower head/hand shower/tub spout Suggested Rough Valve For use with 3-way diverter rough-in valves (29 902) or (29 903) EPA WaterSense EPA WaterSense® compliant			
	SKU No. 29902000	P-Number PL-805-GR	Color/Finish
	List	Net	Quantity 1
GROHE 3-Way Diverter Rough-In Valve (Discrete Functions) ADA Compliance ADA compliant: requires less than 5 lbs/22.2 N force to operate handle ASME Compliance ASME A112.18.1 CALGreen Compliance CALGreen compliant Connection Size plasterguard included 1/2" NPT CSA Compliance CSA B125.1 Function 3 discrete functions Inlet 1 inlet Model 29902 Number of Outlets 3 outlets			

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)



 	SKU No. 26046002	P-Number PL-402-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE New Tempesta Cosmopolitan 100 Handshower 2 Sprays Flow Rate 1.75 gpm (6.6 l/min) flow limiter Color / Finish StarLight chrome			
 	SKU No. 26466000	P-Number Not On Spec PL-402-GR-A1	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Euphoria Cosmopolitan Stick Hand Shower Series Name EUPHORIA Fixture Type Hand shower Color / Finish StarLight chrome			
 	SKU No. 27524000	P-Number PL-403-GR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE 36" Shower Bar ASME Compliance ASME A112.18.1 CSA Compliance CSA B125.1 EPA Compliance Energy Policy Act of 1992 Color / Finish Starlight chrome Height 914 mm (36") high Holder With wall holders, glide element and swivel holder Manufacturer GROHE			

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)





	SKU No. 95866000	P-Number Not On Spec PL-404	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Volume Control For Shower Heads & Hand Showers		
	ANSI Compliance	ICC/ANSI A117.1	
	Color / Finish	Starlight chrome	
	Flow Rate	Adjusts from 2.5 GPM to a trickle flow	
	Non-Positive Shutoff	Non-Positive shutoff	
	SKU No. 28025000	P-Number PL-404.A-GR	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Rotaflex Metal Longlife		
	Connection	Universal connection G 1/2" x 1/2" inlets and outlets	
	Cover	Removable protection cover with installation information	
	Color / Finish	Starlight chrome	
	Function	Rotation cone for Twist-free function	
	Length	1753 mm (69") long	
	Material	Metal	
	Pressure Resistance	Pressure resistance: up to 16 bar	
	Stops	Silicone strip prevents hand shower from turning while in body spray position	
	Tensile Strength	Tensile strength 500 N	

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/ShOWER COMBO (LAYOUT 4)





	SKU No. 07911000	P-Number PL-810-GR	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE 1/2" Inline Vacuum Breaker Application Inline Color / Finish Starlight chrome Fixture Type Vacuum breaker Manufacturer GROHE Size 13 mm (1/2")		
	SKU No. 28672000	P-Number PL-806-GR	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Shower Outlet Elbow, 1/2" Collection RELAXA Connection Type 1/2" NPT Female Threads Color / Finish StarLight chrome Manufacturer GROHE		
 	SKU No. 2390.202.020	P-Number PL-604-LI	Color/Finish White
	List	Net	Quantity 1
	American Standard Princeton® Recess Bath (Below Floor Installation) Installation Alcove Bath Type Bathing pool Material Americast® brand engineered material, Acid resistant porcelain finish Color / Finish White Installed Size 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) Dimensions 1524 x 762 x 356 mm (60" x 30" x 14")		

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)









 	SKU No. 2391.202.020	P-Number PL-604-LI	Color/Finish White	
	List	Net	Quantity 1	Total
	American Standard Princeton® Recess Bath (Below Floor Installation)			
	Installation Bath Type Material Color / Finish Installed Size Dimensions	Alcove Bathing pool Americast® brand engineered material, Acid resistant porcelain finish White 60 x 30 x 17-1/2" (1524 x 762 x 445 mm) 1524 x 762 x 356 mm (60" x 30" x 14")		
	SKU No. 1583.470.002	P-Number PL-901-LI	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Universal Bathtub Drain			
	Fixture Type Color / Finish	Bathtub drain Polished chrome		
	SKU No. 1640.305.002	P-Number Not On Spec PL-901-LI-A1	Color/Finish Polished chrome	
	List	Net	Quantity 1	Total
	American Standard Deep Soak® Bathtub Drain			
	Fixture Type Color / Finish	Bathtub drain Polished chrome		

AC HOTEL- GENERATION2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)

	SKU No. 39661000	P-Number Not On Spec PL-300-GR-A1	Color/Finish Alpine white
	List	Net	Quantity 1
	GROHE Eurocube Two-Piece Elongated Dual Flush Toilet		
  	Collection	EUROCUBE	
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	3.8 LPF (1.0 GPF) partial flush and 4.8 LPF (1.28 GPF) full flush	
	Material	Vitreous china	
	Color / Finish	Alpine white	
	Bowl Shape	Elongated bowl	
	SKU No. 39662000	P-Number PL-301-GR	Color/Finish Alpine white
	List	Net	Quantity 1
	GROHE Two-Piece Elongated Single Flush Toilet		
  	Collection	EUROCUBE	
	Fixture Type	Toilet	
	Toilet Type	Tank type	
	Mounting And Waste	Floor mounted with floor outlet	
	Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
	Material	Vitreous china	
	Color / Finish	Alpine white	
	Bowl Shape	Elongated bowl	

AC HOTEL- GENERATION 2

Marriott Global Design Standards
June 2023



ADA TUB/SHOWER COMBO (LAYOUT 4)





SKU No. 2403128.020	P-Number Not On Spec PL-301-AS-A1	Color/Finish White
List	Net	Quantity 1
American Standard Compact Cadet® 3 Flowise® Right Height® Elongated One-Piece Toilet		
Collection	COMPACT CADET® 3 FloWise®	
Fixture Type	Toilet	
Toilet Type	Tank type	
Mounting And Waste	Floor mounted with floor outlet	
Toilet Water Consumption	High Efficiency HET 4.8 LPF (1.28 GPF)	
Material	Vitreous china	
Antimicrobial	EverClean® antimicrobial surface	
Color / Finish	White	
Bowl Shape	Elongated bowl	

AC HOTEL- GENERATION2

Marriott Global Design Standards
June 2023



BATHROOM ACCESSORIES




	SKU No. 40421001	P-Number TA-104-LI_GR SHR	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Essentials Grip Bar Application For residential applications Clearance Clearance between the grab bar and wall shall be 2-31/64" (63 mm) Configuration Straight Dimensions 11-3/5" (295 mm) length Fastening Concealed fastening Color / Finish StarLight chrome Fixture Type Grip bar Material Metal construction		
	SKU No. 40793001	P-Number TA-101-LI_GR ACC RIS TA-105-PB_GR TUB	Color/Finish StarLight chrome
	List	Net	Quantity 1
	GROHE Essentials Grip Bar Application For residential applications Clearance Clearance between the grab bar and wall shall be 2-13/32" (61 mm) Configuration Straight Dimensions 17-7/10" (450 mm) length Fastening Concealed fastening Color / Finish StarLight chrome Fixture Type Grip bar ICC/ANSI codes ICC/ANSI A117.1 Material Metal		

AC HOTEL- GENERATION2

Marriott Global Design Standards
June 2023



BATHROOM ACCESSORIES




	SKU No. 40794001	P-Number TA-501-LI_GR SHR/ TA-105-PB_GR ACC RIS	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essentials Grip Bar Application For residential applications Clearance Clearance between the grab bar and wall shall be 2-13/32" (61 mm) Configuration Straight Dimensions 24 in (functional length 600 mm) Fastening Concealed fastening Color / Finish StarLight chrome ICC/ANSI codes ICC/ANSI A117.1 Material Metal			
	SKU No. 40688001	P-Number TA-202-LI_GR STD	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essentials Towel Rail Series ESSENTIALS Color / Finish Starlight chrome			
	SKU No. 40366001	P-Number TA-403-LI_GR STD	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essentials Towel Rail Series ESSENTIALS Color / Finish StarLight chrome			

AC HOTEL- GENERATION2

Marriott Global Design Standards
June 2023



BATHROOM ACCESSORIES


	SKU No. 40802001	P-Number New Item Request	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essentials 24" Double Towel Bar Color / Finish Starlight chrome			
	SKU No. 40385001	P-Number TA-202-LI_GR STD	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Essentials Paper Holder Capacity One roll Color / Finish StarLight chrome Fixture Type Toilet Tissue holder Height 232 mm (9-1/8") high Material Metal Mounting Wall mounted Mounting Hardware Concealed fastening Projection 116 mm (4-9/16") projection Toilet Paper Flow Non-continuous paper flow			
	SKU No. 40663001	P-Number TA-501-LI_GR SHR	Color/Finish StarLight chrome	
	List	Net	Quantity 1	Total
	GROHE Baucosmopolitan Wire Basket Color / Finish StarLight chrome			

AC HOTEL- GENERATION2

Marriott Global Design Standards
June 2023



BATHROOM ACCESSORIES

	SKU No.	P-Number	Color/Finish
	40689001	TA-202-LI_GR STD Not on Spec	StarLight chrome
	List	Net	Quantity
			1
	GROHE Essentials Toilet Paper Holder		
	Construction	Without cover	
	Diameter	54 mm diameter	
	Fastening	Concealed fastening	
	Color / Finish	StarLight chrome	
	Fixture Type	Toilet Tissue holder	
	Length	119 mm long	
	Material	Metal construction	
	Projection	44 mm projection	
	Series	ESSENTIALS	
	Toilet Paper Flow	Non-continuous paper flow	

Related Literature



Residential Fixtures and Faucets List Price Guide 2022



2021 LIXIL Builder Advantage Program Brochure




Ultima® Diaphragm Flush Valves Sell Sheet

Find Our Products Here

REVIT, Specs, CAD and BIM Availability

Through our partner ATS, American Standard Brands provides a complete plumbing specification solution for your Revit and 3D projects. With over 8,500 product combinations accessible for immediate download and new files being added daily, ATS is the largest source for Revit plumbing equipment. ATS and American Standard’s combined 3D BIM families can be easily accessed and downloaded at no-cost to the specification design community. For more information, please visit our partner website, www.atsspec.net.



Revit Families Available

Our products are specified in
SpecLink
www.bsdspeclink.com



For American Standard Customer Care

Call 1-800-442-1902 – Monday – Friday, 8:00 am – 7:00 pm EST

Visit www.americanstandard.com

Front Cover: Cadet® Touchless Chair Height Elongated Toilet Less Seat - 215AA709.002