

LIXIL

*American Standard*

➤ **PRODUCT  
PROPOSAL  
GOOD**

*American  
Standard*



LIXIL




# LIXIL

LIXIL is the most comprehensive global company in the housing and building industry. We provide human-centric innovations that enhance people's living spaces. From sanitary fixtures and fittings to a full lineup of materials for houses and major architectural buildings, we bring together connected expertise, beautiful design, reliable quality, and a responsible approach to business.

Today, we are a global enterprise with over 60,000 employees worldwide. Whether for a modern office in a business complex, a family home, an airport, or a museum, our ambition is to create a good living by focusing on living technology that genuinely enhances our everyday lives.







**Toilets**

	<b>SKU</b> 250DA104.020	<b>TAG</b>	<b>COLOR</b> White (020)
	<b>QTY</b> 1		
	<b>Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round-Front Toilet Less Seat</b> <ul style="list-style-type: none"> <li>• Clean, simple style complements every bathroom décor</li> <li>• Perfect size for a smaller space or powder room</li> <li>• Great flush performance with 3-in. flush valve</li> <li>• Uses 1.28 gpf / 4.8 Lpf with optimal efficiency</li> <li>• Fully glazed 2-in. trapway to help avoid clogs</li> <li>• Meets WaterSense® criteria for water savings</li> <li>• Limited lifetime warranty on chinaware, 2 years on mechanical parts</li> <li>• Includes color-matched trip lever</li> <li>• 12-in. rough in</li> <li>• Toilet seat, wax ring and supply line are sold separately</li> </ul>		
	<b>SKU</b> 250AA104.020	<b>TAG</b>	<b>COLOR</b> White (020)
	<b>QTY</b> 1		
	<b>Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet Less Seat</b> <ul style="list-style-type: none"> <li>• Clean, simple style complements every bathroom decor</li> <li>• Comfortable 16-1/2-in. rim height for easy access</li> <li>• Great flush performance with 3-in. flush valve</li> <li>• Uses 1.28 gpf / 4.8 Lpf with optimal efficiency</li> <li>• Fully glazed 2-in. trapway to help avoid clogs</li> <li>• Meets WaterSense® criteria for water savings</li> <li>• Limited lifetime warranty on chinaware, 2 years on mechanical parts</li> <li>• Includes color-matched trip lever</li> <li>• 12-in. rough in</li> <li>• Toilet seat, wax ring and supply line are sold separately</li> </ul>		
	<b>SKU</b> 5503A00B.020	<b>TAG</b>	<b>COLOR</b> White (020)
	<b>QTY</b> 1		
	<b>Transitional Slow-Close Elongated Toilet Seat</b> <ul style="list-style-type: none"> <li>• Fits most conventional elongated toilets</li> <li>• Bottom mounting hardware included</li> <li>• Made from Polypropylene Plastic</li> </ul>		


PROJECT NAME: **AMERICAN STANDARD\_PRODUCT  
PROPOSAL\_GOOD**  
PROJECT  
LOCATION: **PISCATAWAY NJ - NEW JERSEY**


## Faucets - Crawford Collection

	<table border="1"> <thead> <tr> <th>SKU</th> <th>TAG</th> <th>COLOR</th> </tr> </thead> <tbody> <tr> <td>7612107.002</td> <td></td> <td>Polished Chrome (100)</td> </tr> <tr> <td></td> <th>QTY</th> <td></td> </tr> <tr> <td></td> <td>1</td> <td></td> </tr> </tbody> </table> <p><b>Crawford Single Hole Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle</b></p> <ul style="list-style-type: none"> <li>• Convenient push-drain is easy to operate and install</li> <li>• Ceramic disc valve ensures drip-free operation and smooth handle motion</li> <li>• Metal spout and metal handles offer unmatched durability and long wear</li> <li>• Limited lifetime warranty</li> </ul>	SKU	TAG	COLOR	7612107.002		Polished Chrome (100)		QTY			1	
SKU	TAG	COLOR											
7612107.002		Polished Chrome (100)											
	QTY												
	1												
	<table border="1"> <thead> <tr> <th>SKU</th> <th>TAG</th> <th>COLOR</th> </tr> </thead> <tbody> <tr> <td>7612207.002</td> <td></td> <td>Polished Chrome (100)</td> </tr> <tr> <td></td> <th>QTY</th> <td></td> </tr> <tr> <td></td> <td>1</td> <td></td> </tr> </tbody> </table> <p><b>Crawford 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles</b></p> <ul style="list-style-type: none"> <li>• Convenient push-drain is easy to operate and install</li> <li>• Ceramic disc valve ensures drip-free operation and smooth handle motion</li> <li>• Metal spout and metal handles offer unmatched durability and long wear</li> <li>• Limited lifetime warranty</li> </ul>	SKU	TAG	COLOR	7612207.002		Polished Chrome (100)		QTY			1	
SKU	TAG	COLOR											
7612207.002		Polished Chrome (100)											
	QTY												
	1												
	<table border="1"> <thead> <tr> <th>SKU</th> <th>TAG</th> <th>COLOR</th> </tr> </thead> <tbody> <tr> <td>7612807.002</td> <td></td> <td>Polished Chrome (100)</td> </tr> <tr> <td></td> <th>QTY</th> <td></td> </tr> <tr> <td></td> <td>1</td> <td></td> </tr> </tbody> </table> <p><b>Crawford 8-Inch Widespread 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles</b></p> <ul style="list-style-type: none"> <li>• Convenient push-drain is easy to operate and install</li> <li>• Ceramic disc valve ensures drip-free operation and smooth handle motion</li> <li>• Metal spout and metal handles offer unmatched durability and long wear</li> <li>• Limited lifetime warranty</li> </ul>	SKU	TAG	COLOR	7612807.002		Polished Chrome (100)		QTY			1	
SKU	TAG	COLOR											
7612807.002		Polished Chrome (100)											
	QTY												
	1												
	<table border="1"> <thead> <tr> <th>SKU</th> <th>TAG</th> <th>COLOR</th> </tr> </thead> <tbody> <tr> <td>TU612507.002</td> <td></td> <td>Polished Chrome (100)</td> </tr> <tr> <td></td> <th>QTY</th> <td></td> </tr> <tr> <td></td> <td>1</td> <td></td> </tr> </tbody> </table> <p><b>Crawford 1.8 gpm/6.8 L/min Shower Trim Kit With Water-Saving Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle</b></p> <ul style="list-style-type: none"> <li>• Includes single-function showerhead and arm, pressure balance valve cartridge with lever handle</li> <li>• Anti-scald pressure balance valve prevents accidental scalding and compensates for sudden changes in water pressure</li> <li>• High-grade ceramic material is unaffected by mineral deposits and harsh water conditions</li> <li>• 1.8 gpm flow rate helps conserve water without sacrificing performance</li> <li>• WaterSense certified</li> <li>• ADA compliant</li> <li>• Limited lifetime warranty</li> <li>• Requires Flash Rough-in Valve, sold separately</li> </ul>	SKU	TAG	COLOR	TU612507.002		Polished Chrome (100)		QTY			1	
SKU	TAG	COLOR											
TU612507.002		Polished Chrome (100)											
	QTY												
	1												

PROJECT NAME: **AMERICAN STANDARD\_PRODUCT  
PROPOSAL\_GOOD**  
PROJECT **PISCATAWAY NJ - NEW JERSEY**  
LOCATION:





## Faucets - Crawford Collection

	SKU TU612508.002	TAG	COLOR Polished Chrome (100)
	QTY 1		
	<p><b>Crawford 1.8 gpm/6.8 L/min Tub and Shower Trim Kit With Water-Saving Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle</b></p> <ul style="list-style-type: none"> <li>• Includes single-function showerhead and arm, pressure balance valve cartridge, metal diverter tub spout</li> <li>• Anti-scald pressure balance valve prevents accidental scalding and compensates for sudden changes in water pressure</li> <li>• High-grade ceramic material is unaffected by mineral deposits and harsh water conditions</li> <li>• 1.8 gpm flow rate helps conserve water without sacrificing performance</li> <li>• WaterSense certified</li> <li>• Limited lifetime warranty</li> <li>• Requires Flash Rough-in Valve, sold separately</li> </ul>		

	SKU RU101SS	TAG	COLOR No Finish (007)
	QTY 1		
	<p><b>Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops</b></p> <ul style="list-style-type: none"> <li>• Flush Plug: Eliminates the need to remove cartridge during installation and allows installer to flush the lines without cross flow. Can be tested using flush plug with air (200 psi) or water (300 psi).</li> <li>• Stainless Steel Retaining Ring with Flats: Secures test cap/ cartridge in place and eliminates need for screws. Flats make it simple to loosen ring for quick, easy insertion/removal of test cap/cartridge.</li> <li>• Flat Back: Allows valve to be mounted flush against cross brace for easy and solid installation</li> <li>• Cast DZR Brass Valve Body: Resists corrosion due to high chloride and pH levels in water.</li> <li>• Back-to-Back Capability: Hot and cold can be reversed quickly and easily.</li> <li>• Exclusive Plaster Guard: Plaster guard is designed to protect valve and act as a guide during installation. It can serve as mounting support for thin-wall installations.</li> <li>• Wide Rough-in Range: From 1-3/4" to 2-3/4" from finished wall to the back of the valve.</li> <li>• 1/2" Male NPT/Sweat inlets/outlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters</li> <li>• Includes Screwdriver Stops for easy servicing at the valve</li> <li>• Cartridge Ships with Trim</li> </ul>		



PROJECT NAME: **AMERICAN STANDARD\_PRODUCT  
PROPOSAL\_GOOD**  
PROJECT  
LOCATION: **PISCATAWAY NJ - NEW JERSEY**

## Faucets - Glenmere Collections





	SKU 7617107.002	TAG	COLOR Polished Chrome (100)
	QTY 1		
	<p><b>Glenmere Single Hole Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle</b></p> <ul style="list-style-type: none"> <li>• Easy-to-install push drain for quick removal of clogs</li> <li>• Saves water without sacrificing performance</li> <li>• WaterSense certified, uses 1.2 gallons per minute</li> <li>• Supply lines and optional deck plate included</li> <li>• ADA compliant</li> <li>• Limited lifetime warranty</li> </ul>		
	SKU 7617207.002	TAG	COLOR Polished Chrome (100)
	QTY 1		
	<p><b>Glenmere 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles</b></p> <ul style="list-style-type: none"> <li>• Easy-to-install push drain for quick removal of clogs</li> <li>• Saves water without sacrificing performance</li> <li>• WaterSense certified, uses 1.2 gallons per minute</li> <li>• ADA compliant</li> <li>• Limited lifetime warranty</li> </ul>		
	SKU 7617807.002	TAG	COLOR Polished Chrome (100)
	QTY 1		
	<p><b>Glenmere 8-Inch Widespread 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles</b></p> <ul style="list-style-type: none"> <li>• Easy-to-install push drain for quick removal of clogs</li> <li>• Saves water without sacrificing performance</li> <li>• WaterSense certified, uses 1.2 gallons per minute</li> <li>• Supply lines included</li> <li>• ADA compliant</li> <li>• Limited lifetime warranty</li> </ul>		
	SKU TU617507.002	TAG	COLOR Chrome (002)
	QTY 1		
	<p><b>&lt;Name Changed="true"&gt;TU617507.002-Glenmere PB Shower Only 1.8gpm</b></p> <ul style="list-style-type: none"> <li>• SHOWER ONLY COMBO: Includes a single-spray showerhead, shower arm, and pressure balance valve trim with cartridge. Requires Flash Shower Rough-in Valve, sold separately.</li> <li>• SINGLE-SPRAY SHOWER HEAD: Large 7-in. surface for full-body coverage, with a 1.8 gpm (6.8Lpm) maximum flow rate</li> <li>• SHOWER ARM: Pivots for easy angle adjustment</li> <li>• PRESSURE BALANCE VALVE TRIM: Metal lever handle and plate, with cartridge for convenient installation</li> <li>• BACK-TO-BACK CAPABILITY: Hot and cold can be reversed quickly and easily</li> <li>• INSTALL REQUIREMENT: Flash® Shower Rough-in Valve, sold separately</li> <li>• WARRANTY: Limited lifetime warranty</li> </ul>		

PROJECT NAME: **AMERICAN STANDARD\_PRODUCT  
PROPOSAL\_GOOD**  
PROJECT **PISCATAWAY NJ - NEW JERSEY**  
LOCATION:

### Faucets - Glenmere Collections

	SKU TU617508.002	TAG	COLOR Polished Chrome (100)
	QTY 1		
	<p><b>Glenmere 1.8 gpm/6.8 L/min Tub and Shower Trim Kit With Water-Saving Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle</b></p> <ul style="list-style-type: none"> <li>• Includes single-function showerhead and arm, pressure balance valve cartridge, and diverter tub spout</li> <li>• Pressure balance valve cartridge prevents accidental scalding and compensates for sudden changes in water pressure</li> <li>• 1.8 gpm flow rate helps conserve water without sacrificing performance</li> <li>• WaterSense certified</li> <li>• Limited lifetime warranty</li> <li>• Requires Flash Rough-in Valve, sold separately</li> </ul>		
	SKU RU101SS	TAG	COLOR No Finish (007)
	QTY 1		
	<p><b>Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops</b></p> <ul style="list-style-type: none"> <li>• Flush Plug: Eliminates the need to remove cartridge during installation and allows installer to flush the lines without cross flow. Can be tested using flush plug with air (200 psi) or water (300 psi).</li> <li>• Stainless Steel Retaining Ring with Flats: Secures test cap/ cartridge in place and eliminates need for screws. Flats make it simple to loosen ring for quick, easy insertion/removal of test cap/cartridge.</li> <li>• Flat Back: Allows valve to be mounted flush against cross brace for easy and solid installation</li> <li>• Cast DZR Brass Valve Body: Resists corrosion due to high chloride and pH levels in water.</li> <li>• Back-to-Back Capability: Hot and cold can be reversed quickly and easily.</li> <li>• Exclusive Plaster Guard: Plaster guard is designed to protect valve and act as a guide during installation. It can serve as mounting support for thin-wall installations.</li> <li>• Wide Rough-in Range: From 1-3/4" to 2-3/4" from finished wall to the back of the valve.</li> <li>• 1/2" Male NPT/Sweat inlets/outlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters</li> <li>• Includes Screwdriver Stops for easy servicing at the valve</li> <li>• Cartridge Ships with Trim</li> </ul>		




## Accessories - Glenmere Collection

	SKU 7617230.002	TAG	COLOR Chrome (002)
	QTY 1		
	<b>Glenmere Toilet Paper Holder</b> <ul style="list-style-type: none"> <li>• Convenient design – Quick and easy to replace toilet paper roll</li> <li>• Easy to install - No exposed screws for a seamless look</li> <li>• Perfect accent - Coordinates with the Glenmere Collection of faucets</li> <li>• Durable - All metal construction</li> </ul>		
	SKU 7617210.002	TAG	COLOR Chrome (002)
	QTY 1		
	<b>Glenmere Robe Hook</b> <ul style="list-style-type: none"> <li>• Easy to install - No exposed screws for a seamless look</li> <li>• Perfect accent - Coordinates with the Glenmere Collection of faucets</li> <li>• Durable - All metal construction</li> </ul>		
	SKU 7617190.002	TAG	COLOR Chrome (002)
	QTY 1		
	<b>Glenmere Towel Ring</b> <ul style="list-style-type: none"> <li>• Easy to install - No exposed screws for a seamless look</li> <li>• Perfect accent - Coordinates with the Glenmere Collection of faucets</li> <li>• Durable - All metal construction</li> </ul>		
	SKU 7617024.002	TAG	COLOR Chrome (002)
	QTY 1		
	<b>Glenmere 24-inch Towel Bar</b> <ul style="list-style-type: none"> <li>• Easy to install - No exposed screws for a seamless look</li> <li>• Perfect accent - Coordinates with the Glenmere Collection of faucets</li> <li>• Durable - All metal construction</li> </ul>		



PROJECT NAME: AMERICAN STANDARD\_PRODUCT PROPOSAL\_GOOD  
 PROJECT LOCATION: PISCATAWAY NJ - NEW JERSEY

PART OF LIXIL




## Sinks - Undermounts, Drop-Ins, & Ped/Lav

	SKU 0236411.020	TAG	COLOR White (020)
	QTY 1		
	<b>Cadet® 4-Inch Centerset Pedestal Sink Top and Leg Combination</b> <ul style="list-style-type: none"> <li>• Classic vitreous china lavatory and pedestal</li> <li>• Faucet ledge with generous shelf area</li> <li>• Rear overflow</li> <li>• Soap/accessory ledge</li> <li>• Supplied with mounting kit</li> <li>• Design styled to Cadet toilets</li> <li>• Faucet holes on 4" (102 mm) centers</li> <li>• 35" (889 mm) height</li> </ul>		
	SKU 0476928.020	TAG	COLOR White (020)
	QTY 1		
	<b>Aqualyn® Drop-In Sink With 4-Inch Centerset Less Overflow</b> <ul style="list-style-type: none"> <li>• Self-rimming oval counter top sink</li> <li>• Tapered edges for style</li> <li>• Less overflow</li> <li>• Supplied with cut-out template</li> <li>• Countertop sink with extra hole for lotion dispenser</li> <li>• Faucet holes on 4" (102 mm) centers</li> <li>• Short shank soap/lotion dispenser required</li> <li>• Made of vitreous china</li> <li>• Bowl Size:</li> <li>• 16 in (wide) 10 in (front to back) 5-5/8 in (deep)</li> </ul>		
	SKU 0496221.020	TAG	COLOR White (020)
	QTY 1		
	<b>Ovalyn Medium Under Counter Sink</b> <ul style="list-style-type: none"> <li>• Under counter mount sink</li> <li>• Unglazed rim</li> <li>• Front overflow</li> <li>• Supplied with mounting kit and template</li> <li>• Made of vitreous china</li> </ul>		


## Tubs


	SKU	TAG	COLOR
	0255212.020		White (020)
	QTY 1		
<b>New Salem 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet</b> <ul style="list-style-type: none"> <li>• Steel one-piece recess bath</li> <li>• Integral apron</li> <li>• End drain outlet</li> <li>• Slip-resistant surface</li> <li>• Straight tiling bead</li> <li>• Fully-bonded support pad</li> <li>• Nominal Dimensions:</li> <li>• 60" x 30" x 14-1/4" (1524 x 762 x 362 mm)</li> </ul>			
	SKU	TAG	COLOR
	0255112.020		White (020)
	QTY 1		
<b>New Salem 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet</b> <ul style="list-style-type: none"> <li>• Steel one-piece recess bath</li> <li>• Integral apron</li> <li>• End drain outlet</li> <li>• Slip-resistant surface</li> <li>• Straight tiling bead</li> <li>• Fully-bonded support pad</li> <li>• Nominal Dimensions:</li> <li>• 60" x 30" x 14-1/4" (1524 x 762 x 362 mm)</li> </ul>			

## Kitchen - Faucet and Sinks

	<p><b>SKU</b> 7617300.002</p>	<p><b>TAG</b></p>	<p><b>COLOR</b> Polished Chrome (100)</p>
	<p><b>QTY</b> 1</p>		
	<p><b>Hillsdale Single-Handle Pull-Down Dual Spray Kitchen Faucet</b></p> <ul style="list-style-type: none"> <li>• One hole install or use included deck plate for 2, 3 or 4 holes</li> <li>• High-arc swivel spout to easily fill and clean large pots</li> <li>• Swivel spout and pull-down spray head reach every corner of the sink</li> <li>• Re-Trax system provides smooth, easy motion when pulling out and retracting spray head</li> <li>• Pull-down spray head with push-button to switch between stream and spray</li> <li>• Ceramic disc valve assures smooth control and a lifetime of drip-free, maintenance-free performance</li> <li>• Memory position valve to turn water on and off at preferred temperature without readjusting handle position</li> <li>• Speed Connect hoses easily snap together for a watertight connection</li> <li>• Flexible and durable, the 38-inch supply lines resist wear and tear, included</li> <li>• Durable metal construction, ADA compliant lever handle, Faucet can be installed with or without included deck plate</li> </ul>		
	<p><b>SKU</b> 20SB.332211B.075</p>	<p><b>TAG</b></p>	<p><b>COLOR</b> Stainless Steel (075)</p>
	<p><b>QTY</b> 1</p>		
	<p><b>Hillsdale® 33 x 22-Inch Stainless Steel Drop-In or Undermount Single-Bowl Kitchen Sink</b></p> <ul style="list-style-type: none"> <li>• Part of the Builder Suites Stability Collection</li> <li>• Coordinating Hillsdale Kitchen Faucet also available, sold separately</li> <li>• Unique contoured shape provides smart use of space for multitasking</li> <li>• 9-inch bowl depth accommodates filling and washing of large pots</li> <li>• Drop-in or under-mount design can be installed above or below the countertop</li> <li>• Durable 20-gauge stainless steel resists dings and dents</li> <li>• Undercoated with StoneLock insulation to protect against condensation</li> <li>• SoundSecure padding helps eliminate unwanted noise and vibration</li> <li>• Cut-out dimensions provided in specifications are for drop-in install; for under counter dimensions refer to template included with sink</li> </ul>		
	<p><b>SKU</b> 18SB6231800S.075</p>	<p><b>TAG</b></p>	<p><b>COLOR</b> Stainless Steel (075)</p>
	<p><b>QTY</b> 1</p>		
	<p><b>Portsmouth® 23 x 18-Inch Stainless Steel Undermount Single-Bowl ADA Kitchen Sink</b></p> <ul style="list-style-type: none"> <li>• Single-bowl stainless steel kitchen sink</li> <li>• 18-gauge stainless steel</li> <li>• 6" depth with offset drain</li> <li>• Undermount installation</li> <li>• 26" (660 mm) cabinet required</li> <li>• Includes: - 9028000.075 Waste Fitting - 791676-100.0070A Undermount Sink Clips</li> <li>• Features SoundSecure+ sound pads</li> <li>• Features StoneLock undercoating</li> <li>• Cutout template and instructions included</li> <li>• Nominal Dimensions: 23-3/8" x 17-3/4" x 6" (594 x 451 x 152 mm), Bowl Size: 21-7/16" (544 mm) wide 15-13/16" (401 mm) front to back 6" (152 mm) deep</li> </ul>		

## Bar - Faucet & Sinks

	<b>SKU</b> 22SB.6151511S.075	<b>TAG</b>	<b>COLOR</b> Stainless Steel (075)
	<b>QTY</b> 1		
	<b>Colony® 15 x 15-Inch Stainless Steel 1-Hole Top Mount Single-Bowl ADA Kitchen Sink</b> <ul style="list-style-type: none"> <li>• Durable 20-gauge stainless steel</li> <li>• Convenient top mount installation</li> <li>• 15 x 15 x 6-inch ADA single-bowl sink</li> <li>• Installation hardware, cutout template and instructions included</li> <li>• 18-inch Cabinet Required</li> <li>• Equipped with SoundSecure rubber sound pads on the bottom of your sink to reduce excess sound and vibration</li> <li>• Features StoneLock multi-layer spray insulation to help with sound absorption and to minimize condensation on the underside of your sink</li> <li>• Bowl Size: 12 1/4 x 10 1/4 x 6-inch</li> </ul>		

	<b>SKU</b> 18SB.9181600S.075	<b>TAG</b>	<b>COLOR</b> Stainless Steel (075)
	<b>QTY</b> 1		
	<b>Portsmouth® 18 x 16-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink</b> <ul style="list-style-type: none"> <li>• Premium 18-gauge stainless steel</li> <li>• Undermount installation for a custom look</li> <li>• 18 x 16 x 9-inch single-bowl sink</li> <li>• Includes 9028000.075 drain</li> <li>• Installation hardware, cutout template and instructions included</li> <li>• 21-inch Cabinet Required</li> <li>• Equipped with SoundSecure+ rubber sound pads on the bottom and sides of your sink for extra protection against unwanted noise and vibration</li> <li>• Features StoneLock multi-layer spray insulation to help with sound absorption and to minimize condensation on the underside of your sink</li> <li>• Bottom grids for extra scratch protection are sold separately; 8448.181600.075</li> </ul>		

## Service Sink - Faucet



SKU	TAG	COLOR
7074240.002		Chrome (002)
	QTY	
	1	

**Colony® PRO 2-Handle Laundry Faucet 1.5 gpm/5.7 L/min**

- ADA Compliant metal handles
- Durable, long-lasting metal construction
- 3-Hole Mount
- Lead-free
- Handles included
- Limited lifetime warranty



**LIXIL**